IEC TS 62600-100

Edition 2.0 2024-11

TECHNICAL SPECIFICATION

colour inside

Marine energy – Wave, tidal and other water current converters – Part 100: Electricity producing wave energy converters – Power performance assessment

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.140

ISBN 978-2-8322-9860-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 6
INTRODUCTION 8
1 Scope 9
2 Normative references 10
3 Terms, definitions, symbols, units, and abbreviated terms 11
3.1 Terms and definitions 11
3.2 Symbols, units, and abbreviated terms 11
4 Sequence of work 13
5 Test site characterisation 14
5.1 General 14
5.2 Measurements 14
5.2.1 General 14
5.2.2 Wave characterisation 14
5.2.3 Tidal or ocean currents 15
5.2.4 Tidal elevation 15
5.2.5 Bathymetric survey 15
5.2.6 Wind speeds 16
5.2.7 Calculation of wave spatial transfer model 16
5.2.8 Modelling of the test site 16
6 Methodology 16
6.1 General 16
6.2 Sample duration 17
6.3 Simultaneity 17
6.4 Data recording 17
6.4.1 Amount of data to be recorded 17
6.4.2 Data format and retaining 18
7 Measurement and data collection for wave data 18
7.1 General 18
7.2 WMI calibration 18
7.2.1 General 18
7.2.2 General 18
7.2.3 Direct measurement 18
7.2.4 Measurements with spatial transfer model 18
7.2.5 Correction for WEC interference 19
7.3 Metocean data 19
7.4 Procedure for the calculation of derived parameters 19
8 WEC power output measurements 21
8.1 WEC electrical output terminals 21
8.2 Power measurement point 21
8.3 Power measurements 21
8.3.1 General 21
8.3.2 Limitations on power production 21
8.4 Instruments and calibration 22
9 Determination of capture width matrix 22
9.1 General 22
9.2 Structure of the capture width matrix 22

9.2.1 Core structure 22
9.2.2 Sub-division of the normalized capture width matrix 23
9.2.3 Calculation of the capture width 23
9.2.4 Representation of the capture width per bin 23
10 Reporting format 23
10.1 General 23
10.2 WEC description report 24
10.3 WEC test site report 24
10.4 Electrical grid and load report 25
10.5 Test equipment report 25
10.6 Measurement procedure report 25
10.7 Presentation of measured data 25
10.8 Deviations from the procedure 26
Annex A (informative) Example production of a normalized capture width matrix 27
A.1 General 27
A.2 Sample data 27
Annex B (normative) Method for power loss compensation where the measurement point is located on shore 33
B.1 Single-line diagram 33
B.2 Cable loss compensation 34
Annex C (normative) Evaluation of uncertainty 36
C.1 General 36
C.2 Uncertainty analysis 36
Annex D (normative) Error analysis of the wave spatial transfer model 38
D.1 General 38
D.2 Overview 38
D.2.1 Validation procedure 38
D.2.2 Validation technique 38
Annex E (normative) Wave energy converter power performance assessment at a second location using measured assessment data 40
E.1 General 40
E.2 Sequence of work 40
E.3 Limitations of this annex 41
E.4 Description of wave energy conversion (WEC) technology 41
E.5 Assess and characterize wave resource related to Location 1 and Location 2 41
E.5.1 General 41
E.5.2 Ambient condition 41
E.5.3 Wave resource at Location 1 and Location 2 42
E.6 WEC power capture data at Location 1 42
E.7 WEC model validation 42
E.7.1 General 42
E.7.2 Bin selection 42
E.7.3 Error per bin 42
E.7.4 Accounting for PTO losses 43
E.8 Modifications to the WEC 43
E.9 Calculate capture width matrix for use at Location 2 44
E.9.1 Evaluate appropriate dimensionality of the capture width matrix at Location 2 44
E.9.2 Calculate information for each bin of the capture width matrix 44

E.10 Quality assurance for cells based on measurements at Location 1 45
E.11 Complement capture width matrix to cover range of conditions at Location 2 45
E.11.1 Capture width matrix complementation requirement 45
E.11.2 Interpolation or extrapolation of the capture width matrix 45
E.11.3 Numerical model 45
E.11.4 Use of physical model 46
E.12 Calculate AEP at Location 2 using complemented capture width matrix and Location 2 resource data 46
E.13 Assessment of confidence 46
Annex F (informative) Example analysis 47
F.1 General 47
F.2 Description of the WEC technology 47
F.3 Assess and characterize wave resource related to Location 1 and Location 2 48
F.4 Assess and characterize wave resource at Location 1 49
F.5 Assess and characterize wave resource at Location 2 50
F.6 WEC power capture data at Location 1 51
F.7 WEC model validation 52
F.8 Calculate capture width matrix for use at Location 2 54
F.8.1 Assess the appropriate dimensionality of the capture width matrix at Location 2 54
F.8.2 Calculate information for each bin of the capture width matrix 54
F.9 Perform quality assurance on capture width matrix for application at Location 2 55
F.10 Complement capture width matrix to cover range of conditions at Location 2 55
F.11 Calculate AEP at Location 2 using complemented capture width matrix and Location 2 resource data 56
F.12 Assessment of confidence 56
Annex G (informative) Power take off efficiency 57
G.1 General 57
G.2 Absorbed power 57
G.3 WEC Power take off efficiency – location 1 58
G.4 Example calculation of PTO efficiency 58
G.5 Power take off efficiency – location 2 61
Bibliography 62

Figure 1 – Timeline of assessment 14
Figure 2 – Data flow diagram 17
Figure A.1 – Power scatter 28
Figure B.1 – Location options for metering equipment 33
Figure B.2 – Positive sequence cable model 34
Figure F.1 – The Wavestar prototype (diameter of each float is 5 m) 47
Figure F.2 – Map showing Location 1 Hanstholm and Location 2 Fjatring 48
Figure F.3 – Location 1 wave energy flux matrix, Hantsholm, Denmark (based on measured data from Wavestar prototype Feb 2012 – Jan 2013) 50
Figure F.4 – Location 2 Wave Energy Flux Matrix, Buoy 2031 (Fjaltring, Denmark) 51
Figure F.5 – Wavestar prototype capture width matrix Location 1 52
Figure F.6 – Numerically modelled electrical power matrix, adapted from [3] 53

Figure F.7 – Model validation indicating percent difference in capture width between observations and model (model-observations) 54
Figure F.8 – Wavestar prototype capture width matrix for Location 2. Fjaltring, Denmark 56
Figure G.1 – Overview of Power Take Off System 57

Table 1 – Symbols, units, and abbreviated terms 11
Table A.1 – Sample data 27
Table A.2 – Average capture width 29
Table A.3 – Standard deviation of capture width 30
Table A.4 – Maximum capture width 30
Table A.5 – Minimum capture width 31
Table A.6 – Number of data samples 32
Table C.1 – List of uncertainty components 36
Table F.1 – Locations 1 and 2, basic information 48
Table G.1 – Absorbed capture width 59
Table G.2 – PTO efficiency 60

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 100: Electricity producing wave energy converters – Power performance assessment

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62600-100 has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters. It is a Technical Specification.

This second edition cancels and replaces the first edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Incorporation of IEC TS 62600-102 as a series of annexes in this document
b) Removal of the computation of annual energy production. This has been moved to IEC TS 62600-101.

c) Modification to the list of terms definitions, symbols and units.

d) Modification of the reporting section to align with IEC TS 62600-200

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
114/537/DTS	114/554/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62600 series, published under the general title *Marine Energy – Wave, tidal and other water current converters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62600, which is a Technical Specification, provides performance assessment methods for wave energy converters. A wave energy converter is a device which generates electricity using the action of water waves and delivers electricity to an electrical load.

Wave energy industry development is transitioning from preliminary stages to commercial production stages. Validated data gathering and processing techniques are important to improve existing technologies. This document will be subject to changes as data are collected and processed from testing of wave energy converters.

The expected users of the document include:

- Device developers who want to validate the performance of their wave energy converter.
- Investors who want to assess the performance of a device developer's wave energy converter.
- Project developers who want to assess the performance of their project against manufacturer's claims.
- Surveyors contracted to carry out the assessment.
- Conformity assessment, test laboratories, and certification.
- Project developers – income, return on investment
- Device developers – performance of device
- Utilities and investors – reliability/predictability of supply, return on investment
- Policy-makers and planners – usage of seascape, optimisation of resource, power supply issues
- Consultants to produce resource data/due diligence – compatible/readable data format

An essential element for any published Technical Specification or International Standard is to allow an opportunity to provide feedback on its contents to the appropriate TC 114 Working Group. TC 114 utilizes a standard methodology to allow this.

To submit feedback such as proposed changes, corrections and/or improvements to this document, please send an email to the TC 114 Chair using the Contact TC 114 Officers feature on the IEC TC 114 Dashboard, accessible at www.iec.ch/tc114. On the right side of the Dashboard under Further information select the link to contact the TC 114 Officers. On the subsequent page find and select the Send Email link for the Chair to access the email tool.

Complete all the required elements within the email pop-up. For the Subject field please include the document title and edition you are providing feedback for (ex: feedback for TS 62600-1 ED2). In the Message field, include text which summarizes your feedback and note if further information can be made available (note attachments are not allowed). The Chair may request added information as needed before forwarding the submission to the remaining TC 114 Officers for review and then to the appropriate Working Group for their consideration.

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 100: Electricity producing wave energy converters – Power performance assessment

1 Scope

Wave Energy Converters (WEC) are designed to operate efficiently at different locations. Systematic methods are used to evaluate the power performance of a WEC at a second location (hereinafter Location 2) based on power performance assessment at a first location (hereinafter Location 1). The degree of similarity of the measured WEC (WEC 1) and the metocean conditions at Location 1 to the secondary WEC (WEC 2) at Location 2 determine the methodology and the applicability of this document.

This document applied in conjunction with the IEC Technical Specification on wave energy resource assessment and characterization (IEC TS 62600-101), provides a method for estimation of the mean annual energy production of a WEC, assessing the electrical power production performance of a single, non-array, wave energy converter, at Location 2 based on the performance at Location 1.

The scope of this document includes:

a) All wave energy converters that produce electrical power from wave energy.
b) All sea resource zones (near and offshore, deep and shallow water).
c) Capture width matrix transposition from one location to another.
d) Limitation on the changes that are allowed to the WEC and the specification of the location.
e) Wave data required at Location 2, as a minimum the requirements found in IEC TS 62600-101.
f) Development of the capture width matrix at Location 2.
g) Validation of the capture width matrix at Location 2.
h) Assessment of uncertainties in the derived performance parameters at Location 2.
i) Requirements for the allowable power performance transfer by geometric, kinematic and dynamic similarity.
j) Requirements for the allowable incorporation of additional empirical model data.
k) Requirements for the allowable incorporation of additional numerical model data.
l) The document applies to commercial scale wave energy converters that are:
    1) compliantly moored.
    2) tautly moored.
    3) bottom mounted.
    4) shore mounted.

The scope of this document does not include:

a) Wave energy converters that produce nonelectrical energy.
b) Resource assessment.
c) Scaled devices in test facilities (tank or scaled sea conditions) where any scaling would be carried out to extrapolate results for a full-scale device.
d) Power quality issues.

e) Environmental issues.

f) Operation and maintenance.

g) Annual energy production (AEP).

This document provides a systematic method which includes:

- measurement of WEC capture width in a range of sea states.
- transposition of capture width from one location to a second location.
- an agreed framework for reporting the results of capture width and wave measurements.
- estimate of the capture width of a modified WEC at Location 2. This work would include the development of parameters for the modified WEC for the second location.

This document provides:

- guidance on the use of observations from Location 1.
- methods for assessing and reporting the validity of numerical and physical models.
- limits on the permissible changes to the WEC between Locations 1 and 2.
- limits on the use of data fitting techniques, and
- requirements for reporting.

The wave power industry is at an early stage of development. There is little practical experience with field-scale WECs deployment. Because of this, the present document will be subject to change as more data is collected and experience with wave energy converters develops.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60688, *Electrical measuring transducers for converting AC and DC. electrical quantities to analogue or digital signals*

IEC 61869-1, *Instrument transformers – Part 1: General requirements*

IEC 61869-2, *Instrument transformers – Part 2: Additional Requirements for current transformers*

IEC 61869-3, *Instrument transformers – Part 3: Additional requirements for inductive voltage transformers*

IEC TS 62600-3, *Marine energy – Wave, tidal and other water current converters – Part 3: Measurement of mechanical loads*

IEC TS 62600-101:2015, *Marine energy – Wave, tidal and other water current converters – Part 101: Wave energy resource assessment and characterization*

IEC TS 62600-103, *Marine energy – Wave, tidal and other water current converters – Part 103: Guidelines for the early stage development of wave energy converters – Best practices and recommended procedures for the testing of pre-prototype device*s

ISO/IEC Guide 98-1, *Uncertainty of measurement – Part 1: Introduction to the expression of uncertainty in measurement*

ISO/IEC Guide 98-3, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement* (GUM:1995)

ISO 8601, *Data elements and interchange formats – Information interchange – Representation of dates and times*

ISO 19901-1, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 1: Metocean design and operating considerations*