INTERNATIONAL STANDARD

ISO 14484

Second edition
2020-03

Performance guidelines for design of concrete structures using fibre-reinforced polymer (FRP) materials

Lignes directrices de performance pour la conception des structures en béton utilisant des polymères renforcés de fibres (PRF)

Reference number
ISO 14484:2020(E)

© ISO 2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2020 – All rights reserved

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Design basics ... **2**
4.1 General ... 2
4.2 Design methodology ... 2

5 Properties of materials ... **2**
5.1 Properties of concrete and steel ... 2
5.2 Properties of FRP materials ... 3
5.2.1 General ... 3
5.2.2 FRP bars, grids, and plates ... 3
5.2.3 FRP sheets ... 3
5.2.4 Other FRP systems ... 3
5.3 Resins ... 3

6 Structural analysis ... **3**

7 Serviceability limit states ... **4**
7.1 General ... 4
7.2 Calculation of stress and strain ... 4
7.3 Cracking ... 4
7.3.1 Allowable crack width ... 4
7.3.2 Tension and flexural cracks ... 4
7.3.3 Shear and torsion cracks ... 4
7.4 Deflections ... 4

8 Ultimate limit states ... **5**
8.1 General ... 5
8.2 Axial and flexural capacity ... 5
8.2.1 Axial strength and deformation capacity ... 5
8.2.2 Flexural strength and deformation capacity ... 5
8.3 Shear capacity ... 5
8.3.1 Shear strength ... 5
8.3.2 Punching shear strength ... 5
8.3.3 Torsion ... 6
8.4 Creep-rupture and fatigue ... 6

9 General structural details ... **6**
9.1 FRP reinforcements/tendons ... 6
9.1.1 Bent configurations ... 6
9.1.2 Anchorages ... 6
9.1.3 Splices ... 6
9.2 Externally bonded FRP sheets/plates ... 6
9.2.1 Anchorage of FRP sheets/plates ... 6
9.2.2 Splice of FRP sheets/plates ... 6
9.2.3 FRP sheets at rounded corners ... 6
9.3 Near-surface mounted FRP reinforcement ... 7
9.3.1 Dimension of grooves ... 7
9.3.2 Anchorage of near-surface mounted FRP reinforcement ... 7

© ISO 2020 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 71, *Concrete, reinforced concrete and pre-stressed concrete*, Subcommittee SC 6, *Non-traditional reinforcing materials for concrete structures*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This second edition cancels and replaces the first edition (ISO 14484:2013), which has been technically revised. The main changes compared to the previous edition are as follows:

— the scope of the document now extends from concrete structures with the sole use of FRP materials to those with the combined use of FRP materials and steel reinforcement;

— the compressive strength of FRP materials is now allowed to be accounted for in design; and

— the creep-rupture and fatigue limit states of FRP materials have been specified.

© ISO 2020 – All rights reserved

Introduction

Continuous fibre-reinforced polymer (FRP) materials are widely applied to concrete structures. FRP materials have many advantages, such as a high strength/weight ratio and immunity to corrosion. FRP materials are available in a variety of geometries, including rod, grid, plate, sheet, strand, etc.

This document describes the general performance requirements for concrete structures with the use of FRP materials. This document is an umbrella document with general provisions and guidelines and lists the regional consensus guidelines/standards that are deemed to satisfy this document. Regional guidelines/standards are generally more prescriptive in nature and vary somewhat from region to region.

This document is intended to provide wide latitude in terms of general requirements for performance verification and assessment of concrete structures with the use of FRP materials. It is meant to be used in conjunction with sound engineering judgment.

© ISO 2020 – All rights reserved

Performance guidelines for design of concrete structures using fibre-reinforced polymer (FRP) materials

1 Scope

This document provides general principles for the verification and assessment of the performance of concrete structures with the applications of different fibre-reinforced polymer (FRP) systems varying from internal FRP reinforcements/tendons, external FRP tendons, externally bonded FRP sheets/plates, to near-surface mounted FRP reinforcement. It can be used for the international harmonization of the design of un-reinforced, conventionally reinforced, and pre-stressed concrete structures with the use of the above-mentioned FRP systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2394, *General principles on reliability for structures*

ISO 10406-1, *Fibre-reinforced polymer (FRP) reinforcement of concrete — Test methods — Part 1: FRP bars and grids*

ISO 10406-2, *Fibre-reinforced polymer (FRP) reinforcement of concrete — Test methods — Part 2: FRP sheets*

ISO 19338, *Performance and assessment requirements for design standards on structural concrete*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19338, ISO 10406-1, ISO 10406-2, and ISO 2394 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

3.1
bonding
attachment between fibre-reinforced polymer and substrates

3.2
concrete substrate
concrete or any cementitious material used to repair or replace the original concrete

Note 1 to entry: The substrate can consist entirely of original concrete, entirely of repair materials, or of a combination of original concrete and repair materials.

3.3
debonding
separation at the interface between the substrate and the near-surface mounted or externally bonded fibre-reinforced polymer materials

© ISO 2020 – All rights reserved

3.4
fibre-reinforced polymer material
FRP material
assembly of dissimilar materials with a polymeric matrix and continuous fibre reinforcement of aramid, carbon, glass, etc.

3.5
near-surface mounted fibre-reinforced polymer reinforcement
near-surface mounted FRP reinforcement
fibre-reinforced polymer bar or strip which is bonded inside a groove near the surface of a structural component

3.6
fibre-reinforced polymer plate
FRP plate
single or multiple layers of fabric or mat reinforcement bound together in a resin matrix, precured prior to application

3.7
fibre-reinforced polymer sheet
FRP sheet
dry, flexible component which consists of continuous fibres aligned in one or more directions and held together in-plane to create a ply of finite width and length, and is used in wet lay-up systems

4 Design basics

4.1 General

Concrete structures with FRP materials include concrete structures with the sole use of FRP materials and those with the combined use of FRP materials and steel reinforcement.

Design of concrete structures with FRP materials should consider safety, serviceability, and restorability during service life. Where applicable, limit states caused by fire, seismic actions, or other extreme loading or actions (e.g. impact and fatigue) should also be appropriately considered, according to the intended applications of FRP materials (i.e. as the strengthening layer or the internal reinforcement). In addition to the above, costs should also be taken into consideration.

Suitable analysis should be performed to verify that the performance requirements for concrete structures with FRP materials in terms of limit states such as serviceability limit states (SLS) and ultimate limit states (ULS) in accordance with ISO 2394 are satisfied.

4.2 Design methodology

A design methodology for concrete structures with FRP materials should be based on quantitative performance evaluation at the limit states. A rational method should be adopted for analysing each limit state.

Design of concrete structures with FRP materials should consider the linear elastic material properties of FRP and the properties of bond, if available, between the FRP and concrete, based on quantitative performance evaluation at the ultimate limit states.

5 Properties of materials

5.1 Properties of concrete and steel

Properties of concrete and steel should be determined in accordance with those specified for general structural concrete in ISO 19338.

© ISO 2020 – All rights reserved