International Standard

ISO 148-4

First edition
2026-04

Metallic materials — Charpy pendulum impact test —

Part 4: Testing of miniature Charpy-type V-notch test pieces

Matériaux métalliques — Essai de flexion par choc sur éprouvette Charpy —

Partie 4: Essai des éprouvettes type Charpy miniaturisées à entaille en V

Reference number
ISO 148-4:2026(en)

© ISO 2026



COPYRIGHT PROTECTED DOCUMENT

© ISO 2026

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ... **iv**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Principle of the test ... **1**

5 Test pieces ... **2**
5.1 General ... 2
5.2 Notch geometry ... 2
5.3 Tolerance of the test pieces ... 2
5.4 Preparation of the test pieces ... 2
5.5 Marking of the test pieces ... 2

6 Test equipment ... **3**
6.1 General ... 3
6.2 Installation and verification ... 3
6.3 Striker ... 3

7 Test procedure ... **3**
7.1 General ... 3
7.2 Test temperature and test piece transfer ... 3
7.3 Incomplete fracture ... 3

8 Test report ... **4**

Annex A (informative) **Alternative Charpy-type V-notch miniature test pieces**[2] ... **7**

Bibliography ... **8**

© ISO 2026 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO TC 164, *Mechanical testing of metals*, Subcommittee SC 4, *Fatigue, fracture and toughness testing*.

A list of all parts in the ISO 148 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2026 – All rights reserved

Metallic materials — Charpy pendulum impact test —

Part 4: Testing of miniature Charpy-type V-notch test pieces

1 Scope

This document specifies the pendulum impact test method on miniature Charpy-type V-notch test pieces of metallic materials. This document does not cover instrumented impact testing of miniature Charpy-type V-notch test pieces, which is specified in ISO 14556:2023, Annex D[1].

This document can be applied, by agreement, to other impact testing machines, such as drop-weight towers or high-speed servo-hydraulic machines.

The user should be aware that data obtained from miniature test pieces are not directly comparable to those obtained from full-size standard Charpy V-notch test pieces[2,3].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 148-1:2016, *Metallic materials — Charpy pendulum impact test — Part 1: Test method*

ISO 148-2, *Metallic materials — Charpy pendulum impact test — Part 2: Verification of testing machines*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 148-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
miniature Charpy-type V-notch test piece
Charpy-type V-notch test piece in which all linear dimensions (width W, thickness B, length L, ligament width) are smaller than for a standard Charpy V-notch test piece

Note 1 to entry: Standard Charpy V-notch test pieces are covered by ISO 148-1.

Note 2 to entry: Miniature Charpy-type V-notch test pieces should not be confused with sub-size Charpy-type V-notch test pieces, in which one or more linear dimensions, but not all, are smaller than for a standard test piece, for example, test pieces with thickness B = 5 mm, width W = 10 mm, length L = 55 mm, ligament width = 8 mm. Testing of sub-size test pieces is addressed in ISO 148-1:2016, 6.1.

4 Principle of the test

This test consists of breaking a miniature Charpy-type V-notch test piece with a single blow from a swinging pendulum or a similar impact testing machine (such as a drop-weight tower or a high-speed servo-hydraulic

© ISO 2026 – All rights reserved