INTERNATIONAL STANDARD

ISO 14955-1

Second edition
2017-11

Machine tools — Environmental evaluation of machine tools —

Part 1: Design methodology for energy-efficient machine tools

Machines-outils — Évaluation environnementale des machines-outils —

Partie 1: Méthode de conception pour l'efficacité énergétique des machines-outils

Reference number
ISO 14955-1:2017(E)

© ISO 2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword ... **iv**
Introduction ... **v**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **2**
4 Restriction to energy efficiency during use stage ... **5**
5 Integrating environmental aspects into machine tool design and development (design procedure for energy-efficient machine tools) ... **6**
5.1 General ... 6
5.2 Goal and potential benefits ... 6
5.3 Strategic considerations ... 6
5.4 Management considerations ... 6
5.5 Machine tool design and development process ... 7
6 Machine tool and machine tool functions ... **9**
6.1 General ... 9
6.2 System boundaries ... 9
6.3 Generalized functions of a machine tool ... 10
6.3.1 General ... 10
6.3.2 Machine tool operation (machining process, motion and control) ... 11
6.3.3 Process conditioning ... 12
6.3.4 Workpiece handling ... 12
6.3.5 Tool handling ... 12
6.3.6 Die change ... 12
6.3.7 Recyclables and waste handling ... 13
6.3.8 Machine tool cooling/heating ... 13
6.3.9 Subfunctions ... 13
6.3.10 Machine tool functions and machine tool components ... 14
6.4 Relevant machine tool functions and relevant machine tool components ... 16
6.4.1 Relevant machine tool functions ... 16
6.4.2 Relevant machine tool components ... 17
6.5 Result achieved ... 17
6.6 Efficiency evaluation ... 18
7 Design procedure for energy-efficient machine tools ... **18**
8 Reporting and monitoring of results ... **19**
Annex A (informative) **List of energy efficiency improvements for machine tools** ... **21**
Annex B (informative) **Example of how to apply the methodology on a machine tool** ... **32**
Annex C (informative) **Operating states** ... **39**
Bibliography ... **40**

© ISO 2017 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 39, *Machine tools*.

This second edition cancels and replaces the first edition (ISO 14955-1:2014), which has been technically revised with the following changes:

— the former Annexes A and B have been combined into a new Annex A, on energy efficiency improvements, which includes woodworking machine tools.

A list of all parts in the ISO 14955 series can be found on the ISO website.

© ISO 2017 – All rights reserved

Introduction

As environmental impact is a common challenge for all products and as natural resources become scarce, environmental performance criteria for machine tools need to be defined and the use of these criteria specified.

Machine tools are complex products for industrial use to manufacture parts ready for use or semi-finished products. The performance of a machine tool as key data for investment is multi-dimensional regarding its economic value, its technical specification and its operating requirements which are influenced by the specific application. Therefore, the same machine tool can show quite different energy supplied to the machine tool depending on the part which is being manufactured and the conditions under which the machine tool is operated. Therefore, the environmental evaluation of a machine tool cannot be considered in isolation from these considerations.

This document proposes to analyse machine tools considering the delivered functions, in order to highlight the commonalities in the huge variety of existing machine tool types. Machine tool components that realize the various functions are objects of specific improvements, keeping in mind the application of the system under evaluation. These improvements are subject for quantification, together with the overall system design to achieve a product with an improved environmental performance. The approach specified in this document is also intended to support environmental improvements on a multi-national level and across different manufacturers/suppliers and users.

Based on a list of positive environmental features which can be built into a machine tool, the performance of the product is intended to be evaluated in order to quantify the environmental improvements achieved over a defined period.

This document provides guidelines for the design and engineering of machine tools with reduced environmental impact, focusing on the energy supplied during the use stage.

Machine tools might have a significant influence on the environmental performance of the manufactured products.

© ISO 2017 – All rights reserved

Machine tools — Environmental evaluation of machine tools —

Part 1: Design methodology for energy-efficient machine tools

1 Scope

This document constitutes the application of eco-design standards to machine tools, mainly for automatically operated and/or numerically controlled (NC) machine tools.

This document addresses the energy efficiency of machine tools during the use stage, i.e. the working life of the machine tool. Environmentally relevant stages other than the use stage and relevant impacts other than energy supplied to machine tools are not within the scope and need special treatment (e.g. according to ISO/TR 14062).

Elements of eco-design procedure according to ISO/TR 14062 are applied to machine tools. Reporting of results to users and suppliers and monitoring of results are defined.

Evaluation of energy efficiency implies quantification of the resources used, i.e. energy supplied, and of the result achieved. This document provides guidance for a reproducible quantification of the energy supplied. It does not suggest a methodology for quantifying the result achieved due to the lack of universal criteria. The result achieved in industrial application being machined workpieces, their properties (e.g. material, shape, accuracy, surface quality), the constraints of production (e.g. minimum lot size, flexibility) and other appropriate parameters for the quantification of the result achieved are intended to be determined specifically for each application or for a set of applications.

This document defines methods for setting up a process for integrating energy efficiency aspects into machine tool design. It is not intended for the comparison of machine tools; also, this document does not deal with the effect of different types of user behaviour or different manufacturing strategies during the use phase.

Lists of environmentally relevant improvements and machine tool components, control of machine tool components and combinations of machine tool components are given in Annex A. Annex B provides an example of application of the methodology.

NOTE Certain machining processes and specific machine tools can allow significant changes in the environmental impact of machined workpieces, e.g. material reduction for aluminium cans by application of special press technology, higher performance of compressors by machining on precision form grinders[10] [13]. The environmental impact of such processes or machine tools might be less important compared to the environmental impact of the machined workpieces and their application. These changes in the environmental impact of machined workpieces are not subject of this document, but might be important if different machining processes or different machine tools are compared related to environmental impact of products. For instance, the accuracy of a machined workpiece might be a significant parameter for the environmental impact of the workpiece in its use stage, and any attempt to compare machine tools is intended to take this into account necessarily.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

© ISO 2017 – All rights reserved

ISO/TR 14062:2002, *Environmental management — Integrating environmental aspects into product design and development*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 14062 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

3.1
design and development
set of processes that transforms requirements into specified characteristics or into the specification of a product, process or system

Note 1 to entry: The terms “design” and “development” are sometimes used synonymously and sometimes used to define different stages of the overall process of turning an idea into a product.

Note 2 to entry: Product development is the process of taking a product idea from planning to market launch and review of the product, in which business strategies, marketing considerations, research methods and design aspects are used to take a product to a point of practical use. It includes improvements or modifications to existing products or processes.

Note 3 to entry: The integration of environmental aspects into product design and development may also be termed design for environment (DFE), eco-design, the environmental part of product stewardship, etc.

3.2
environment
surroundings in which an organization operates, including air, water, land, natural resources, flora, fauna, humans and their interrelation

Note 1 to entry: Surroundings in this context extend from within an organization to the global system.

[SOURCE: ISO 14001:2015, 3.2.1]

3.3
environmental aspect
element of an organization's activities or products or services that interact or can interact with the environment

Note 1 to entry: A significant environmental aspect is an environmental aspect that has or can have significant environmental impact.

[SOURCE: ISO 14001:2015, 3.2.2]

3.4
environmental impact
change to the *environment* (3.2), whether adverse or beneficial, wholly or partially resulting from an organization's *environmental aspects* (3.3)

[SOURCE: ISO 14001:2015, 3.2.4]

© ISO 2017 – All rights reserved

3.5
life cycle
consecutive and interlinked stages of a product system, from raw material acquisition or generation from natural resources to the final disposal

Note 1 to entry: The stages of a product's life cycle are raw material acquisition, manufacture, distribution, use and disposal (introduction of ISO/TR 14062 based on ISO 14040:2006, 5.2.3).

[SOURCE: ISO 14040:2006, 3.1]

3.6
mode of operation
method of operating and controlling a *machine tool* (3.16), whereby different modes of operation are defined by safety standards for machine tools

Note 1 to entry: Examples for modes of operation are manual mode, automatic mode, setting mode.

Note 2 to entry: Different machine tool activities require certain modes of operation as laid down in safety standards for machine tools.

3.7
operating state
combination of ON, HOLD and OFF etc., settings of mains, peripheral units, machine tool control, machine tool processing unit and machine tool motion units including relevant machine tool activities

Note 1 to entry: Peripheral units are, for example, units for machine tool cooling/heating, process conditioning, workpiece and tool handling, recyclables and waste handling.

Note 2 to entry: Machine tool processing units are, for example, main spindle of a turning machine, tool spindle of a machining centre, generator for electro-discharge machine, slide of a press, draw cushions of a press.

Note 3 to entry: Machine tool motion units are, for example, linear axes of a turning machine, linear and rotary axes of a machining centre, linear axes of a wire electro-discharge machine.

Note 4 to entry: Reference to operating states (e.g. OFF, STANDBY, EXTENDED STANDBY, WARM UP, READY FOR PROCESSING, PROCESSING and CYCLING) requires definition of these states. An example for such a definition for a metal-cutting machine tool is given in Annex C.

Note 5 to entry: Examples for machine tool activities are tool loading, workpiece loading, axes movements, waiting, machine tool operation or cycling, or complete test cycles.

Note 6 to entry: Depending on the operating state and the machine tool activities, a mode of operation is selected as defined by relevant safety standards of machine tools.

3.8
environmental claim
statement, symbol or graphic that indicates an *environmental aspect* (3.3) of a product, a component or packaging

Note 1 to entry: An environmental claim may be made on product or packaging labels, through product literature, technical bulletins, advertising, publicity, telemarketing, as well as through digital or electronic media such as the Internet.

[SOURCE: ISO 14021:2016, 3.1.4]

3.9
environmental claim verification
confirmation of the validity of an *environmental claim* (3.8) using specific predetermined criteria and procedures with assurance of data reliability

[SOURCE: ISO 14021:2016, 3.1.5]

© ISO 2017 – All rights reserved

3.10
explanatory statement
explanation which is needed or given so that an *environmental claim* (3.8) can be properly understood by a purchaser, potential purchaser or user of the product

[SOURCE: ISO 14021:2016, 3.1.7]

3.11
functional unit
quantified performance of a product system for use as a reference unit in a *life cycle* (3.5) assessment study

[SOURCE: ISO 14021:2016, 3.1.8]

3.12
machine tool function
machine tool operation (machining process, motion and control), process conditioning, workpiece handling, tool handling or die change, recyclables and waste handling, machine tool cooling/heating

Note 1 to entry: Any machine tool function may be realized by one machine tool component or by a combination of machine tool components. Some machine tool components may realize more than one machine tool function.

Note 2 to entry: Figure 7 shows an example of the relationship between machine tool components and machine tool functions.

Note 3 to entry: Machine tool functions may be used for identifying machine tool components (3.13) relevant for energy supplied to the machine tool.

3.13
machine tool component
mechanical, electrical, hydraulic, or pneumatic device of a *machine tool* (3.16), or a combination thereof

3.14
qualified environmental claim
environmental claim (3.8) which is accompanied by an *explanatory statement* (3.10) that describes the limits of the claim

[SOURCE: ISO 14021:2016, 3.1.15]

3.15
self-declared environmental claim
environmental claim (3.8) that is made, without independent third-party certification, by manufacturers, importers, distributors, retailers or anyone else likely to benefit from such a claim

[SOURCE: ISO 14021:2016, 3.1.16]

3.16
machine tool
mechanical device which is fixed (i.e. not mobile) and powered (typically by electricity and compressed air), typically used to process workpieces by selective removal/addition of material or mechanical deformation

Note 1 to entry: Machine tools operation can be mechanical, controlled by humans or by computers. Machine tools may have a number of peripherals used for machine tool cooling/heating, process conditioning, workpiece and tool handling (workpiece feeding excluded), recyclables and waste handling and other tasks connected to their main activities.

3.17
energy efficiency
relationship between the result achieved and the resources used, where resources are limited to energy

Note 1 to entry: Efficiency is defined as relationship between the result achieved and the resources used (ISO 9000:2015, 3.7.10).

© ISO 2017 – All rights reserved