INTERNATIONAL STANDARD

ISO 15674

Third edition
2016-08-15

Cardiovascular implants and artificial organs — Hard-shell cardiotomy/venous reservoir systems (with/without filter) and soft venous reservoir bags

Implants cardiovasculaires et organes artificiels — Systèmes réservoirs de cardiotomie/veineux à paroi dure (avec/sans filtre) et sacs réservoirs veineux mous

Reference number
ISO 15674:2016(E)

© ISO 2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword ... **iv**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Requirements ... **3**
4.1 Biological characteristics ... 3
4.1.1 Sterility and non-pyrogenicity ... 3
4.1.2 Biocompatibility ... 3
4.2 Physical characteristics ... 3
4.2.1 General ... 3
4.2.2 Blood volumes ... 4
4.2.3 Connectors ... 4
4.3 Performance characteristics ... 4
4.3.1 Blood cell damage ... 4
4.3.2 Air-handling capacity ... 4
4.3.3 Priming volume of the reservoirs in accordance with the manufacturer's quality control management system ... 4
4.3.4 Defoaming characteristics ... 4
4.3.5 Volume calibration ... 4
4.3.6 Filtration efficiency ... 5
4.3.7 Break-through volume ... 5
4.3.8 Dynamic priming volume ... 5
4.3.9 Minimum and maximum volumes ... 5
4.3.10 Shelf life ... 5

5 Tests and measurements to determine compliance with this document ... **5**
5.1 General ... 5
5.2 Biological characteristics ... 5
5.2.1 Sterility and non-pyrogenicity ... 5
5.2.2 Biocompatibility ... 6
5.3 Physical characteristics ... 6
5.3.1 Blood pathway integrity for soft venous reservoir bags ... 6
5.3.2 Blood pathway integrity for sealed hard-shell reservoirs ... 6
5.3.3 Connectors ... 6
5.3.4 Blood cell damage ... 6
5.3.5 Filtration efficiency ... 7
5.3.6 Shelf life ... 7

6 Information supplied by the manufacturer ... **7**
6.1 Information on the reservoir (labelling) ... 7
6.2 Information on the packaging ... 8
6.2.1 Information on the unit container ... 8
6.2.2 Information on the shipping container ... 8
6.3 Information in the accompanying documents ... 8
6.4 Information in the accompanying documents in a prominent form ... 9

7 Packaging ... **9**

Annex A (normative) **Factors to be considered in evaluating performance characteristics** ... **10**

Bibliography ... **11**

© ISO 2016 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 150, *Implants for surgery*, Subcommittee SC 2, *Cardiovascular implants and extracorporeal systems*.

This third edition cancels and replaces the second edition (ISO 15674:2009), which has been technically revised.

© ISO 2016 – All rights reserved

Cardiovascular implants and artificial organs — Hard-shell cardiotomy/venous reservoir systems (with/without filter) and soft venous reservoir bags

1 Scope

This document specifies requirements for sterile, single-use, extracorporeal hard-shell cardiotomy/venous reservoir systems and soft venous reservoir bags intended for use as a blood reservoir during cardiopulmonary bypass (CPB) surgery.

This document applies only to the blood reservoir aspects for multifunctional systems which can have integral parts such as blood-gas exchangers (oxygenators), blood filters, defoamers, blood pumps, etc.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10993-1, *Biological evaluation of medical devices — Part 1: Evaluation and testing within a risk management process*

ISO 10993-7, *Biological evaluation of medical devices — Part 7: Ethylene oxide sterilization residuals*

ISO 10993-11, *Biological evaluation of medical devices — Part 11: Tests for systemic toxicity*

ISO 11135, *Sterilization of health-care products — Ethylene oxide — Requirements for the development, validation and routine control of a sterilization process for medical devices*

ISO 11137-1, *Sterilization of health care products — Radiation — Part 1: Requirements for development, validation and routine control of a sterilization process for medical devices*

ISO 11607-1, *Packaging for terminally sterilized medical devices — Part 1: Requirements for materials, sterile barrier systems and packaging systems*

ISO 11607-2, *Packaging for terminally sterilized medical devices — Part 2: Validation requirements for forming, sealing and assembly processes*

ISO 14937, *Sterilization of health care products — General requirements for characterization of a sterilizing agent and the development, validation and routine control of a sterilization process for medical devices*

ISO 17665-1, *Sterilization of health care products — Moist heat — Part 1: Requirements for the development, validation and routine control of a sterilization process for medical devices*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at http://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

© ISO 2016 – All rights reserved

3.1
hard-shell cardiotomy reservoir
extracorporeal device consisting of rigid walls designed to collect, defoam and filter suctioned blood

3.2
hard-shell venous reservoir
extracorporeal device consisting of rigid walls designed to collect and defoam venous blood

3.3
soft-bag venous reservoir
extracorporeal device consisting of collapsible, pliable walls designed to collect venous blood

3.4
hard-shell cardiotomy/venous reservoir system
extracorporeal device designed to function simultaneously as both a venous reservoir and cardiotomy reservoir

3.5
blood-gas exchanger
oxygenator
extracorporeal device designed to supplement, or be a substitute for, the respiratory function of the lungs

3.6
integral part
part that is connected to the reservoir or is part of the reservoir system that cannot normally be separated by the user

3.7
operating variable
setting of controls which affects the function of the device

3.8
static volume
priming volume present in the device at zero flow

3.9
break-through volume
volume of fluid that, when added during the initial priming of the dry device (as received from the manufacturer), must be exceeded before fluid first exits the device

3.10
sealed hard-shell reservoir
hard-shell reservoir that may be operated at either positive or negative pressure

3.12
dynamic priming volume
amount of fluid volume that is contained inside the defoamer/filter compartment at a specified flow rate and, for soft bag reservoir, depending on the head pressure and the position of the compression mechanism

Note 1 to entry: The dynamic priming volume can be affected by negative pressure applied to a hard-shell reservoir.

3.13
platelet reduction
percentage reduction of platelets contained in a circuit as a function of time

3.14
plasma-free haemoglobin level
concentration of plasma-free haemoglobin in a circuit as a function of time

© ISO 2016 – All rights reserved

3.14.1
normalized index of hemolysis
NIH
grams of plasma-free hemoglobin released after pumping 100 L of blood

$$NIH\left(\text{g} / 100\,\text{L}\right) = \Delta fHb \times V \times \frac{100 - Hct}{100} \times \frac{100}{Q \times T}$$

where

ΔfHb increase of plasma free hemoglobin concentration (g/L) over the sampling time interval;

V circuit volume (L);

Q flow rate (L/min);

Hct hematocrit (%);

T sampling time interval (min)

3.15
white blood cell reduction
percentage reduction of white blood cells contained in a circuit as a function of time

3.16
predicate reservoir
similar reservoir to the test reservoir that has previously been approved and used for the same intended clinical use

3.17
filtration efficiency
ability of the filter to remove particles from the simulated blood suspension test fluid, expressed as a percentage

4 Requirements

4.1 Biological characteristics

4.1.1 Sterility and non-pyrogenicity

The blood pathway shall be sterile and non-pyrogenic.

Compliance shall be verified in accordance with 5.2.1.

4.1.2 Biocompatibility

All parts of the blood pathway shall be biocompatible with respect to their intended use.

Compliance shall be verified in accordance with 5.2.2.

4.2 Physical characteristics

4.2.1 General

When tested in accordance with 5.3.1 and 5.3.2, the blood pathway shall not leak.

© ISO 2016 – All rights reserved