INTERNATIONAL STANDARD

ISO 16073-9

First edition
2020-08

Wildland firefighting personal protective equipment — Requirements and test methods —

Part 9: Firehoods

Équipement de protection individuelle pour la lutte contre les feux d'espaces naturels — Exigences et méthodes d'essai —

Partie 9: Capuches anti-feu

Reference number
ISO 16073-9:2020(E)

© ISO 2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ... **iv**
Introduction ... **v**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **2**
4 General design requirements ... **2**
4.1 General ... 2
4.2 Firehood flexibility and facial opening ... 2
4.3 Yoke interface area ... 2
4.4 Sizing ... 2
4.5 Seam construction ... 3
4.6 Labels ... 3
4.7 Particulate protection (Optional) ... 3
5 Sampling and pre-treatment ... **4**
5.1 Sampling ... 4
5.2 Pre-treatment by cleaning ... 4
5.3 Conditioning ... 4
6 Performance requirements ... **4**
6.1 Flame resistance — Face ignition ... 4
6.2 Sewing thread thermal stability ... 5
6.3 Heat resistance ... 5
6.4 Heat transfer — Flame exposure ... 5
6.5 Heat transfer — Radiant exposure ... 5
6.6 Residual burst strength of material following radiant heat exposure ... 5
6.7 Seam burst strength ... 5
6.8 Dimensional change ... 5
6.9 Particulate protection ... 6
6.9.1 General ... 6
6.9.2 Test method 1 ... 6
6.9.3 Test method 2 ... 6
6.10 Water vapour resistance ... 6
7 Marking and labelling ... **6**
7.1 General ... 6
7.2 Label durability and legibility ... 6
7.3 Compliance marking requirements ... 7
8 Information supplied by the manufacturer ... **7**
Annex A (normative) **Donning, doffing and shape retention test** ... **9**
Annex B (normative) **Particulate test method 1** ... **11**
Annex C (normative) **Particulate test method 2** ... **14**
Annex D (informative) **Particulate testing results** ... **15**
Bibliography ... **16**

© ISO 2020 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 94, *Personal safety — Protective equipment*, Subcommittee SC 14, *Firefighters personal equipment.*

A list of all parts in the ISO 16073 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2020 – All rights reserved

Introduction

This document provides minimum performance requirements for wildland firefighters' personal protective equipment (PPE) firehoods, designed for use for extended periods during wildland firefighting.

Wildland firefighting involves work carried out mostly in summer temperatures and for many hours, during which the firefighter can develop high levels of metabolic heat. As a consequence, the PPE is required to be of low mass, flexible and commensurate with the risks to which the firefighter can be exposed in order to be effective without introducing excessive heat stress to the wearer.

Firefighters should be trained in the selection, use, care and maintenance of the PPE covered by this document, including an understanding of its limitations.

It is intended that a risk assessment be undertaken to determine if the PPE covered by this document is suitable for its intended use and the expected exposure.

© ISO 2020 – All rights reserved

Wildland firefighting personal protective equipment — Requirements and test methods —

Part 9: Firehoods

1 Scope

This document specifies the minimum performance requirements and methods of test for firehoods that cover the head and neck and are used for wildland firefighting. An optional requirement has been included to provide limited protection against particulate contaminants

This document covers the general design of the PPE, the minimum levels of performance for the materials employed and the methods of test used. This PPE is not intended to provide protection during fire entrapment.

This document does not cover firehoods for structural firefighting (see ISO 11999-9). This document only applies in situations when compatible protective clothing, helmet, and when necessary respiratory protection devices are also worn.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 139, *Textiles — Standard atmospheres for conditioning and testing*

ISO 3146, *Plastics — Determination of melting behaviour (melting temperature or melting range) of semi-crystalline polymers by capillary tube and polarizing-microscope methods*

ISO 3175-1, *Textiles — Professional care, drycleaning and wetcleaning of fabrics and garments — Part 1: Assessment of performance after cleaning and finishing*

ISO 5077, *Textiles — Determination of dimensional change in washing and drying*

ISO 6330, *Textiles — Domestic washing and drying procedures for textile testing*

ISO 6942, *Protective clothing — Protection against heat and fire — Method of test: Evaluation of materials and material assemblies when exposed to a source of radiant heat*

ISO 9151, *Protective clothing against heat and flame — Determination of heat transmission on exposure to flame*

ISO 11092, *Textiles — Physiological effects — Measurement of thermal and water-vapour resistance under steady-state conditions (sweating guarded-hotplate test)*

ISO 13688, *Protective clothing — General requirements*

ISO 13938-1, *Textiles — Bursting properties of fabrics — Part 1: Hydraulic method for determination of bursting strength and bursting distension*

ISO 15025, *Protective clothing — Protection against flame — Method of test for limited flame spread*

© ISO 2020 – All rights reserved

ISO 17493, *Clothing and equipment for protection against heat — Test method for convective heat resistance using a hot air circulating oven*

ISO/TR 19591, *Personal protective equipment for firefighters — Standard terms and definitions*

NFPA 1971:2018, *Standard on protective ensembles for structural firefighting and proximity firefighting*

3 Terms and definitions

For the purposes of this document, the terms and definitions in ISO/TR 19591 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

4 General design requirements

4.1 General

Materials used in the construction of the firehood shall meet all requirements of ISO 13688, including specifically the requirements for innocuousness in 4.2.

4.2 Firehood flexibility and facial opening

The firehood shall have flexibility to take up the shape of the wearer's head without discomfort and shall not restrict head movement.

The firehood shall fit around, when possible, the respiratory protection devices for which compatibility is claimed by the manufacturer without reducing the field of view or interfering with the breathing function of the mask and give no discomfort to the wearer.

NOTE 1 Firehoods do not fit around P2 masks, check compatibility.

The design requirements specified shall be verified by visual inspection during the procedures in Annex A.

NOTE 2 For more information on compatibility, see ISO/TS 11999-2.

4.3 Yoke interface area

The firehood shall have a yoke creating an interface area with protective clothing (see ISO 15384), the integrity of which shall be maintained.

NOTE For more information on compatibility, see ISO/TS 11999-2.

4.4 Sizing

The firehood may be manufactured in various sizes. It shall be sufficiently elastic to be compatible with various head sizes and shapes. Assess by visual inspection.

NOTE 1 Overstretching will reduce the heat protective performance of the firehood and is to be avoided by design. Excess material in the construction of the firehood can hamper the wearer and compromise the wearing of other personal protective equipment.

NOTE 2 The yoke is not always symmetrical on the back, upper shoulders and front (upper chest).

© ISO 2020 – All rights reserved