INTERNATIONAL STANDARD

ISO 16574

First edition
2015-09-15

Determination of percentage of resolvable pearlite in high carbon steel wire rod

Détermination du pourcentage de perlite résoluble dans les fils machine en acier à haut carbone

Reference number
ISO 16574:2015(E)

© ISO 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword ..... **iv**
Introduction ..... **v**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **1**
4 Symbols and abbreviated terms **1**
5 Principle **2**
6 Selection and preparation of samples **2**
6.1 Test location 2
6.2 Grinding and polishing 2
6.3 Etching 2
7 Evaluation of the percentage of resolvable pearlite **3**
7.1 Parameters of optical microscope 3
7.2 Determination of measuring field of view 3
7.2.1 Determination of measuring locations 3
7.3 Measuring methods 4
7.3.1 Manual point count method 4
7.3.2 Automatic image analysis method 4
7.4 Reporting of results 4
Bibliography **5**

© ISO 2015 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 17, *Steel*, Subcommittee SC 7, *Methods of testing (other than mechanical tests and chemical analysis)*.

© ISO 2015 – All rights reserved

Introduction

This test method produces an estimate of the percentage of pearlite resolvable at 500x magnification in wire rod as a function of the cooling method after hot rolling to rod. The drawability of high-carbon pearlitic rod is influenced by the amount of resolvable pearlite present. As the percentage of resolvable pearlite increases, drawability decreases. The methods are used to check if the content of resolvable pearlite can fulfil the requirement of the wire rod with improved characteristics intended for drawing.

© ISO 2015 – All rights reserved

Determination of percentage of resolvable pearlite in high carbon steel wire rod

1 Scope

This International Standard defines resolvable pearlite and specifies two methods of determining the percentage of resolvable pearlite.

The methods are applicable for wire rod made from control cooling steel with carbon content greater than 0,65 % C.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9042, *Steels — Manual point counting method for statistically estimating the volume fraction of a constituent with a point grid*

ISO 16120-1, *Non-alloy steel wire rod for conversion to wire — Part 1: General requirements*

3 Terms and definitions

For the purpose of this document, the terms and definitions given in ISO 9042 and ISO 16120-1 apply.

4 Symbols and abbreviated terms

The symbols and corresponding designations are given in Table 1.

Table 1 — Symbols and designations

Symbol	Designation
$O1$	the 1st measuring location
$O2$	the 2nd measuring location
$O3$	the 3rd measuring location
$O4$	the 4th measuring location
Oi	the i^{th} measuring location, i = 1,2,3 and 4
$Si1$	percentage of resolvable pearlite in the first field of view of the Oi measuring location
$Si2$	percentage of resolvable pearlite in the second field of view of the Oi measuring location
$Si3$	percentage of resolvable pearlite in the third field of view of the Oi measuring location
$\bar{S}$	average percentage of resolvable pearlite in the cross-section of wire rod

© ISO 2015 – All rights reserved