INTERNATIONAL STANDARD

ISO 17892-12

First edition
2018-06

Geotechnical investigation and testing — Laboratory testing of soil —

Part 12: Determination of liquid and plastic limits

Reconnaissance et essais géotechniques — Essais de laboratoire sur les sols —

Partie 12: Détermination des limites de liquidité et de plasticité

Reference number
ISO 17892-12:2018(E)

© ISO 2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

 © ISO 2018 – All rights reserved

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Apparatus ... **2**
4.1 General ... 2
4.2 Fall cone method ... 3
4.3 Casagrande method ... 5
4.4 Plastic limit equipment ... 6

5 Test procedure ... **7**
5.1 Choice of liquid limit method ... 7
5.2 Specimen preparation ... 7
5.3 Determination of liquid limit by the fall cone method ... 8
5.4 Determination of liquid limit by the Casagrande method ... 10
5.5 Determination of plastic limit ... 12

6 Test results ... **13**
6.1 Proportion of sample smaller than 0,4 mm ... 13
6.2 Liquid limit by the fall cone method ... 13
6.3 Liquid limit by the Casagrande method ... 15
6.4 Plastic limit ... 15
6.5 Plasticity index ... 16

7 Test report ... **16**
7.1 Mandatory reporting ... 16
7.2 Optional reporting ... 16

Annex A (normative) **Calibration, maintenance and checks** ... **18**

Annex B (normative) **Additional parameters** ... **25**

Bibliography ... **27**

© ISO 2018 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 341 *Geotechnical investigation and testing*, in collaboration with ISO Technical Committee TC 182, *Geotechnics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition of ISO 17892-12 cancels and replaces ISO/TS 17892-12:2004, which has been technically revised. It also incorporates ISO/TS 17892-12:2004/Cor.1:2006.

A list of all the parts in the ISO 17892 series can be found on the ISO website.

© ISO 2018 – All rights reserved

Introduction

This document covers areas in the international field of geotechnical engineering never previously standardised internationally. It is intended that this document presents broad good practice and significant differences with national documents is not anticipated. It is based on international practice (see Reference [1]).

© ISO 2018 – All rights reserved

Geotechnical investigation and testing — Laboratory testing of soil —

Part 12: Determination of liquid and plastic limits

1 Scope

This document specifies methods for the determination of the liquid and plastic limits of a soil. These comprise two of the Atterberg limits for soils.

The liquid limit is the water content at which a soil changes from the liquid to the plastic state.

This document describes the determination of the liquid limit of a specimen of natural soil, or of a specimen of soil from which material larger than about 0,4 mm has been removed. This document describes two methods: the fall cone method and the Casagrande method.

NOTE The fall cone method in this document should not be confused with that of ISO 17892-6.

The plastic limit of a soil is the water content at which a soil ceases to be plastic when dried further.

The determination of the plastic limit is normally made in conjunction with the determination of the liquid limit. It is recognized that the results of the test are subject to the judgement of the operator, and that some variability in results will occur.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 14688-1, *Geotechnical investigation and testing — Identification and classification of soil — Part 1: Identification and description*

ISO 17892-1, *Geotechnical investigation and testing — Laboratory testing of soil — Part 1: Determination of water content*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply. ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at https://www.electropedia.org/

— ISO Online browsing platform: available at https://www.iso.org/obp

3.1
liquid limit
w_L
water content at which a soil passes from the liquid to the plastic state, as determined by the liquid limit test

© ISO 2018 – All rights reserved

3.2
plastic limit
w_P
water content at which a specimen ceases to be plastic when dried further, as determined by the plastic limit test

3.3
plasticity index
I_P
numerical difference between the liquid limit and the plastic limit of a soil

3.4
non plastic soil
soil which has a plasticity index of zero or one for which the plastic limit cannot be determined

4 Apparatus

4.1 General

See also Annex A for more manufacturing tolerances (where appropriate), calibration, maintenance and checks on the equipment.

4.1.1 **Balance**.

The balance shall have an accuracy of 0,01 g or 0,1 % of the weighed mass whichever value is the greater.

4.1.2 **Test specimen containers**.

Test specimen containers shall be made of a material that does not change mass as a result of repeated drying cycles. Glass, porcelain and corrosion-resistant metals have been found to be suitable. Containers shall have a capacity large enough to hold the mass of sample to be dried without spillage, but should not be so large that the mass of the empty container is significantly in excess of that of the specimen. Containers used for plastic limit determinations shall have close fitting lids.

4.1.3 **Water**.

Water should be distilled, de-ionized or demineralized. Where distilled is referred to in this document, the terms are interchangeable.

4.1.4 **Ancillary apparatus.**

4.1.4.1 **Spatulas**.

4.1.4.2 **Spray bottle (preferably of plastic)**.

4.1.4.3 **Evaporating dishes**.

4.1.4.4 **Sieves complying with ISO 3310-1**.

4.1.4.5 **Flat mixing plate, for example glass**.

4.1.4.6 **Metal straightedge about 100 mm long**.

© ISO 2018 – All rights reserved