INTERNATIONAL STANDARD

ISO 18632

Second edition
2018-08

Alloyed steels — Determination of manganese — Potentiometric or visual titration method

Aciers alliés — Détermination du manganèse — Méthodes par titration visuelle ou potentiométrique

Reference number
ISO 18632:2018(E)

© ISO 2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ..... **iv**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **1**
4 Principle **1**
5 Reagents **1**
6 Apparatus **4**
7 Sampling **4**
8 Procedure **4**
8.1 Test portion 4
8.2 Determination 5
8.2.1 Preparation of test solution 5
8.2.2 Titration 5
8.2.3 Theoretical correction of vanadium and cerium 5
9 Expression of results **6**
9.1 Method of calculation 6
9.1.1 Visual titration 6
9.1.2 Potentiometric titration 6
9.2 Precision 7
10 Test report **7**
Annex A (informative) **Additional information on the international interlaboratory test** **8**
Annex B (informative) **Graphical representation of precision data** **10**
Annex C (informative) **Main redox reactions and correction of vanadium and cerium contents** **11**
Bibliography **12**

© ISO 2018 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 17, *Steel*, Subcommittee SC 1, *Methods of determination of chemical composition*.

This second edition cancels and replaces the first edition (ISO 18632:2010), which has been technically revised. The following changes have been made:

— a procedure has been added for the removal of the oxidized layer when the manganese standard solution is prepared;

— superfluous figures have been deleted in Table A.2;

— Annex C has been added to explain the main redox reaction and the correction of vanadium and cerium content in the document.

© ISO 2018 – All rights reserved

Alloyed steels — Determination of manganese — Potentiometric or visual titration method

1 Scope

This document specifies a potentiometric or visual titration method for the determination of manganese content in alloyed steels.

The method is applicable to manganese mass fractions between 2 % and 25 %. Vanadium and cerium interfere with the determination. If the mass fraction of cerium in the sample is less than 0,01 %, or the mass fraction of vanadium in the sample is less than 0,005 %, the interference is negligible, otherwise theoretical corrections are necessary.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 385, *Laboratory glassware — Burettes*

ISO 648, *Laboratory glassware — Single-volume pipettes*

ISO 1042, *Laboratory glassware — One-mark volumetric flasks*

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 14284, *Steel and iron — Sampling and preparation of samples for the determination of chemical composition*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

4 Principle

Dissolution of a test portion in appropriate acids. Addition of phosphoric acid. Oxidation of manganese to manganese(III) in phosphoric acid medium by ammonium nitrate. Visual titration of manganese(III) with a ferroammoniumdisulfate standard solution with N-phenylanthranilic acid as indicator, or potentiometric titration with a ferroammoniumdisulfate standard solution. If the sample contains vanadium and/or cerium, the manganese content shall be corrected.

5 Reagents

During the analysis use only reagents of recognized analytical grade and only grade 2 water in accordance with ISO 3696.

© ISO 2018 – All rights reserved