INTERNATIONAL STANDARD

ISO 19160-1

First edition
2015-12-15

Addressing —

Part 1: Conceptual model

Adressage —

Partie 1: Modèle conceptuel

Reference number
ISO 19160-1:2015(E)

© ISO 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword ..... **v**

Introduction ..... **vi**

1 Scope **1**

2 Conformance **1**
2.1 General 1
2.2 Model — Core 1
2.3 Model — Lifecycle 1
2.4 Model — Provenance 1
2.5 Model — Locale 1
2.6 Model — Full conformance 1
2.7 Address profile documentation 2

3 Normative references **2**

4 Terms and definitions **2**

5 Symbols and abbreviated terms **5**

6 Address model **5**
6.1 General 5
6.2 Diagrams 7
6.3 Classes 9
6.3.1 General 9
6.3.2 Address 9
6.3.3 AddressComponent 10
6.3.4 AddressableObject 12
6.3.5 ReferenceObject 14
6.3.6 AddressSpecification 14
6.4 Types 15
6.4.1 General 15
6.4.2 AddressClassSpecification 15
6.4.3 AddressPosition 16
6.4.4 AddressComponentValue 16
6.4.5 AddressAlias 16
6.4.6 AddressedPeriod 17
6.4.7 Lifespan 17
6.4.8 AddressProvenance 18
6.5 Codelists 19
6.5.1 General 19
6.5.2 AddressAliasType 19
6.5.3 AddressComponentType 19
6.5.4 AddressComponentValueType 20
6.5.5 AddressLifecycleStage 20
6.5.6 AddressableObjectLifecycleStage 21
6.5.7 AddressStatus 21
6.5.8 AddressTypology 21

7 Requirements **22**
7.1 Requirements class: Core 22
7.1.1 Dependencies 22
7.1.2 Core requirement 1: Classes 22
7.1.3 Core requirement 2: Associations 22
7.1.4 Core requirement 3: Attributes 24
7.2 Requirements class: Lifecycle 24
7.2.1 Dependencies 24
7.2.2 Lifecycle requirement 1: Lifecycle attributes 24
7.2.3 Lifecycle requirement 2: Unique identifier 24

© ISO 2015 – All rights reserved

7.2.4 Lifecycle requirement 3: Version increments 24
7.3 Requirements class: Provenance 24
7.3.1 Dependencies 24
7.3.2 Provenance requirement 1: Provenance attribute 24
7.4 Requirements class: Locale 25
7.4.1 Dependencies 25
7.4.2 Locale requirement 1: Locale attribute 25
7.5 Requirements class: Address profile documentation 25
7.5.1 Dependencies 25
7.5.2 Requirements and recommendations 25
Annex A (normative) **Abstract test suites** **27**
Annex B (informative) **Guidelines for developing a profile** **29**
Annex C (informative) **Sample profiles** **31**
Annex D (informative) **Examples: Lifecycle and lifespan of an address, address component and addressable object** **48**
Annex E (informative) **Examples: Address component alternatives and address aliases** **53**
Annex F (informative) **Examples: External classes** **55**
Bibliography **57**

 © ISO 2015 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 211, *Geographic information/Geomatics*.

ISO 19160 consists of the following parts, under the general title *Addressing*:

— *Part 1: Conceptual model*

The following parts are under preparation:

— *Part 4: International postal address components and template languages*

The following parts are planned:

— *Part 2: Good practices for address assignment schemes*

— *Part 3: Quality management for address data*

— *Part 5: Address rendering for purposes other than mail*

© ISO 2015 – All rights reserved

Introduction

Addresses are one of the most common ways to unambiguously determine an object for the purposes of identification and location. Addresses vary from country to country. In many Euro-centric countries, reference to a road network in the address is common while addresses in countries, such as Japan and South Korea (though South Korea is moving away from this), comprise a hierarchy of administrative areas without reference to a thoroughfare. In the field of intelligent transport systems, an address can be considered as a simplified location system (as opposed to a coordinate reference system) where points of interest and postcodes are addressing information applicable in car navigation. Addresses are used for a wide variety of purposes: postal delivery, emergency response, customer relationship management, land administration, utility planning and maintenance, to name a few.

There are many stakeholders involved in addressing (activities involving addresses): for assigning addresses (local governments, postal operators, etc.), for using addresses in various ways (customer service providers and electronic business, local and national governments, utility service providers, election commissions, etc.), and for finding the address (citizens, delivery and emergency response service providers, etc.). Relevant stakeholders were identified during the preparatory work of the stage zero project on addressing and are now either involved or aware of the development of ISO 19160 addressing standards.

A variety of address standards and/or specifications are in use around the world. A number of these are described in the report of the preparatory work for this International Standard. These standards and specifications are well integrated into various operational processes and, in some cases, legally enforced. At the same time, some countries are rationalizing their addressing system or creating a new one. Addresses are also increasingly used to reference new geographic objects (e.g. road furniture) while they are also increasingly used in new technology such as in-vehicle navigation. The goal of this International Standard is to facilitate interoperability between existing and future address specifications.

ISO 19112 was included in the investigation of existing standards and specifications during the preparatory work for this International Standard. ISO 19112 deals with geographic identifiers, which indirectly describe position in the real world in the form of a label or code (as opposed to directly or explicitly in the form of coordinates). The review summary concluded that the requirements for addressing standards are sufficiently different to the scope of ISO 19112. If necessary, a profile of this part of ISO 19160 could be developed to map relevant parts of ISO 19112 to this International Standard.

The preparatory work for this International Standard recommended five projects with the following titles:

— *Addressing — Conceptual model*;

— *Addressing — Good practices for address assignment schemes*;

— *Addressing — Quality management for address data*;

— *Addressing — International postal address components and templates*;

— *Addressing — Address rendering for purposes other than mail*.

This part of ISO 19160 implements the first of these recommendations, the conceptual model. It aims to facilitate interoperability between address specifications, for example, in the cross-mapping of conceptual models between different address specifications.

 © ISO 2015 – All rights reserved

Addressing —

Part 1:
Conceptual model

1 Scope

This part of ISO 19160 defines a conceptual model for address information (address model), together with the terms and definitions that describe the concepts in the model. Lifecycle, metadata, and address aliases are included in the conceptual model. The model is presented in the Unified Modeling Language (UML).

The model provides a common representation of address information, independent of actual addressing implementations. It is not intended to replace conceptual models proposed in other specifications, but provides a means to cross-map between different conceptual models for address information and enables the conversion of address information between specifications.

The model provides a basis for developing address specifications by individual countries or communities.

2 Conformance

2.1 General

This part of ISO 19160 defines six classes of requirements and conformance. Annex A specifies how conformance with these classes shall be tested. Refer to Annex B for guidelines on developing a profile conforming to this International Standard.

2.2 Model — Core

Any address model for which core conformance is claimed shall pass all the requirements described in the abstract test suite in A.2.

2.3 Model — Lifecycle

An Address, AddressComponent or AddressableObject class in the address model for which lifecycle conformance is claimed shall pass the requirements described in the abstract test suite in A.3.

2.4 Model — Provenance

An Address or AddressComponent class in the address model for which provenance conformance is claimed shall pass the requirements described in the abstract test suite in A.4.

2.5 Model — Locale

Any Address, AddressComponent or AddressComponentValue class in the address model for which locale conformance is claimed shall pass the requirements described in the abstract test suite in A.5.

2.6 Model — Full conformance

Any address model for which full conformance is claimed shall pass all the requirements described in the abstract test suites specified for the Core, Lifecycle, Provenance and Locale conformance classes.

© ISO 2015 – All rights reserved

2.7 Address profile documentation

Any documentation for which conformance is claimed shall pass the requirements described in the abstract test suite in A.6.

NOTE Refer to Annex C for examples of address models documented in conformance to the address profile documentation conformance class.

3 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601, *Data elements and interchange formats — Information interchange — Representation of dates and times*

ISO 19103:2015, *Geographic information — Conceptual schema language*

ISO 19107:2003, *Geographic information — Spatial schema*

ISO 19115-1:2014, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19135-1: 2015, *Geographic information — Procedures for item registration — Part 1: Fundamentals*

ISO 19152:2012, *Geographic information — Land Administration Domain Model (LADM)*

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1
address
structured information that allows the unambiguous determination of an object for purposes of identification and location

EXAMPLE 1 Address where the object is a business: *611 Fifth Avenue, New York NY 10022*.

EXAMPLE 2 Address where the object is a building: *Lombardy House, 809 Lombardy Street, The Hills, 0039, South Africa*.

EXAMPLE 3 Address where the object is a land parcel for a building: *San 4–5, Munjae-ro, Songpa-gu, Seoul, 13144, South Korea*.

EXAMPLE 4 Address where the object is a building group, such as a school or large apartment area: *228-dong 404-ho, 26 Kyunghee-daero, Dongdaemun-gu, Seoul 130–701, South Korea*.

Note 1 to entry: The object is identifiable in the real world, i.e. electronic and virtual addresses are excluded.

Note 2 to entry: “Identification” refers to the fact that the structured information in the address unambiguously determines the object, i.e. it helps the human to identify the object. In other words, “identification” here does not refer to unique identifiers in a database or dataset.

Note 3 to entry: There can be many addresses for an object, but at any moment (or lifecycle stage), an address unambiguously determines a single object (see Annex D for examples).

Note 4 to entry: Two addresses from two different *address classes* (4.4) (i.e. they have different sets of components) for the same addressable object are two different addresses (refer to Annex E for more examples).

Note 5 to entry: Two addresses for the same addressable object and from the same address class, but in two different languages are two different addresses (refer to Annex E for more examples).

© ISO 2015 – All rights reserved

Note 6 to entry: In addition to the addressable object, there may be a multitude of people, organizations, addressees or other objects associated with an address. These are external to the address model (refer to Annex C and Annex F for examples).

4.2
addressable object
object that may be assigned an *address* (4.1)

4.3
address alias
one of a set of *addresses* (4.1) unambiguously determining the same *addressable object* (4.2)

4.4
address class
description of a set of *addresses* (4.1) that share the same *address components* (4.5), operations, methods, relationships, and semantics

EXAMPLE 1 "25 Blue Avenue Hatfield 0028" and "384 Green Street Motherville 2093" are from the same address class.

EXAMPLE 2 "PO Box 765 Goodwood 33948" and "PO Box 567 Grayville 98373" are from the same address class.

4.5
address component
constituent part of the *address* (4.1)

Note 1 to entry: An address component may reference another object such as a *spatial object* (4.17) (e.g. an administrative boundary or a land parcel) or a non-spatial object (e.g. an organization or a person).

Note 2 to entry: An address component may have one or more alternative values, e.g. alternatives in different languages or abbreviated alternatives.

4.6
addressing
activities involving *addresses* (4.1)

4.7
address position
position representing the *address* (4.1)

Note 1 to entry: An address may be represented by more than one position, e.g. different entrances to a building.

4.8
address reference system
defined set of *address components* (4.5) and the rules for their combination into *addresses* (4.1)

4.9
child address
address (4.1) defined relative to a *parent address* (4.13)

4.10
child addressable object
addressable object (4.2) that is addressed relative to another addressable object

EXAMPLE 1 An apartment within an apartment building.

EXAMPLE 2 In Japan, a *jukyo bango* (residence number) within a *gaiku* (block).

EXAMPLE 3 A building within a complex of buildings. In Korea, a *dong* (wing or section of a building) within a group of buildings.

© ISO 2015 – All rights reserved

4.11
lineage
provenance (4.16), source(s) and production process(es) used in producing a resource

[SOURCE: ISO 19115-1:2014, 4.9]

4.12
locale
definition of the subset of a user's environment that depends on language and cultural conventions

Note 1 to entry: In computing, a locale is a set of parameters that defines the user's language, country and any special variant preferences that the user wants to see in their user interface. Usually, a locale identifier consists of at least a language identifier and a region identifier.

[SOURCE: ISO/IEC IEEE 9945:2009, 3.211, modified — The notes given in ISO/IEC IEEE 9945:2009 for this entry have been omitted. Note 1 to entry has been added.]

4.13
parent address
address (4.1) of a *parent addressable object* (4.14)

Note 1 to entry: Addresses of the *child addressable objects* (4.9) fully inherit the *address components* (4.5) of a parent address.

4.14
parent addressable object
addressable object (4.2) that fully encloses one or more other addressable objects

EXAMPLE 1 An apartment building with many apartments within.

EXAMPLE 2 In Japan, a *gaiku* (block) with many *jukyo bango* (residence number).

EXAMPLE 3 A complex of many buildings. In Korea, a group of buildings with many *dong* (wings or sections of a building).

4.15
profile
set of one or more base standards or subsets of base standards, and, where applicable, the identification of chosen clauses, classes, options and parameters of those base standards, that are necessary for accomplishing a particular function

[SOURCE: ISO 19106:2004, 4.5]

4.16
provenance
organization or individual that created, accumulated, maintained and used records

Note 1 to entry: Provenance information includes

— the source or origin of the record,

— all changes to the record, and

— all organizations or individuals who have had custody of the record since its creation.

[SOURCE: ISO 5127:2001, 4.1.1.10, modified – Note 1 to entry has been added.]

4.17
spatial object
object used for representing a spatial characteristic of a feature

[SOURCE: ISO 19107:2003, 4.69]

© ISO 2015 – All rights reserved