INTERNATIONAL STANDARD

ISO 19694-5

First edition
2023-03

Stationary source emissions — Determination of greenhouse gas emissions in energy-intensive industries —

Part 5: Lime industry

Émissions de sources fixes — Détermination des émissions de gaz à effet de serre dans les industries énergo-intensives —

Partie 5: Industrie de la chaux

Reference number
ISO 19694-5:2023(E)

© ISO 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2023 – All rights reserved

Contents

Page

Foreword ..... **v**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **2**

4 Symbols and abbreviated terms **3**

5 General **6**
5.1 Introduction 6
5.2 Overview of the lime manufacturing process 6
5.3 Direct greenhouse gas emissions from calcination of kiln stone — Process emissions 7
5.4 Direct greenhouse gas emissions from fuels for kiln operation — Combustion emissions 7
5.5 Direct greenhouse gas emissions from non-kiln fuels — Combustion emissions 8
5.6 Energy indirect greenhouse gas emissions 8

6 Inventory boundaries **8**
6.1 Appropriate boundaries to distinguish 8
6.2 Organizational boundaries 8
6.3 Reporting boundaries 9
6.3.1 Emissions to be included 9
6.3.2 Structure of plants and processes 10
6.4 Sources and greenhouse gases to be included 10
6.5 Internal lime transfers 10
6.6 Assessment period 10

7 Principles **10**

8 Determination of greenhouse gas emissions: General requirements **11**
8.1 Monitoring plan and other requirements for identifying, calculating and reporting of greenhouse gas emissions 11
8.2 Stack-measurement-based method or mass-balance-based method 11

9 Direct greenhouse gas emissions and their determination **11**
9.1 Sources of direct greenhouse gas emissions and applicability of determination methods 11
9.2 Direct CO_2 greenhouse gas emissions from the calcination of kiln stone (process emissions) using the mass-balance-based method 12
9.2.1 Introduction and overview of the methods 12
9.2.2 Input method 13
9.2.3 Output method 17
9.2.4 Direct greenhouse gas emissions during kiln start up or shutdown 20
9.3 Direct greenhouse gas emissions from kiln fuels (combustion emissions) using the mass-balance-based method 20
9.3.1 Introduction to the mass-balance-based method for kiln fuels 20
9.3.2 Determination of the activity data of kiln fuels 21
9.3.3 Determination of fuel emission factors for kiln fuels 21
9.3.4 Determination of the greenhouse gas emissions from heat transfer to external parties 23
9.3.5 Determination of the greenhouse gas emissions from exported on-site power generation 24
9.4 Direct greenhouse gas emissions from non-kiln fuels (combustion emissions) using the mass-balance-based method 24
9.4.1 Introduction of the mass-balance-based method for non-kiln fuels 24
9.4.2 Determination of the quantity of externally generated electricity used — Activity data 25

© ISO 2023 – All rights reserved

9.4.3 Determination of fuel factors for non-kiln fuels 27
10 Indirect greenhouse gas emissions from imported energy and their determination 27
10.1 Overview of the sources of energy indirect greenhouse gas emissions 27
10.2 Determination of the quantity of externally generated electricity used — Activity data 27
10.2.1 Plant producing only lime 27
10.2.2 Plant manufacturing products in addition to lime 28
10.3 Determination of the emission factor for externally generated electricity 29
11 Indirect greenhouse gas emissions from imported kiln stone and transport of kiln stone by third parties 29
11.1 Indirect indirect greenhouse gas emissions, third party and off-site transportation 29
11.2 Greenhouse gas emissions from manufacture of imported kiln stone 29
11.3 GHG from transport of kiln stone by third parties 30
12 Reporting and performance assessment 31
12.1 Reporting data to include 31
12.2 Performance assessment 31
13 Uncertainty of GHG inventories 33
13.1 General principles 33
13.2 Assessment of uncertainty for the mass-balance-based method 33
13.2.1 Major sources of uncertainty 33
13.2.2 Uncertainty of activity data 34
13.2.3 Aggregated uncertainties of activity data 35
13.2.4 Uncertainty of analytical parameters 35
13.2.5 Application of default values instead of analytical results 36
13.2.6 Evaluation of the overall uncertainty of a GHG inventory 36
13.3 Assessment of uncertainty for the stack-measurement-based method 36
14 Verification / certification 37
Annex A (informative) **Objective and outcome of the site trails 38**
Annex B (normative) **Minimum content of the monitoring plan 41**
Annex C (informative) **Details about the calculation of process emissions from lime kilns using the mass-balance-based method 44**
Annex D (informative) **Example of an uncertainty calculation 49**
Bibliography 51

© ISO 2023 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 1, *Stationary source emissions.*

A list of all parts in the ISO 19694 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2023 – All rights reserved

Stationary source emissions — Determination of greenhouse gas emissions in energy-intensive industries —

Part 5: Lime industry

1 Scope

This document provides a harmonized methodology for calculating greenhouse gas (GHG) emissions from the lime industry. It includes the manufacture of lime and any downstream lime products manufactured at the plant, such as ground or hydrated lime. This document allows for reporting of GHG emissions for various purposes and on different basis, such as plant basis, company basis (by country or by region) or international organization basis.

This document addresses all of the following direct and indirect sources of GHG included as defined in ISO 14064-1:

— direct greenhouse gas emissions [see ISO 14064-1:2018, 5.2.4 a)] from greenhouse gas sources that are owned or controlled by the company, such as emissions resulting from the following sources:

— calcination of carbonates and combustion of organic carbon contained in the kiln stone;

— combustion of kiln fuels (fossil kiln fuels, alternative fossil fuels, mixed fuels with biogenic carbon content, biomass fuels and bio fuels) related to lime production and/or drying of raw materials;

— combustion of non-kiln fuels (fossil kiln fuels, mixed fuels with biogenic carbon content, biomass fuels and bio fuels) related to equipment and on-site vehicles, heating/cooling and other on-site uses;

— combustion of fuels for on-site power generation;

— indirect greenhouse gas emissions [see ISO 14064-1:2018, 5.2.4 b)] from the generation of imported electricity, heat or steam consumed by the organization;

— other indirect greenhouse gas emissions [see ISO 14064-1:2018, 5.2.4 c) to f)], which are a consequence of an organization's activities, but arise from greenhouse gas sources that are owned or controlled by other organizations, except emissions from imported kiln stone, are excluded from this document.

This document is intended to be used in conjunction with ISO 19694-1, which contains generic, overall requirements, definitions and rules applicable to the determination of GHG emissions for all energy-intensive sectors, provides common methodological issues and defines the details for applying the rules. The application of this document to the sector-specific standards ensures accuracy, precision and reproducibility of the results.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19694-1:2021, *Stationary source emissions — Determination of greenhouse gas emissions in energy-intensive industries — Part 1: General aspects*

© ISO 2023 – All rights reserved

ISO 13909 (all parts), *Hard coal and coke — Mechanical sampling*

ISO 18283, *Coal and coke — Manual sampling*

ISO 14064-1:2018, *Greenhouse gases — Part 1: Specification with guidance at the organization level for quantification and reporting of greenhouse gas emissions and removals*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19694-1 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
activity data
quantitative measure of activity that results in a GHG emission or removal

EXAMPLE Amount of energy, fuels or electricity consumed, material produced, service provided, area of land affected.

3.2
dolime
product resulting from the calcination of *kiln stone* (3.6) consisting of calcium carbonate and magnesium carbonate

3.3
downstream lime product
downstream lime products including *run-of-kiln lime* (3.13), *lime kiln dust* (3.8) and products made from them at the plant including ground lime and hydrated lime

3.4
free CaO and MgO
free calcium oxide and magnesium oxide
calcium oxide or magnesium oxide that has been produced in the kiln during the decarbonation of calcium carbonate or magnesium carbonate

Note 1 to entry: The terminology free CaO and MgO as used in this document can differ from the terminology applied in other standards.

3.5
kiln battery
group of kilns at the same plant and of the same design

EXAMPLE Parallel flow regenerative kilns, annular shaft kilns, mixed feed shaft kilns, preheater rotary kilns or long rotary kilns.

3.6
kiln stone
limestone (3.9) that is fed into the kiln

3.7
lime
LI
generic name for *quicklime* (3.11), *dolime* (3.2) or *sintered dolime* (3.14)

© ISO 2023 – All rights reserved

3.8
lime kiln dust
LKD
partly calcined *kiln stone* (3.6) material which is extracted by the kiln particulate abatement system

3.9
limestone
LS
sedimentary rock consisting of calcium carbonate ($CaCO_3$), magnesium carbonate ($MgCO_3$), mineral and other minor impurities, including in some cases a small fraction of organic carbon

3.10
non-kiln stone aggregate
stone extracted from a quarry except that used as *kiln stone* (3.6)

3.11
quicklime
product resulting from the calcination of *limestone* (3.9) consisting primarily of calcium carbonate

3.12
residual CO_2
CO_2 that remains in the product leaving the kiln which is bound with CaO in the form of $CaCO_3$ and possibly with MgO in the form of $MgCO_3$

3.13
run-of-kiln lime
ROK
direct output from the kiln

3.14
sintered dolime
dolime (3.2) heated to temperatures below its melting temperature, so as to increase its density

4 Symbols and abbreviated terms

For the purposes of this document, the following symbols and abbreviated terms apply.

AF	alternative fuel	
$m_{CO2-stack}$	mass of CO_2 emitted through the stack	t
$\bar{x}$	arithmetic mean of the measured values	
$CaCO_{3\ LI-ROK}$	mass fraction of calcium carbonate in the dry ROK lime produced by the kiln	
$CaCO_{3\ LKD}$	mass fraction of calcium carbonate in the dry LKD	
$CaCO_{3\ LS}$	mass fraction of calcium carbonate in the dry limestone fed into the kiln	
CaO_{bd}	CaO bound in the form of $CaCO_3$	
CaO_{fr}	free CaO	
$CaO_{\ LI-ROK}$	mass fraction of free calcium oxide in the dry ROK lime produced by the kiln	
CaO_{LKD}	mass fraction of free calcium oxide in the dry LKD	
CaO_t	total CaO	

© ISO 2023 – All rights reserved