INTERNATIONAL STANDARD

ISO 19698

First edition
2020-09

Sludge recovery, recycling, treatment and disposal — Beneficial use of biosolids — Land application

Valorisation, recyclage, traitement et élimination des boues — Utilisation bénéfique des boues d'épuration — Épandage

Reference number
ISO 19698:2020(E)

© ISO 2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ..... **vi**
Introduction ..... **vii**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **1**
4 Benefits of biosolids land application **4**
5 Nutrients in biosolids **5**
5.1 General 5
5.2 Nitrogen 5
5.2.1 General 5
5.2.2 Nitrogen content and availability in biosolids 5
5.2.3 Determination of biosolids application rate according to nitrogen content 6
5.3 Phosphorus 6
5.4 Potassium 6
5.5 Calcium 6
5.6 Sulfur 6
6 Nuisance and risks associated with biosolids land application **7**
6.1 General 7
6.2 Odours 7
6.3 Vector attraction 7
6.4 Pathogens 7
6.4.1 General 7
6.4.2 Viruses 8
6.4.3 Bacteria 8
6.4.4 Protozoa 8
6.4.5 Helminths 8
6.5 Trace elements 9
6.6 Organic compounds 9
6.6.1 General 9
6.6.2 Source control of potential contaminants 9
6.7 Environmental considerations 10
6.7.1 General 10
6.7.2 Climate and season 10
6.7.3 Topography 10
6.7.4 Protection of water sources 11
6.7.5 Identification of sensitive uses and associated setbacks 11
6.8 Biosolids treatment 11
6.8.1 General 11
6.8.2 Foreign matter 12
6.8.3 Odour reduction 12
6.8.4 Vector attraction reduction 13
6.8.5 Pathogen reduction 13
6.9 Biosolids quality criteria — Groups of biosolids 15
6.9.1 General 15
6.9.2 Group 1 biosolids 15
6.9.3 Group 2 biosolids 15
6.10 Potential uses 15
6.11 Biosolids and soil monitoring 16
7 Biosolids application programme development and management **16**
7.1 General 16
7.2 Community consultation 16
7.2.1 Involving the community 16

© ISO 2020 – All rights reserved

7.2.2 Consultation principles ... 17
7.3 Programme development ... 18
7.3.1 General ... 18
7.3.2 Programme design and decision considerations ... 18
7.4 Programme management ... 19
7.4.1 General ... 19
7.4.2 Programme management considerations ... 19
7.4.3 Biosolids and soil monitoring ... 21
7.4.4 Continuous improvement ... 24
7.4.5 Voluntary agreement and quality assurance ... 24

8 Objectives of agricultural land application ... 26
8.1 General ... 26
8.2 Agronomic considerations ... 26
8.2.1 Nitrogen management — General ... 26
8.2.2 Nitrogen in biosolids ... 26
8.3 Phosphorus management ... 30
8.3.1 General ... 30
8.3.2 Determination of biosolids application rate according to phosphorus content ... 30
8.4 Annual biosolids application rate ... 31

9 Storage, staging, fencing and signage ... 31
9.1 General ... 31
9.2 Signage ... 32

10 Haulage and field deliveries ... 33

11 Application techniques ... 33

12 Specific pathogen mitigation measures for agricultural land application ... 34

13 Record keeping ... 34
13.1 General ... 34
13.2 Spreading records ... 35
13.3 Field inspection ... 35

14 Objectives of land reclamation ... 36
14.1 General ... 36
14.2 Site management ... 37
14.2.1 General ... 37
14.2.2 Soil/substrate properties ... 37
14.3 Environmental considerations ... 38
14.3.1 Climate and season ... 38
14.3.2 Topography ... 38
14.3.3 Protection of water sources ... 39
14.3.4 Identification of sensitive uses and associated buffer zones ... 39
14.4 Operations management ... 39
14.4.1 Site preparation ... 39
14.4.2 Biosolids batch management and transport ... 40
14.4.3 Substrate sampling ... 41
14.4.4 Substrate analysis ... 41
14.5 Biosolids applications equipment and considerations ... 42
14.6 Determination of biosolids application rate ... 43
14.6.1 General ... 43
14.6.2 Biosolids application rates based on agronomic nitrogen application rate ... 43
14.6.3 Biosolids application rates based on maximum nutrient loads ... 43
14.6.4 Biosolids application rates based on target carbon to nitrogen ratio (C:N) ... 43
14.6.5 Biosolids application rates based on target organic matter ... 44
14.6.6 Biosolids application rates based on target pH adjustment ... 44
14.7 Revegetation ... 45
14.8 Environmental post application monitoring ... 45
14.8.1 General ... 45

 © ISO 2020 – All rights reserved

14.8.2 Soil monitoring 46
14.8.3 Water monitoring 46
14.8.4 Foliage monitoring 47
14.9 Quality assurance 47
15 Nuisance and risk management for biosolids use for land reclamation 47
16 Biosolids treatment 47
16.1 Biosolids quality criteria 47
16.2 Pathogens 48
16.3 Vector attraction 48
16.4 Odour 48
16.5 Fencing and signage 48
16.6 Record keeping 48
Annex A (informative) **Soil carbon dynamics 49**
Annex B (informative) **Benefits of biosolids land application 51**
Annex C (informative) **Average concentrations of organic matter and plant macronutrients in biosolids 54**
Annex D (informative) **Comparative pathogen and indicator limits for Group 1 biosolids 55**
Annex E (informative) **Source of trace elements in wastewater and biosolids and examples of trace elements standards in biosolids and in soil after biosolids application 56**
Annex F (informative) **Standards for maximum concentration of organic compounds in biosolids 62**
Annex G (informative) **Organic compounds 63**
Annex H (informative) **Setbacks (buffer zones) in different regions 64**
Annex I (informative) **Biosolids quality based on treatment method 66**
Annex J (informative) **Determination of plant available phosphate 67**
Annex K (informative) **Determination of maximum biosolids application rates based on trace elements 68**
Annex L (informative) **Examples of source control/pollution prevention tools and regulating industrial discharges 73**
Annex M (informative) **Biosolids sampling frequencies 74**
Annex N (informative) **Soil and biosolids tests and methodologies 75**
Annex O (informative) **Community consultative workshop 82**
Annex P (informative) **Benefits and value of biosolids use in rehabilitation 84**
Annex Q (informative) **Examples of restricted activities and withholding periods for Group 2 biosolids 85**
Annex R (informative) **Revegetation 86**
Bibliography 87

© ISO 2020 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 275, *Sludge recovery, recycling, treatment and disposal*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2020 – All rights reserved

Introduction

Biosolids are organic–based materials from industrial or municipal sludge and municipal biosolids derived products, in the form of solids, semi–solids, semi–liquids, and liquids which have been treated to meet applicable standards, guidelines or requirements including the reduction of pathogens, vector attraction and contaminant criteria.

The land application of biosolids, which is considered an integrated approach to sustainable management of this resource, can be beneficial in many ways such as:

— increasing soil organic matter;

— increasing biological activity in soil;

— decreasing soil bulk density and improving soil porosity;

— improving water infiltration rate, water holding capacity and erosion prevention;

— improving soil aggregate stability;

— increasing cation exchange capacity, which can result in a lower frequency of fertilizer application;

— increasing soil pH;

— providing additional nutrients to the soil for plant growth;

— recovering phosphorus from the urban and industrial environment;

— providing potential for carbon sequestration in soil; and

— decreasing the use of mineral fertilizers and related greenhouse gas (GHG) emissions related to production and application of mineral fertilizers.

This document does not prioritize, or suggest a hierarchy amongst various beneficial use options, but aims to identify and address the different criteria that could be considered to develop a sustainable and environmentally successful land application programme. These criteria include the nature of the treatment process, the selection of an appropriate application site, the method of application, the rate of application and the establishment of protective barriers or setbacks to environmentally and socially sensitive areas such as surface water and residences.

Control of non–beneficial substances, odour and potential risk to human, animal and environmental health are important parts of any beneficial use strategy. These can be managed by employing tools such as point source control, appropriate treatment methods and land–use restrictions.

Application of this document presupposes awareness of applicable legal requirements.

© ISO 2020 – All rights reserved

Sludge recovery, recycling, treatment and disposal — Beneficial use of biosolids — Land application

1 Scope

This document provides guidance on the conditions of beneficial use of biosolids produced from industrial and municipal sludge and municipal biosolids derived products (e.g. composts, growing media) in the production of food and feed crops, energy crops, forestry crops and for the remediation of disturbed sites.

This document applies to biosolids for land application and includes biosolids from wastewater treatment (municipal, industrial and private onsite systems).

This document does not apply to hazardous sludge that originates from wastewater which, due to its nature, physical, chemical or infectious properties, is potentially hazardous to human health and/or the environment during use, handling, storage or transportation and which requires special disposal techniques to eliminate or reduce the hazard.

This document includes:

— general guidelines for the land application of biosolids and biosolids derived products;

— specific guidelines for the land application of biosolids and biosolids derived products for food and feed crop production and for non–food and non–feed crop production (e.g. horticulture, fibre for bio–mass, silviculture, etc.); and

— specific guidelines for the land application of biosolids and biosolids derived products for other beneficial uses (e.g. land reclamation or rehabilitation).

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

3.1
alkaline stabilized biosolids
biosolids or non–toxic sludge which has undergone alkaline treatment to meet specific requirements for reduction of pathogens and vector attraction

3.2
alkaline treatment
process where biosolids or non–toxic sludge is mixed with alkaline additives to enhance wastewater solids stabilization by increasing the pH of the biosolids up to 12 or higher for a minimum amount of time

© ISO 2020 – All rights reserved

3.3
batch
definite quantity of material manufactured or produced under conditions which are presumed to be uniform

3.4
biocenosis
community of biologically integrated and interdependent plants and animals

3.5
biosolids
organic–based materials from industrial or municipal wastewater sludge and their derived products, in the form of solids, semi–solids, semi–liquids (pasty), and liquids which have been treated to meet specific standards, guidelines or requirements including the reduction of pathogens, vector attraction and contaminant criteria

3.6
cation exchange capacity
measure of the soil's ability to hold positively charged ions (cations)

3.7
compost
organic soil improver obtained by decomposition of a mixture consisting principally of various plant residues, occasionally with organic materials of animal origin, and having a limited mineral content

[SOURCE: ISO 8157:2015, 2.2.8.6]

3.8
composting
natural aerobic biological process, carried out under controlled conditions, which converts organic material into a stable humus–like product

Note 1 to entry: During the composting process, various microorganisms, including bacteria and fungi, break down organic material into simpler substances.

3.9
contaminant
biological, chemical, physical, or radiological substance released to the environment from anthropogenic sources which, in sufficient concentration, can adversely affect living organisms through air, water, soil, and/or food

3.10
dewatered biosolids
biosolids that have undergone a reduction of the water content to produce paste-like biosolids or solid biosolids by the use of one or several technologies, usually by natural or mechanical means

Note 1 to entry: These treatments lead to the production of biosolids whose mechanical characteristics allow a storage in heap on a minimum height of 1 m. As an indication, the dryness obtained is generally within a range between 15 % and 40 % (wet mass).

3.11
foreign matter
material of anthropogenic origin as opposed to natural objects such as sand, stones and wood fibres

EXAMPLE Plastics, glass, metal, small/large or sharp debris.

3.12
industrial sludge
mixture of water and solids separated from various types of industrial wastewater (e.g. food processing plants) as a result of natural or artificial processes and meet specific standards, guidelines or requirements including the reduction of pathogens, vector attraction and contaminant criteria

© ISO 2020 – All rights reserved

3.13
mineralization
final stage of the biodegradation of organic matter or organic substances into carbon dioxide, water and the hydrides, oxides and other mineral salts

[SOURCE: ISO 11074:2015, 3.3.19]

3.14
mesophilic anaerobic digestion
biological conversion of organic matter to biogas and residual solids at temperatures between 20 °C and about 40 °C, typically 37 °C with a mean residence time of 15 to 30 days

3.15
micronutrient
element, such as boron, manganese, iron, zinc, copper, molybdenum, cobalt, and/or chlorine, which are essential, in relatively small quantities, for plant growth

[SOURCE: ISO 8157:2015, 2.1.3.3, modified — Note 1 to entry has been deleted.]

3.16
municipal biosolids
biosolids produced from municipal sludge which has been treated to meet jurisdictional standards, guidelines or requirements including the reduction of pathogens and vector attraction

3.17
municipal sludge
mixture of water and non–stabilized solids separated from various types of municipal wastewater as a result of natural or artificial processes

3.18
organic matter
matter consisting of plant and/or animal organic materials, and the conversion products of those materials

[SOURCE: ISO 11074:2015, 2.1.8]

3.19
organic compound
any of a large class of chemical compounds in which one or more atoms of carbon are covalently linked to atoms of other elements, most commonly hydrogen, oxygen or nitrogen

3.20
plant nutrient
chemical element, which is essential for plant growth

[SOURCE: ISO 8157:2015, 2.1.2]

3.21
sample
part of a defined bulk product taken for the purpose of characterization

[SOURCE: ISO 14488:2007, 3.8]

3.22
setback
buffer
determined distance, sometimes based on risk assessment, that provides protection to environmentally sensitive features such as humans and water

© ISO 2020 – All rights reserved

3.23
sludge
mixture of water and solids originating from various types of wastewater during natural and artificial treatment

3.24
sodium adsorption ratio
measure of the amount of sodium (Na) relative to calcium (Ca) and magnesium (Mg) in the water extract from saturated soil paste

3.25
soil quality
all current positive or negative properties with regard to soil utilization and soil functions

[SOURCE: ISO 11074:2015, 2.1.15]

3.26
stakeholder
person or organization that can affect, be affected by or perceive themselves to be affected by a decision or activity

[SOURCE: ISO 28007-1:2015, 3.6, modified — Note 1 to entry has been deleted.]

3.27
thermophilic anaerobic digestion
biological conversion of organic matter to biogas and residual solids, that takes place between 49 °C and 57 °C

3.28
total organic carbon
TOC
amount of carbon found in an organic compound

3.29
trace element
element present in very low concentrations

3.30
vector
living organism capable of transmitting a pathogen from one organism to another either mechanically (by simply transporting the pathogen) or biologically by playing a specific role in the life cycle of the pathogen

[SOURCE: EPA/625/R–92/013 Revised July 2003: Control of Pathogens and Vector Attraction in Sewage Sludge]

3.31
vector attraction reduction
treatment processes that stabilize and reduce the odours and other aspects of biosolids that attract flies, rodents and other potential vectors

4 Benefits of biosolids land application

The land application of biosolids can be beneficial in many ways including:

— adding organic matter to the soil which can have a positive impact on soil biological activity, soil porosity, soil bulk density, soil water infiltration rate, aggregate stability and cation exchange capacity;

— increased soil organic matter can also reduce soil erosion;

© ISO 2020 – All rights reserved