International Standard

ISO 19901-4

Third edition
2025-02

Oil and gas industries including lower carbon energy — Specific requirements for offshore structures —

Part 4: Geotechnical design considerations

Industries du pétrole et du gaz y compris les énergies à faible teneur en carbone — Exigences spécifiques relatives aux structures en mer —

Partie 4: Bases conceptuelles géotechniques

Reference number
ISO 19901-4:2025(en)

© ISO 2025



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025
All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ..... **vi**
Introduction ..... **vii**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **2**
4 Symbols and abbreviated terms **4**
4.1 Symbols for shallow and intermediate foundation design 4
4.2 Symbols for pile foundation design 6
4.3 Symbols for soil-structure interaction for auxiliary subsea structures, risers and flowlines 9
4.4 Symbols for design of anchors for stationkeeping systems 10
4.5 Abbreviated terms 12
5 General requirements **13**
5.1 General 13
5.2 Design cases and partial factors 13
5.3 Representative and design values of geotechnical parameters 14
5.3.1 Guidelines 14
5.3.2 Determination of representative and design values of soil parameters 14
5.4 Reliability-based geotechnical design 16
5.5 Testing and instrumentation 16
6 Site investigation, identification of geohazards and carbonate soils **17**
6.1 General 17
6.2 Geological modelling and identification of hazards 17
6.2.1 General 17
6.2.2 Assessment of site geohazards 18
6.3 Carbonate soils 18
6.3.1 General 18
6.3.2 Characteristic features and properties of carbonate soils 18
6.3.3 Foundations in carbonate soils 18
7 Design of shallow and intermediate foundations for fixed structures **19**
7.1 General 19
7.2 Principles 20
7.2.1 General principles 20
7.2.2 Foundation embedment 20
7.2.3 Sign conventions, nomenclature and action reference point 21
7.3 Acceptance criteria 21
7.3.1 Material and action factors 21
7.3.2 Use of partial factors in design 22
7.4 Design considerations 23
7.4.1 Adjusting for soil plug weight 23
7.4.2 Skirt spacing 23
7.4.3 Foundation base perforations 24
7.4.4 Skirtless foundations penetrating soft soils 24
7.4.5 Tensile stresses beneath foundations 24
7.4.6 Omni-directional actions 24
7.4.7 Interaction with other structures 24
7.4.8 Multiple foundations 24
7.4.9 Hydraulic stability 25
7.4.10 Unconventional soils or soil profiles 25
7.4.11 Selection of soil parameter values for design 25
7.5 Ultimate limit state (stability) 26
7.5.1 Assessment of bearing capacity of shallow foundations 26

© ISO 2025 – All rights reserved

7.5.2 Assessment of sliding capacity of shallow foundations 29
7.5.3 Assessment of capacity of intermediate foundations 31
7.6 Serviceability limit state (displacements and rotations) 32
7.6.1 General 32
7.6.2 Serviceability of shallow foundations under static loading 32
7.6.3 Serviceability of intermediate foundations 34
7.6.4 Serviceability in response to dynamic and cyclic actions 34
7.7 Alternative methods of design 34
7.7.1 Yield surface approach 34
7.7.2 Risk-informed decision making 35
7.8 Installation 35
7.8.1 General 35
7.8.2 Skirt penetration resistance 35
7.8.3 Required and allowable under-pressure 36
7.9 Relocation, retrieval and removal 37

8 Pile foundation design 37
8.1 Pile capacity for axial compression 37
8.1.1 General 37
8.1.2 Axial pile capacity 38
8.1.3 Skin friction and end bearing in clay soils 39
8.1.4 Skin friction and end bearing in sands 41
8.1.5 Skin friction and end bearing in gravels 42
8.1.6 Skin friction and end bearing of grouted piles in rock 43
8.1.7 Skin friction and end bearing of driven piles in intermediate soils 43
8.2 Pile capacity for axial tension 43
8.3 Axial pile performance 43
8.3.1 Static axial behaviour of piles 43
8.3.2 Cyclic axial behaviour of piles 44
8.4 Soil reaction for piles under axial actions 44
8.4.1 Axial shear transfer *t*–*z* curves 44
8.4.2 End bearing resistance–displacement, *Q*–*z* curve 45
8.5 Soil reaction for piles under lateral actions 46
8.5.1 General 46
8.5.2 Lateral soil reaction for clay 47
8.5.3 Lateral capacity for sand 54
8.5.4 Lateral soil resistance – displacement *p*–*y* curves for sand 55
8.5.5 *p*–*y* curves for fatigue actions for sands 56
8.5.6 Refined assessment of lateral pile response 57
8.5.7 Lateral soil resistance-displacement curves in calcareous soil, cemented soil and weak rock 57
8.6 Pile group behaviour 57
8.6.1 General 57
8.6.2 Axial behaviour 57
8.6.3 Lateral behaviour 57
8.7 Pile installation assessment 58
8.7.1 General 58
8.7.2 Drivability studies 58
8.7.3 Obtaining required pile penetration 59
8.7.4 Driven pile refusal 59
8.7.5 Pile refusal remedial measures 59
8.7.6 Selection of pile hammer and stresses during driving 60
8.7.7 Use of hydraulic hammers 61
8.7.8 Drilled and grouted piles 62
8.7.9 Grouting pile-to-sleeve connections 62
8.7.10 Pile installation data 62
8.7.11 Installation of conductors and shallow well drilling 63

9 Assessment of pile capacity for existing structures 63
9.1 General 63

© ISO 2025 – All rights reserved

9.2 Geotechnical and foundation data 64
9.2.1 Geotechnical data 64
9.2.2 Design data 64
9.2.3 Installation data 64
9.2.4 Condition data 64
9.2.5 Operational data 65
9.3 Evaluation 65
9.4 Assessment 65
9.4.1 General 65
9.4.2 Pushover response of pile foundation systems 65
9.5 Time-dependent effects on pile foundations 66

10 Geotechnical design input to subsea structures, risers and flowlines 67
10.1 General 67
10.2 Geotechnical investigation 67
10.3 Foundations for subsea production structures 67
10.4 Steel catenary risers 67
10.4.1 General 67
10.4.2 Seabed characterisation 68
10.4.3 Design for ultimate limit state 68
10.4.4 Design for fatigue limit state 68
10.5 Geotechnical design for jetted conductors and top tension risers 70
10.5.1 General 70
10.5.2 Jetted conductors 71
10.5.3 Soil-structure interaction for well integrity assessment 73
10.5.4 Geotechnical input to well strength assessment 73
10.5.5 Geotechnical input to well fatigue assessment 74
10.5.6 Geotechnical considerations in conductor driving analysis 78
10.6 Foundation design for riser towers 78
10.6.1 General 78
10.6.2 Foundation options 78
10.6.3 Loading actions and safety factors 79
10.6.4 Design challenges 79
10.7 Offshore pipelines and flowlines 79
10.7.1 Geotechnical pipe-soil interaction (PSI) analysis 79
10.7.2 Submarine slides and density flows: simulation and pipeline impact analysis 80

11 Design of anchors for floating structures 81

Annex A (informative) **Additional information and guidance 82**

Bibliography 207

© ISO 2025 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Oil and gas industries including lower carbon energy*, Subcommittee SC 7, *Offshore structures*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Oil and gas industries including lower carbon energy*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 19901-4:2016), which has been technically revised.

The main changes are as follows:

— guidance extended on representative and design values for soil parameters (Clause 5);

— guidance added for geotechnical design of intermediate foundations for fixed structures and clause renamed to ‘Design of shallow and intermediate foundations’ (Clause 7);

— requirements added on installation resistance, yield envelope approaches for ultimate limit state, and performance- based design for shallow skirted and intermediate foundations (Clause 7);

— new unified CPT method for axial capacity in sands to replace the former main text method, new TZ curve definition in sands, new unified CPT method for clays introduced into the Clause A.8, new PY curve methodology for clays to replace the existing method (Clause 8);

— new requirements added on reassessment of pile capacity for existing structures (Clause 9);

— a new clause for pipelines, conductors and risers (Clause 10);

— references have been reviewed, updated and reduced where possible.

A list of all parts in the ISO 19901 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2025 – All rights reserved

Introduction

The International Standards on offshore structures prepared by TC 67 (i.e. ISO 19900, the ISO 19901 series, ISO 19902, ISO 19903, ISO 19904-1, the ISO 19905 series, ISO 19906) constitute a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the oil and gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for offshore structures, whatever the type of structure and the nature of the materials used. Application specific requirements for different energy industries are given in the relevant standards. For example, for the offshore wind industry, IEC 61400-1 and IEC 61400-3-1 outline the design requirements (e.g. return periods) for offshore wind turbine support structures.

This document may be applied for the design of foundations used in the offshore wind industry. In this case, it should be verified that the type and dimension of the foundation, as well as the type of actions acting upon it, are consistent with those used in the development of the design methods. For example, the pile design methods of Clauses 8 are not necessarily applicable to the design of monopiles for which L/D is less than 10 and their validity for such cases should be assessed. Offshore wind structures can also have other requirements, such as a characterisation of foundation stiffness, that are beyond the scope of this document. Reference should be made to the overarching application specific codes and standards such as IEC 61400-3-1.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, quality of work, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, should be considered in relation to the overall reliability of all offshore structural systems.

For geotechnical design (engineering science dealing with the properties of soil: sand, silt, clay and rock), some additional considerations apply. These include the time, frequency and rate at which actions are applied, the method of installation, the properties of the surrounding soil, the overall behaviour of the seabed, effects from adjacent structures and the results of drilling into the seabed. All of these, and any other relevant information, should to be considered in relation to the overall reliability of the structure.

The International Standards on offshore structures prepared by TC 67 are intended to provide wide latitude in the choice of structural configurations, materials and techniques without hindering innovation. Geotechnical design practice for offshore structures has proved to be an innovative and evolving process over the years. This evolution is expected to continue and is encouraged. Therefore, circumstances can arise when the procedures described in this document or the International Standards on offshore structures prepared by TC 67 (or elsewhere) are insufficient on their own to ensure that a safe and economical design is achieved.


Seabed soils vary. Experience gained at one location is not necessarily applicable at another. Extra caution is necessary when dealing with unconventional soils or unfamiliar foundation concepts. Sound engineering judgment is therefore necessary in the use of this document.

Some background to and guidance on the use of this document is provided in Annex A.

ISO 19905 provides requirements and detailed guidance on foundations for mobile offshore units.

Figure 1 set outs a typical workflow for design of offshore foundations with reference to other relevant International Standards.

© ISO 2025 – All rights reserved



NOTE Specific design and installation constraints can apply for structures in arctic regions (see ISO 19906), for mobile offshore units, especially for jack-ups (see ISO 19905) and for anchors for floating units (see ISO 19901-7 Design can be an iterative process from concept (initial feasibility and applicability study), basic to final design. Different level of details and objectives are required in the various design stages.

Figure 1 — Flowchart showing typical design process for offshore foundations

© ISO 2025 – All rights reserved

Oil and gas industries including lower carbon energy — Specific requirements for offshore structures —

Part 4: Geotechnical design considerations

1 Scope

This document contains provisions for geotechnical engineering design that are applicable to a broad range of offshore structures, rather than to a particular structure type. This document outlines methods developed for the design of shallow foundations with an embedded length (L) to diameter (D) ratio L/D < 0,5, intermediate foundations, which typically have 0,5 ≤ L/D ≤ 10 (see Clause 7), and long and flexible pile foundations with L/D > 10 (see Clauses 8 and 9).

This document also provides guidance on soil-structure interaction aspects for flowlines, risers and conductors (see Clause 10) and anchors for floating facilities (see Clause 11). This document contains brief guidance on site and soil characterization, and identification of hazards (see Clause 6).

This document can be applied for foundation design for offshore structures used in the lower carbon energy industry.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-7, *Oil and gas industries including lower carbon energy — Specific requirements for offshore structures — Part 7: Station-keeping systems for floating offshore structures and mobile offshore units*

ISO 19901-8, *Oil and gas industries including lower carbon energy — Offshore structures — Part 8: Marine soil investigations*

ISO 19901-9, *Oil and gas industries including lower carbon energy — Specific requirements for offshore structures — Part 9: Structural integrity management*

ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*

ISO 19903, *Petroleum and natural gas industries — Concrete offshore structures*

ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Ship-shaped, semi-submersible, spar and shallow-draught cylindrical structures*

ISO 19905 (all parts), *Oil and gas industries including lower carbon energy — Site-specific assessment of mobile offshore units*

ISO 19906, *Petroleum and natural gas industries — Arctic offshore structures*

DNV-RP-F110, *Global buckling of submarine pipelines*

DNV-RP-F114, *Pipe-soil interaction for submarine pipelines*

© ISO 2025 – All rights reserved

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
action
external loading applied to the structure (direct action) or an imposed deformation or acceleration (indirect action)

EXAMPLE An imposed deformation can be caused by fabrication tolerances, differential *settlement* (3.18), temperature change or moisture variation. An imposed acceleration can be caused by an earthquake.

[SOURCE: ISO 19900:2019, 3.3]

3.2
action factor
partial factor whose value reflects the uncertainty or randomness of the action

3.4
basic variable
variable representing physical quantities which characterize actions and environmental influences, geometric quantities, or material properties including soil properties

[SOURCE: ISO 19900:2019, 3.7, modified — Note 1 to entry has been removed.]

3.5
design actions
combination of representative actions and partial safety factors representing a design situation for use in checking the acceptability of a design

3.6
design value
value derived from the *representative value* (3.11) for use in *limit state* (3.9) verification

Note 1 to entry: Design values can be different in different design/assessment situations due to different partial factors.

Note 2 to entry: The term “characteristic value” used in ISO 19900 is not used in this document; and both terms “characteristic value” and “representative value” are considered equivalent for geotechnical and foundation design.

[SOURCE: ISO 19900:2019, 3.14, modified — Note 2 to entry has been added.]

3.7
drained condition
condition whereby the applied stresses and stress changes are supported entirely by the soil skeleton and do not cause a change in pore pressure

[SOURCE: ISO 19901-8:2023, 3.9]

3.8
effective foundation area
reduced foundation area having its geometric centre at the point where the resultant action vector intersects the foundation base level

© ISO 2025 – All rights reserved