INTERNATIONAL STANDARD

ISO 20474-3

Second edition
2017-07

Earth-moving machinery — Safety —

Part 3: Requirements for loaders

Engins de terrassement — Sécurité —

Partie 3: Exigences applicables aux chargeuses

Reference number
ISO 20474-3:2017(E)

© ISO 2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword ... **iv**
Introduction ... **v**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **1**
4 Safety requirements and protective measures ... **2**
4.1 General ... 2
4.2 Rear windows ... 2
4.3 Protection ... 2
4.3.1 Operator's controls and indicators ... 2
4.3.2 Guarding for loaders ... 3
4.4 Stability ... 3
4.4.1 General requirements ... 3
4.4.2 Bucket application ... 3
4.4.3 Fork application ... 3
4.4.4 Log handling application ... 4
4.4.5 Single heavy object (non-palletized, single heavy object) application ... 4
4.4.6 Object handling application ... 5
4.4.7 Other applications ... 5
5 Information for use ... **5**
Annex A (informative) **Illustrations** ... **6**
Bibliography ... **9**

© ISO 2017 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

This document was prepared by Technical Committee ISO/TC 127, *Earth-moving machinery*, Subcommittee SC 2, *Safety, ergonomics and general requirements*.

This second edition cancels and replaces the first edition (ISO 20474-3:2008), which has been technically revised with the following changes:

— normative references have been updated;

— references to national and regional provisions in the withdrawn ISO/TS 20474-14 have been deleted;

— stability requirements have been added.

It is intended to be used in conjunction with ISO 20474-1.

A list of all parts in the ISO 20474 series, published under the general title, *Earth-moving machinery — Safety,* can be found on the ISO website.

© ISO 2017 – All rights reserved

Introduction

This document is a type-C standard as stated in ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

ISO 20474 provides acceptable safety requirements for earth-moving machinery. This standard does not necessarily provide requirements to meet all national and regional regulatory provisions, e.g. Japan does not allow object handling with earth-moving machinery.

© ISO 2017 – All rights reserved

Earth-moving machinery — Safety —

Part 3: Requirements for loaders

1 Scope

This document gives the safety requirements specific to loaders as defined in ISO 6165. It is intended to be used in conjunction with ISO 20474-1, which specifies general safety requirements common to two or more earth-moving machine families. The specific requirements given in this document take precedence over the general requirements of ISO 20474-1.

This document deals with all significant hazards, hazardous situations and events relevant to the earth-moving machinery within its scope (see ISO 20474-1:2017, Annex A) when used as intended or under conditions of misuse reasonably foreseeable by the manufacturer. It specifies the appropriate technical measures for eliminating or reducing risks arising from relevant hazards, hazardous situations or events during commissioning, operation and maintenance.

This document is not applicable to machines manufactured before the date of its publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2330, *Fork-lift trucks — Fork arms — Technical characteristics and testing*

ISO 5353, *Earth-moving machinery, and tractors and machinery for agriculture and forestry — Seat index point*

ISO 6016, *Earth-moving machinery — Methods of measuring the masses of whole machines, their equipment and components*

ISO 6165, *Earth-moving machinery — Basic types — Identification and terms and definitions*

ISO 7131, *Earth-moving machinery — Loaders — Terminology and commercial specifications*

ISO 7546, *Earth-moving machinery — Loader and front loading excavator buckets — Volumetric ratings*

ISO 14397-1:2007, *Earth-moving machinery — Loaders and backhoe loaders — Part 1: Calculation of rated operating capacity and test method for verifying calculated tipping load*

ISO 20474-1:2017, *Earth-moving machinery — Safety — Part 1: General requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 20474-1, ISO 6165 and ISO 7131, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at http://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

© ISO 2017 – All rights reserved

3.1
loader
self-propelled crawler or wheeled machine having front-mounted equipment primarily designed for loading operation (bucket use), which loads or excavates through forward motion of the machine

Note 1 to entry: A loader work cycle normally comprises filling, elevating, transporting and discharging material.

Note 2 to entry: Derivative machinery: loaders can also be used for derivative applications (see ISO 20474-1:2017, 3.1.2).

Note 3 to entry: See Annex A for examples of different types of loader.

3.2
compact loader
loader (3.1) having an operating mass as defined in ISO 6016 of 4 500 kg or less for wheeled loaders and 6 000 kg or less for crawler loaders, designed to work in areas with limited space, with the associated need for greater manoeuvrability

[SOURCE: ISO 6165:2012, 4.2.3]

3.3
skid steer loader
loader (3.1) normally having an operator station between or to the side of the attachment-supporting structure and steered by using variation of speed, and/or direction of rotation between traction drives on the opposite sides of a machine having fixed axles on wheels or tracks

[SOURCE: ISO 6165:2012, 4.2.2]

3.4
swing loader
loader (3.1) having a swing-type lift arm which can rotate to the left and the right of the straight position

Note 1 to entry: A swing loader work cycle is similar to a loader cycle, but additional work can be done with the equipment offset from the longitudinal axis of the machine.

[SOURCE: ISO 6165:2012, 4.2.1]

4 Safety requirements and protective measures

4.1 General

Loaders shall comply with the safety requirements and protective measures of ISO 20474-1, in as far as those are not modified by the specific requirements of this clause.

4.2 Rear windows

The rear window of loaders, except for compact loaders, shall be fitted with a motorised wiper and washer.

4.3 Protection

4.3.1 Operator's controls and indicators

ISO 20474-1:2017, 4.5, shall apply, with the following addition for compact loaders with front access.

Controls for lifting and lowering the loader linkage, machine movement and hydraulically controlled attachments (e.g. multi-purpose bucket) shall be either automatically mechanically secured (e.g. by a safety bar) or automatically deactivated when the operator leaves/enters the operator's compartment.

© ISO 2017 – All rights reserved