ISO/IEC 14543-4-302

Edition 1.0 2023-04

INTERNATIONAL STANDARD

colour inside

Information technology – Home electronic system (HES) architecture – Part 4-302: Application protocols for electrical storage systems and controllers



ISO/IEC 14543-4-302:2023-04(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

ISO/IEC 14543-4-302

Edition 1.0 2023-04

INTERNATIONAL STANDARD

colour inside

Information technology – Home electronic system (HES) architecture – Part 4-302: Application protocols for electrical storage systems and controllers

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.240.67

ISBN 978-2-8322-6793-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms, definitions and abbreviated terms 8
3.1 Terms and definitions 8
3.2 Abbreviations 9
4 Conformance 10
5 Configuration 10
5.1 General 10
5.2 Configuration and components 10
5.3 Connection configuration 11
6 Application layer 12
6.1 General 12
6.2 NECD objects 12
6.3 NECD services 12
6.4 Object-specific NECD properties 12
6.5 Application operation 14
6.5.1 General 14
6.5.2 Continuous requests 14
6.5.3 Response wait time value for controllers 15
6.5.4 Resending a frame 15
6.5.5 Processing object property counter 15
6.5.6 Property values of write requests 15
7 Normal operation 16
7.1 General 16
7.2 Start-up operation 18
7.2.1 General 18
7.2.2 Start-up processing of NECD nodes 18
7.2.3 Search processing 18
7.2.4 Obtaining NECD attribute information 18
7.2.5 Obtaining electrical storage system attribute information 19
7.3 Occasional operation 22
7.3.1 General 22
7.3.2 Obtaining electrical storage system status 22
7.3.3 Setting and updating "AC charge amount target value" property (or "AC discharge amount target value" property) 25
7.3.4 Setting and updating "Charging electric power setting" property (or "Discharging electric power setting" property) (optional) 28
7.3.5 Setting "Charging method" property (or "Discharging method" property) (optional) 31
7.3.6 Setting "Operation mode setting" property 34
7.3.7 Terminating charging (or discharging) operation of the storage battery based on "AC charging amount target value" property (or "AC discharging amount target value" property) 37
7.4 Fault status notification 41
8 Remote control 42

8.1 General 42
8.2 Setting and updating "AC charge amount target value" property (or "AC discharge amount target value" property) on remote control 42
8.3 Setting "Operation mode setting" property when remotely controlling 44
9 Considerations on controllers 46
9.1 General 46
9.2 Restrictions by electrical storage system implementations 47
Annex A (informative) Terms and NECD protocol frame format on ISO/IEC 14543-4-3 and IEC 62394 48
A.1 Terms correspondence between ISO/IEC 14543-4-3 and IEC 62394 48
A.2 NECD protocol frame format 48
Annex B (informative) Relationship between ISO/IEC 14543-4 series and the HES gateway, based on ISO/IEC 15045 series and ISO/IEC 18012 series 50
Bibliography 51

Figure 1 – Relationship between IEC 62394, ISO/IEC 14543-4-3 and ISO/IEC 14543-4-302 7
Figure 2 – Example of electrical storage system configuration and components 10
Figure 3 – Connection configurations 11
Figure 4 – Assumed network stack 11
Figure 5 – Summary of normal operation sequences 17
Figure 6 – Sequence for obtaining NECD attribute information 19
Figure 7 – Sequence of obtaining electrical storage system attribute information 21
Figure 8 – Sequence to obtain status of electrical storage systems 25
Figure 9 – Sequence for setting "AC charge amount target value" property (or "AC discharge amount target value" property) 28
Figure 10 – Sequence for setting "Charging electric power setting" property (or "Discharging electric power setting" property) 31
Figure 11 – Sequence for setting "Charging method" property (or "Discharging method" property) 33
Figure 12 – Sequence for setting "Charging method" property (or "Discharging method" property) when no response is received from the storage battery 34
Figure 13 – Sequence for setting "Operation mode setting" property 36
Figure 14 – Sequence for setting "Operation mode setting" property when no response is received from the storage battery 37
Figure 15 – Sequence of terminating charging (discharging) operation based on "AC charge amount target value" property ("AC discharge amount target value" property) 40
Figure 16 – Sequence of terminating charge (discharge) operation based on "AC charge amount target value" property ("AC discharge amount target value" property) when "Operation mode setting" property is changed 41
Figure 17 – Remote control 42
Figure 18 – Example of setting sequence for "AC charge amount target value" property ("AC discharge amount target value" property) when "Remote control setting" property is used 44
Figure 19 – Example of setting sequence for "Operation mode setting" property when "Remote control setting" property is used 45
Figure 20 – Example of setting sequence for "Operation mode setting" property when "Remote control setting" property is used, in case that no response is made by electrical storage system 46

Figure A.1 – NECD protocol frame format 49

Table 1 – NECD objects 12
Table 2 – NECD services 12
Table 3 – NECD properties of device object (super class) 13
Table 4 – NECD properties of device object 13
Table 5 – Response wait time values for controllers 15
Table 6 – Re-set wait time for the AC charge (or discharge) amount target value 27
Table 7 – Wait time for re-setting charging and discharging electric power setting 30
Table 8 – Wait time for charging and discharging method for re-setting 32
Table 9 – Wait time for re-setting operation mode 35
Table A.1 – Terms correspondence table between ISO/IEC 14543-4-3 and IEC 62394 48
Table B.1 – Partial list of the translation between ISO/IEC 14543-4-302 and HES gateway lexicon (ISO/IEC 18012-3) 50

© ISO/IEC 2023

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 4-302: Application protocols for electrical storage systems and controllers

FOREWORD

1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this document.
7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
9) Attention is drawn to the possibility that some of the elements of this ISO/IEC document may be the subject of patent rights. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14543-4-302 has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology – Home Electronic System (HES) architecture*, can be found on the IEC website and ISO website.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC25/3100/CDV	JTC1-SC25/3130/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, available at www.iec.ch/members_experts/refdocs and www.iso.org/directives.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of ISO/IEC 14543 specifies the detailed procedures and behaviours of both electrical storage systems and controllers at the application level of communications based on ISO/IEC 14543-4-3. This document specifies the message structure, sequences and protocol of the application layer for networked enhanced control devices used in the Home Electronic System (HES). Some services are targeted for communications between devices. Other services are exclusively reserved for management purposes. Some services can be used for both management and run-time communications. This document is applicable for energy management services involving storage batteries, inverters, chargers and related devices.

Figure 1 shows the relationship among IEC 62394, ISO/IEC 14543-4-3 and ISO/IEC 14543-4-302. ISO/IEC 14543-4-3 specifies the message structure, sequences and protocol for general-purpose communications used in network enhanced control devices of the Home Electronic System (HES) Class 1. ISO/IEC 14543-4-3 provides the common interfaces for the use-level process and the services such as energy management, remote maintenance, and other services for easily building a system consisting of multi-vendor devices and equipment. IEC 62394 specifies the detailed lists of control commands on NECD objects (see ISO/IEC 14543-4-3). Annex A shows terms and NECD protocol frame format on ISO/IEC 14543-4-3 and IEC 62394.




Figure 1 – Relationship between IEC 62394, ISO/IEC 14543-4-3 and ISO/IEC 14543-4-302

ISO/IEC 14543-4-3 is a general-purpose communications specification that applies to a variety of devices. ISO/IEC 14543-4-3 is the basis for this document, which specifies detailed procedures and behaviours for pre-packaged system solutions that include storage batteries, inverters, chargers and related devices. The procedures and behaviours specified in this document can be used for energy flow inside a home or energy flow between the grid and a home.

In order to enhance interoperability, it is important to specify how to implement ISO/IEC 14543-4-3 for each device and controller at the application level such as command sequences, timeout requirements, required combinations of acceptable commands, etc..

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 4-302: Application protocols for electrical storage systems and controllers

1 Scope

This part of ISO/IEC 14543 specifies an application-layer protocol important for ensuring interoperability among the products of various manufacturers regarding communications between electrical storage systems and controllers. It uses the network enhanced communications device (NECD) protocol specified in ISO/IEC 14543-4-3. This protocol is based on UDP using IPv4 or IPv6 (TCP is optional).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-4-3, *Information technology – Home Electronic System (HES) architecture – Part 4-3: Application layer interface to lower communications layers for network enhanced control devices of HES Class 1*

IEC 62394, *Service diagnostic interface for consumer electronics products and networks – Implementation for ECHONET*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1.1
battery management unit
BMU
device that manages packs and cells

Note 1 to entry: Examples of management functions: monitoring state, calculating, checking environment, balancing, etc.

3.1.2
cell
device that can be charged and discharged repeatedly

Note 1 to entry: The typical residential device is a lithium ion battery.