ISO/IEC 14543-5-11

Edition 1.0 2018-03

INTERNATIONAL STANDARD

colour inside

Information technology – Home electronic system (HES) architecture – Part 5-11: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote user interface



ISO/IEC 14543-5-11:2018-03(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2018 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

ISO/IEC 14543-5-11

Edition 1.0 2018-03

INTERNATIONAL STANDARD



Information technology – Home electronic system (HES) architecture – Part 5-11: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote user interface

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-5531-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 9
2 Normative references 9
3 Terms, definitions and abbreviated terms 9
3.1 Terms and definitions 9
3.2 Abbreviated terms 10
4 Conformance 10
5 IGRS RUI overview 11
5.1 IGRS RUI features 11
5.2 RUI configuration models 11
5.2.1 Overview 11
5.2.2 Internet RUI configuration model 11
5.2.3 2-tier RUI configuration model 11
5.2.4 3-tier RUI configuration model 12
5.3 RUIS and RUIC types 12
5.4 RUI architecture 12
5.4.1 Detailed RUI architecture 12
5.4.2 RUIC architecture 13
5.4.3 RUI Server architecture 14
6 IGRS type definitions for RUIS and RUIC 15
6.1 Overview 15
6.2 IGRS device types for RUIS and RUIC 15
6.3 IGRS service types for RUIS and RUIC 16
6.4 IGRS invocation interfaces for RUIC service 16
6.5 IGRS invocation interface for RUIS service 16
6.6 IGRS RUI operation scenarios 16
6.6.1 Overview 16
6.6.2 Discovery and retrieval of server information 16
6.6.3 Connecting 16
6.6.4 Controlling IGRS devices using IGRS RUI 17
7 Abstract entity in IGRS RUI 18
8 RUI Description Language (RDL) 21
8.1 Overview 21
8.2 RDL element 21
8.3 RDLPackage element 22
8.4 RDLInfo element 23
8.5 Declaration element 23
8.6 Package element 24
8.7 LayoutContainer element 24
8.8 SceneContainer element 25
8.9 Item element 25
8.10 Layout element 26
8.11 Scene element 27
8.12 Group element 28
8.13 Asset element 28

8.14 ItemRef element 29
8.15 LayoutRef element 29
8.16 SceneNavigation element 30
8.17 Annotation element 30
8.18 Descriptor element 30
8.19 Condition element 31
8.20 Choice element 32
8.21 Selection element 32
8.22 Statement element 33
8.23 DCCondition element 34
Annex A (normative) RDL schema 35
Bibliography 43

Figure 1 – Internet RUI configuration model 11
Figure 2 – 2-tier RUI configuration model 12
Figure 3 – 3-tier RUI configuration model 12
Figure 4 – Detailed RUI architecture 13
Figure 5 – RUIC architecture 14
Figure 6 – RUIS architecture 15
Figure 7 – RUI retrieval from Internet RUIS 17
Figure 8 – Example configuration of controlling IGRS device with RUI 17
Figure 9 – Structures of major entities in an IGRS RUI application 20
Figure 10 – RDL namespace declaration 21
Figure 11 – RDL element definition 22
Figure 12 – RDLPackage element definition 22
Figure 13 – Example of an RDLPackage element 23
Figure 14 – RDLInfo element definition 23
Figure 15 – Declaration element definition 23
Figure 16 – Package element definition 24
Figure 17 – LayoutContainer element definition 24
Figure 18 – SceneContainer element definition 25
Figure 19 – Item element definition 26
Figure 20 – Layout element definition 27
Figure 21 – Scene element definition 27
Figure 22 – Group element definition 28
Figure 23 – Asset element definition 29
Figure 24 – ItemRef element definition 29
Figure 25 – LayoutRef element definition 30
Figure 26 – SceneNavigation element definition 30
Figure 27 – Annotation element definition 30
Figure 28 – Descriptor element definition 31
Figure 29 – Condition element definition 31
Figure 30 – Choice element definition 32
Figure 31 – Selection element definition 33

Figure 32 – Statement element definition 34
Figure 33 – DCCondition element definition 34

Table 1 – RUI device type definitions 15
Table 2 – RUI service type definitions 16
Table 3 – Definitions of abstract entities in an IGRS RUI 18

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 5-11: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote user interface

FOREWORD

1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.

3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.

5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.

8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 14543-5-11 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology – Home electronic system (HES) architecture*, can be found on the IEC and ISO websites.

In this document, the following print types are used:

- CAPITAL LETTERS: for special functions or terms
- *italics*: for abstract entity names in the IGRS RUI model

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The ISO/IEC 14543-5 series of standards specifies the services and protocol of the application layer for Intelligent Grouping and Resource Sharing (IGRS) devices and services in the Home Electronic System.

The ISO/IEC 14543-5 series includes the following parts.

- IGRS Part 5-1: Core protocol
  - Specifies the TCP/IP protocol stack as the basis and the HTTP protocol as the message-exchange framework among devices.
  - Specifies a series of device and service interaction/invocation standards, including device and service discovery protocol, device and service description, service invocation, security mechanisms, etc.
  - Specifies core protocols for a type of home network that supports streaming media and other high-speed data transports within a home.
- IGRS Parts 5-2#: Application profile
  - Based on the IGRS Core Protocol.
  - Specifies a device and service interaction mechanism, as well as application interfaces used in IGRS basic applications.
  - Multiple application profiles are specified, including:
    i) Part 5-21: AV profile
    ii) Part 5-22: File profile
- IGRS Part 5-3: Basic application
  - Includes an IGRS basic application list.
  - Specifies a basic application framework.
  - Specifies operation details (device grouping, service description template, etc.), function definitions and service invocation interfaces.
- IGRS Part 5-4: Device validation
  - Defines a standard method to validate an IGRS-compliant device.
- IGRS Part 5-5: Device type
  - Specifies IGRS Device types used in IGRS applications.
- IGRS Part 5-6: Service type
  - Specifies basic service types used in IGRS applications.
- IGRS Part 5-7: Remote access system architecture
  - Specifies the architecture and framework for the remote access of IGRS devices and services in the Home Electronic System. The remote access communications protocol and application profiles are specified in the following parts of ISO/IEC 14543-5:
    i) ISO/IEC 14543-5-8: Remote access core protocol
    ii) ISO/IEC 14543-5-9: Remote access service platform
    iii) ISO/IEC 14543-5-101: Remote media access profile
    iv) ISO/IEC 14543-5-102: Remote universal management profile
    v) ISO/IEC 14543-5-11: Remote user interface
    vi) ISO/IEC 14543-5-12: Remote access test and verification
  - The relationships among these parts are specified in Part 5-7.

- IGRS Part 5-8: Remote access core protocol
  - Provides detailed system components, system function modules, basic concepts of IGRS remote access elements and their relationships, message exchange mechanisms and security related specifications.
  - Specifies interfaces between IGRS Remote Access (RA) client and service platforms. Defines co-operative procedures among IGRS RA clients.
- IGRS Part 5-9: Remote access service platform
  - Specifies the IGRS RA service platform (IRSP) architectures and interfaces among servers in the service platforms.
  - Based on Part 5-8: Remote access core protocol.
- IGRS Part 5-10#: Remote access application profiles
  - Defines a device and service interaction mechanism for various applications
  - Based on Part 5-8: Remote access core protocol
  - The following profile is under development:
    i) Part 5-101: Remote media access profile. [1] This part defines the common requirements for IGRS RA media users and devices in IGRS networks.
  - Remote universal management profile will form the subject of a future Part 5-102. This part will specify a mechanism for integrating devices with both relatively high and low processing capabilities into IGRS networks. It will also specify universal remote device discovery and a management framework.
  - Additional application profiles will be specified in the future.
- IGRS Part 5-11: Remote user interface
  - Specifies adaptive user interface generation and remote device control mechanisms suitable for different remote access applications and devices.
- IGRS Part 5-12: Remote access test and verification[2]
  - Defines a standard method to test and verify IGRS-RA compliant device and service interfaces.

---

1 Under preparation. Stage at the time of publication: ISO/IEC DIS 14543-5-101:2017.

2 Under preparation. Stage at the time of publication: ISO/IEC DIS 14543-5-12:2017.

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 5-11: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote user interface

1 Scope

This part of ISO/IEC 14543-5 specifies a remote user interface (RUI) for the ISO/IEC 14543-5 series on IGRS for HES Class 2 and Class 3. It defines the mechanisms necessary for allowing an adaptive user interface to be displayed on and controlled by devices or control points from a remote location.

This document is applicable to IGRS local and remote access (RA) devices.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-5-1:2010, *Information technology – Home electronic system (HES) architecture – Part 5-1: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Core protocol*

ISO/IEC 14543-5-8, *Information technology – Home electronic system (HES) architecture – Part 5-8: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access core protocol*

ISO/IEC 15045 (all parts), *Information technology – Home electronic system (HES) gateway*

IETF RFC 2045, *Multipurpose Internet Mail Extensions (MIME) – Part 1: Format of Internet Message Bodies*

IETF RFC 2616, *Hypertext Transfer Protocol – HTTP/1.1*

IETF RFC 4648, *The Base16, Base32, and Base64 Data Encodings*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1.1
remote user interface
RUI
interface that is used for remote interaction with IGRS users

Note 1 to entry: The IGRS RUI can display information, play multimedia contents to the users or receive users' inputs.

3.1.2
RUI Client
RUIC
logical device in an IGRS network that possesses RUI retrieval, rendering capabilities and provides a user input interface to acquire messages for the RUIS

Note 1 to entry: An RUIC device may be physically a PC, a TV, a mobile phone, etc.

3.1.3
RUI Server
RUIS
logical device in an IGRS network that possesses capabilities for RUI contents storage and for providing RUI contents to the RUICs

Note 1 to entry: An RUIS device may be physically a PC, a set-top-box, a server, etc.

3.1.4
RUI Control Point
RUICP
logical device in an IGRS network that possesses RUI discovery and control capabilities.

Note 1 to entry: An RUICP device may be physically integrated into an RUIC or RUIS, or may be a stand-alone device.

3.2 Abbreviated terms

DC Delivery Context
IGRS Intelligent Grouping and Resource Sharing
RA Remote Access
RDL RUI Description Language
RUI Remote User Interface
RUIS RUI Server
RUIC RUI Client
RUICP RUI Control Point
SSDP Simple Service Discovery Protocol
UI User Interface

4 Conformance

For conformance to this document the following applies.

- The IGRS RUI system architecture shall conform to Clause 5.
- The device and service types of RUI Server (RUIS) and RUI Client (RUIC) shall conform to Clause 6.
- The abstract entities in IGRS RUI shall conform to Clause 7.
- The RUI Description Language (RDL) shall conform to Clause 8.