INTERNATIONAL STANDARD

ISO/IEC 19509

First edition
2014-04-15

Information technology — Object Management Group XML Metadata Interchange (XMI)

Reference number
ISO/IEC 19509:2014(E)

© ISO/IEC 2014



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Table of Contents

1 Scope 1
2 Conformance 1
2.1 General 1
2.2 Required Compliance 1
2.2.1 XMI Schema Compliance 1
2.2.2 XMI Document Compliance 1
2.2.3 Software Compliance 2
2.3 Optional Compliance Points 2
2.3.1 XMI Extension and Differences Compliance 2
3 Normative References 2
4 Terms and Definitions 3
5 Symbols 3
6 Additional Information 3
6.1 Relationship to existing standards for MOF and XMI 3
6.2 Acknowledgments 4
7 XMI Document and Schema Design Principles 5
7.1 Purpose 5
7.2 Use of XML Schemas 5
7.2.1 XML Validation of XMI documents 6
7.2.2 Requirements for XMI Schemas 6
7.3 Basic Principles 6
7.3.1 Required XML Declarations 6
7.3.2 Model Class Representation 7
7.3.3 Model Extension Mechanism 7
7.4 XMI Schema and Document Structure 7
7.5 XMI Model 8
7.5.1 XML Schema for the XMI Model 8
7.5.2 XMI Model classes 8
7.5.3 XMI 10
7.5.4 Extension 11
7.5.5 Documentation 11
7.5.6 Add, Replace, and Delete 12
7.6 XMI Attributes 13
7.6.1 Element Identification Attributes 13
7.6.2 Linking Attributes 14
7.6.3 Type Attribute 15
7.7 XMI Types 16
7.8 Model Representation 16
7.8.1 Namespace Qualified XML Element Names 16

© ISO/IEC 2014 - All rights reserved

7.8.2 Multiplicities 17
7.8.3 Class Representation 17
7.8.4 DataType-typed Property Representation 18
7.8.5 Class-typed Property Representation 19
7.8.6 Composite Representation 19
7.8.7 Datatype representation 20
7.8.8 Inheritance representation 21
7.8.9 Association Representation 22
7.8.10 Derived Information 22
7.9 Transmitting Incomplete Metadata 22
7.9.1 Interchange of model fragments 22
7.9.2 XMI encoding 22
7.9.3 Example 22
7.10 Linking 23
7.10.1 Design principles 23
7.10.2 Linking 23
7.10.3 Example for UML 25
7.11 Tailoring Schema Production 27
7.11.1 XMI Tag Values 27
7.11.2 Tag Value Constraints 28
7.11.3 XML element vs XML attribute 29
7.11.4 Summary of XMI Tag Scope and Affect 30
7.11.5 Effects on Document Production 31
7.11.6 Example: Customize the XML Schema for a GIS Model 32
7.12 Transmitting Metadata Differences 37
7.12.1 Motivation 37
7.12.2 Definitions 38
7.12.3 Differences 38
7.12.4 XMI encoding 39
7.12.5 Example of Differences 39
7.13 Document Exchange with Multiple Tools 40
7.13.1 Definitions 41
7.13.2 Procedures 41
7.13.3 Example 42
7.14 General Datatype Mechanism 43
7.15 Import Reconciliation 43
8 XML Schema Production 45
8.1 Purpose 45
8.1.1 Notation for EBNF 45
8.2 XMI Version 2 Schemas 45
8.2.1 EBNF 45
8.2.2 Fixed Schema Declarations 53
9 XML Document Production 55
9.1 Purpose 55
9.2 General 55
9.3 Serialization Model 55
9.4 XMI Representation of the Core Packages 56

© ISO/IEC 2014 - All rights reserved

9.4.1 EMOF Package 56
9.4.2 CMOF Package 58
9.5 EBNF Rules Representation 59
9.5.1 Overall Document Structure 60
9.5.2 Object Structure 61
9.5.3 Extension 64
10 XML Schema Infoset Model 65
10.1 General 65
10.2 XML Schema Structures 65
10.2.1 XSDAnnotation 73
10.2.2 XSDAttributeDeclaration 74
10.2.3 XSDAttributeGroupDefinition 74
10.2.4 XSDAttributeUse 75
10.2.5 XSDComplexTypeContent 75
10.2.6 XSDComplexTypeDefinition 75
10.2.7 XSDComponent 77
10.2.8 XSDFeature 77
10.2.9 XSDIdentityConstraintDefinition 78
10.2.10 XSDModelGroup 78
10.2.11 XSDNamedComponent 79
10.2.12 XSDSchema 79
10.2.13 XSDScope 81
10.2.14 XSDSimpleTypeDefinition 81
10.2.15 XSDTerm 84
10.2.16 XSDTypeDefinition 84
10.2.17 XSDWildcard 85
10.2.18 XSDXPathDefinition 86
10.3 XML Schema Datatypes 86
10.3.1 XSDBoundedFacet 89
10.3.2 XSDCardinalityFacet 89
10.3.3 XSDConstrainingFacet 89
10.3.4 XSDEnumerationFacet 89
10.3.5 XSDFixedFacet 89
10.3.6 XSDFundamentalFacet 89
10.3.7 XSDFacet 89
10.3.8 XSDFractionDigitsFacet 90
10.3.9 XSDLengthFacet 90
10.3.10 XSDMaxExclusiveFacet 90
10.3.11 XSDMaxFacet 90
10.3.12 XSDMaxInclusiveFacet 91
10.3.13 XSDMaxLengthFacet 91
10.3.14 XSDMinFacet 91
10.3.15 XSDMinExclusiveFacet 91
10.3.16 XSDMinInclusiveFacet 91
10.3.17 XSDMinLengthFacet 91
10.3.18 XSDNumericFacet 91
10.3.19 XSDOrderedFacet 92
10.3.20 XSDPatternFacet 92
10.3.21 XSDRepeatableFacet 92

© ISO/IEC 2014 - All rights reserved

10.3.22 XSDTotalDigitsFacet 92
10.3.23 XSDWhiteSpaceFacet 92
10.4 Example 93
Annex A - Bibliography 99
Annex B - Legal Information 101
Annex C - Acknowledgments 105

© ISO/IEC 2014 - All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 19509 was prepared by the Object Management Group (OMG) and was adopted, under the PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

ISO/IEC 19509 is related to:

- ISO/IEC 19505-2:2011, Information technology - Object Management Group - Unified Modeling Language (OMG UML) - Part 2: Superstructure
- ISO/IEC 19508: 2014, Information technology - Object Management Group - Meta Object Facility (MOF) Core

ISO/IEC 19509, under the general title *Information technology - Open distributed processing - MOF 2 XMI Mapping specification (XMI)*, apart from this introductory material is identical with that for the OMG specification for MOF 2 XMI Mapping, version 2.4.2.

© ISO/IEC 2014 - All rights reserved

Introduction

The main purpose of XMI is to enable easy interchange of metadata between application development lifecycle tools (such as modeling tools based on the Unified Modeling Language (UML), ISO/IEC 19505, and metadata repositories/ frameworks based on the Meta Object Facility (MOF), ISO/IEC 19508) in distributed heterogeneous environments. XMI integrates three key industry standards:

- XML - eXtensible Markup Language, a W3C standard
- UML - Unified Modeling Language (ISO/IEC 19505)
- MOF - Meta Object Facility (ISO/IEC 19508)

This International Standard does *not* deprecate or replace ISO/IEC 19503:2005, Information technology - XML Metadata Interchange (XMI). The specification provided by this International Standard is identical to the OMG specification XMI 2.4.2 that is aligned with MOF 2.4.1 (ISO/IEC 19508) and UML 2.4.1 (ISO/IEC 19505). It is not backward compatible with XMI 1.4, as specified in ISO/IEC 19503:2005, which is aligned with MOF 1.4, as specified in ISO/IEC 19502:2005, and UML 1.4.2, as specified in ISO/IEC 19501:2005.

© ISO/IEC 2014 - All rights reserved

Information technology - Object Management Group XML Metadata Interchange (XMI)

1 Scope

This International Standard supports the Meta Object Facility (MOF) Core defined in ISO/IEC 19508. MOF is the foundation technology for describing metamodels. It covers a wide range of domains, and is based on a constrained subset of UML. XMI is widely used XML interchange format. It defines the following aspects involved in describing objects in XML:

- The representation of objects in terms of XML elements and attributes.
- The standard mechanisms to link objects within the same file or across files.
- The validation of XMI documents using XML Schemas.
- Object identity, which allows objects to be referenced from other objects in terms of IDs and UUIDs.

XMI describes solutions to the above issues by specifying EBNF production rules to create XML documents and Schemas that share objects consistently.

2 Conformance

2.1 General

This sub clause describes the required and optional points of compliance with the XMI specification. The terms “XMI Document” and “XMI Schema” are defined in Clause 4.

2.2 Required Compliance

2.2.1 XMI Schema Compliance

XMI Schemas must be equivalent to those generated by the XMI Schema production rules specified in this document. Equivalence means that XMI documents that are valid under a schema produced by the XMI Schema production rules would be valid in a conforming XMI Schema and that those XMI documents that are not valid under a schema produced by the XMI Schema production rules are not valid in a conforming XMI Schema.

2.2.2 XMI Document Compliance

XMI Documents are required to conform to the following points:

© ISO/IEC 2014 - All rights reserved