INTERNATIONAL STANDARD

ISO/IEC 19831

First edition
2015-05-01

Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol — An Interface for Managing Cloud Infrastructure

Model d'interface de management de l'infrastructure du nuage informatique (CIMI) et protocole RESTful basé HTTP — Une interface pour le management de l'infrastructure du nuage informatique

Reference number
ISO/IEC 19831:2015(E)

© ISO/IEC 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

CONTENTS

Foreword 7
1 Scope 9
1.1 Document structure 9
1.2 Document versioning scheme 9
1.3 Typographical conventions 9
2 Normative references 10
3 Terms and definitions 11
4 HTTP-based protocol 14
4.1 Introduction 14
4.1.1 Protocol evolution and client expectations 14
4.1.2 XML namespaces 14
4.1.3 URI space 14
4.1.4 Media types 15
4.1.5 Request headers 15
4.1.6 Request query parameters 15
4.2 Protocol operations 21
4.2.1 Common CRUD operations 22
4.3 OVF support 29
5 Model 30
5.1 Resource wrappers 30
5.2 Extensibility 31
5.3 Identifiers 31
5.4 Attribute constraints 32
5.5 Data types and their serialization 33
5.5.1 boolean 33
5.5.2 dateTime 33
5.5.3 duration 33
5.5.4 integer 34
5.5.5 string 34
5.5.6 ref 34
5.5.7 map 35
5.5.8 structure 35
5.5.9 byte[ ] 36
5.5.10 URI 36
5.5.11 Arrays 36
5.5.12 Collections 37
5.5.13 "Any" type 41
5.5.14 Empty attribute values 41
5.6 Units 41
5.7 Relationship semantics 42
5.8 Operations 42
5.9 Alternative model formats 43
5.10 Resources 43
5.10.1 Common attributes 43
5.11 Resource metadata 45
5.11.1 Serialization of attribute value constraints 49
5.11.2 Capabilities 51
5.11.3 ResourceMetadataCollection Resource 54
5.12 Cloud Entry Point 55
5.12.1 Operations 61
5.13 System Resources and relationships 61
5.13.1 System 62

© ISO/IEC 2015 — All rights reserved

5.13.2 SystemCollection Resource 80
5.13.3 SystemTemplate Resource 81
5.13.4 SystemTemplateCollection Resource 87
5.14 Machine Resources and relationships 88
5.14.1 Machine 89
5.14.2 MachineCollection 107
5.14.3 MachineTemplate 109
5.14.4 MachineTemplateCollection Resource 116
5.14.5 MachineConfiguration Resource 117
5.14.6 MachineConfigurationCollection Resource 119
5.14.7 MachineImage Resource 120
5.14.8 MachineImageCollection Resource 124
5.14.9 Credential Resource 125
5.14.10 CredentialCollection Resource 126
5.14.11 CredentialTemplate Resource 127
5.14.12 CredentialTemplateCollection Resource 128
5.15 Volume Resources and relationships 130
5.15.1 Volume 131
5.15.2 VolumeCollection Resource 135
5.15.3 VolumeTemplate Resource 136
5.15.4 VolumeTemplateCollection Resource 138
5.15.5 VolumeConfiguration Resource 139
5.15.6 VolumeConfigurationCollection Resource 141
5.15.7 VolumeImage Resource 142
5.15.8 VolumeImageCollection Resource 144
5.16 Network Resources and relationships 145
5.16.1 Network 145
5.16.2 NetworkCollection Resource 153
5.16.3 NetworkTemplate Resource 154
5.16.4 NetworkTemplateCollection Resource 156
5.16.5 NetworkConfiguration Resource 157
5.16.6 NetworkConfigurationCollection Resource 158
5.16.7 NetworkPort 160
5.16.8 NetworkPortCollection Resource 164
5.16.9 NetworkPortTemplate Resource 165
5.16.10 NetworkPortTemplateCollection Resource 168
5.16.11 NetworkPortConfiguration Resource 169
5.16.12 NetworkPortConfigurationCollection Resource 170
5.16.13 Address Resource 171
5.16.14 AddressCollection Resource 173
5.16.15 AddressTemplate Resource 174
5.16.16 AddressTemplateCollection Resource 176
5.16.17 ForwardingGroup Resource 177
5.16.18 ForwardingGroupCollection Resource 180
5.16.19 ForwardingGroupTemplate Resource 181
5.16.20 ForwardingGroupTemplateCollection Resource 182
5.17 Monitoring Resources and relationships 183
5.17.1 Job Resource 184
5.17.2 JobCollection Resource 188
5.17.3 Meter Resource 189
5.17.4 MeterCollection Resource 195
5.17.5 MeterTemplate Resource 196
5.17.6 MeterTemplateCollection Resource 197
5.17.7 MeterConfiguration Resource 198
5.17.8 MeterConfigurationCollection Resource 201
5.17.9 EventLog Resource 202

 © ISO/IEC 2015 — All rights reserved

142 5.17.10 EventLogCollection Resource 205
143 5.17.11 EventLogTemplate Resource 206
144 5.17.12 EventLogTemplateCollection Resource 207
145 5.17.13 Event Resource 208
146 6 Security considerations 216
147 ANNEX A (normative) OVF support in CIMI 217
148 ANNEX B (informative) XML Schema 219
149 ANNEX C (informative) Change log 220
150

151 # Figures

152 Figure 1 - Cloud Entry Point 56
153 Figure 2 - System Resources 62
154 Figure 3 - Machine Resources 89
155 Figure 4 - Volume Resources 130
156 Figure 5 - Network Resources 145
157 Figure 6 - Monitoring Resources 184
158

159 # Tables

160 Table 1 – XML namespaces 14
161 Table 2 – Named structure 35
162 Table 3 – Converting a relative URI to an absolute URI 36
163 Table 4 – Numerical equivalents for attributes 42
164 Table 5 – Common attributes 43
165 Table 7 – Capability URIs 51
166 Table 8 – CloudEntryPoint attributes 56
167 Table 9 – System attributes 63
168 Table 10 – SystemSystem attributes 67
169 Table 11 – SystemMachine attributes 68
170 Table 12 – SystemCredential attributes 70
171 Table 13 – SystemVolume attributes 71
172 Table 14 – SystemNetwork attributes 72
173 Table 15 – SystemNetworkPort attributes 74
174 Table 16 – SystemAddress attributes 75
175 Table 17 – SystemForwardingGroup attributes 76
176 Table 18 – SystemTemplate attributes 82
177 Table 19 – Machine attributes 89
178 Table 20 – Disk attributes 93
179 Table 21 – MachineVolume attributes 94
180 Table 22 – MachineNetworkInterface attributes 96
181 Table 23 – MachineNetworkInterfaceAddress attributes 98
182 Table 24 – MachineSnapshot attributes 100
183 Table 25 – MachineTemplate attributes 109
184 Table 26 – MachineConfiguration attributes 117
185 Table 27 – MachineImage attributes 120

© ISO/IEC 2015 — All rights reserved

Table 28 – Credential attributes 125
Table 29 – UserName/Password attributes 125
Table 30 – Public key attributes 125
Table 31 – CredentialTemplate attributes 127
Table 32 – Volume attributes 131
Table 33 – VolumeVolumeImage attributes 133
Table 34 – VolumeTemplate attributes 136
Table 35 – VolumeConfiguration attributes 140
Table 36 – VolumeImage attributes 142
Table 37 – Network attributes 145
Table 38 – NetworkTemplate attributes 154
Table 39 – NetworkConfiguration attributes 157
Table 40 – NetworkPort attributes 160
Table 41 – NetworkPortTemplate attributes 165
Table 42 – NetworkPortConfiguration attributes 169
Table 43 – Address attributes 171
Table 44 – AddressTemplate attributes 174
Table 45 – ForwardingGroup attributes 178
Table 46 – ForwardingGroupNetwork attributes 179
Table 47 – ForwardingGroupTemplate attributes 181
Table 48 – Job attributes 185
Table 49 – Meter attributes 189
Table 50 – Sample attributes 192
Table 51 – MeterTemplate attributes 196
Table 52 – MeterConfiguration attributes 198
Table 53 – aspect URIs 200
Table 54 – EventLog attributes 202
Table 55 – EventLogTemplate attributes 206
Table 56 – Event attributes 208
Table 57 – type URIs 211

 © ISO/IEC 2015 — All rights reserved

Foreword

The *Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol* specification (DSP0263) was prepared by the DMTF Cloud Management Working Group. It defines a logical model for the management of resources within the Infrastructure as a Service domain.

DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability.

Acknowledgments

The DMTF acknowledges the following individuals for their contributions to this document:

Editors (past and present):

- Marios Andreou – Red Hat
- Doug Davis – IBM
- Jacques Durand – Fujitsu
- Gilbert Pilz – Oracle

Contributors:

- Ghazanfar Ali – ZTE Corporation
- Marios Andreou – Red Hat
- Keith Bankston – Microsoft Corporation
- Winston Bumpus – VMware Inc.
- Nathan Burkhart – Microsoft Corporation
- Mark Carlson – Oracle
- Steve Carter – Novell
- Junsheng Chu – ZTE Corporation
- Josh Cohen – Microsoft Corporation
- Derek Coleman – Hewlett-Packard Company
- John Crandall – Brocade Communications Systems
- Doug Davis – IBM
- Jim Davis – WBEM Solutions
- Fernando de la Iglesia – Telefónica
- Hiroshi Dempo – NEC Corporation
- Jacques Durand – Fujitsu
- Yigal Edery – Microsoft Corporation
- George Ericson – EMC
- Colleen Evans – Microsoft Corporation
- Norbert Floeren – Ericsson AB
- Robert Freund – Hitachi, Ltd.
- Fermín Galán – Telefónica
- Krishnan Gopalan – Microsoft Corporation
- Kazunori Iwasa – Fujitsu
- Mark Johnson – IBM
- Bhumip Khasnabish – ZTE Corporation
- Dies Köper – Fujitsu
- Vincent Kowalski – BMC Software
- Ruby Krishnaswamy – France Telecom Group
- Lawrence Lamers – VMware Inc.
- Paul Lipton – CA Technologies
- James Livingston – NEC Corporation
- Vince Lubsey – Virtustream Inc.

© ISO/IEC 2015 — All rights reserved

- David Lutterkort – Red Hat
- Fred Maciel – Hitachi, Ltd.
- Andreas Maier – IBM
- Ashok Malhotra – Oracle
- Jeff Mischkinsky – Oracle
- Jesus Molina – Fujitsu
- Efraim Moscovich – CA Technologies
- Bryan Murray – Hewlett-Packard Company
- Steven Neely – Cisco
- Ryuichi Ogawa – NEC Corporation
- John Parchem– Microsoft Corporation
- Shishir Pardikar – Citrix Systems Inc.
- Miguel Peñalvo – Telefónica
- Gilbert Pilz – Oracle
- Alvaro Polo – Telefónica
- Enrico Ronco – Telecom Italia
- Federico Rossini – Telecom Italia
- Matthew Rutkowski – IBM
- Tom Rutt – Fujitsu
- Hemal Shah – Broadcom
- Nihar Shah – Microsoft Corporation
- Alan Sill – Texas Tech University
- Zhexuan Song – Huawei
- Marvin Waschke – CA Technologies
- Eric Wells – Hitachi, Ltd.
- Jeff Wheeler – Huawei
- Maarten Wiggers – Fujitsu
- Daniel Wilson – Ericsson AB
- Steve Winkler – SAP AG
- Jack Yu – Oracle
- Aaron Zhang – Huawei
- HengLiang Zhang – Huawei

 © ISO/IEC 2015 — All rights reserved

Cloud Infrastructure Management Interface (CIMI) Model and RESTful HTTP-based Protocol

1 Scope

This specification describes the model and protocol for management interactions between a cloud Infrastructure as a Service (IaaS) Provider and the Consumers of an IaaS service. The basic resources of IaaS (machines, storage, and networks) are modeled with the goal of providing Consumer management access to an implementation of IaaS and facilitating portability between cloud implementations that support the specification. This document specifies a Representational State Transfer (REST)-style protocol using HTTP. However, the underlying model is not specific to HTTP, and it is possible to map it to other protocols as well.

CIMI addresses the management of the lifecycle of infrastructure provided by a Provider. CIMI does not extend beyond infrastructure management to the control of the applications and services that the Consumer chooses to run on the infrastructure provided as a service by the Provider. Although CIMI may be to some extent applicable to other cloud service models, such as Platform as a Service ("PaaS") or Storage as a Service ("SaaS"), these uses are outside the design goals of CIMI.

1.1 Document structure

This document defines a model and a RESTful HTTP-based protocol.

The core REST patterns are defined first and, after each resource is defined, any HTTP-specific information for that resource is specified.

1.2 Document versioning scheme

This document adheres to the versioning scheme defined in clause 6.3 of DSP4004.

As the specification changes over time certain features might be deprecated. These are identified in the specification and should not be supported. Each of these deprecated features is clearly denoted in the clause in which they were previously defined.

1.3 Typographical conventions

This specification uses the following conventions:

In the narrative text of the specification:

- The regular or narrative font is Arial.
- Proper CIMI nouns such as Resource names, attribute names, operation names, reserved variable names are in `Courier` font. (e.g. `Machine`, `volumes`, `$expand`). The plural form applies to such names to indicate several instances of such Resources (e.g. `Machines`, `Systems`).
- Examples text are in small `Courier` font and over a darker background.
- Quotes are used for any text that needs be distinguished as name or value of a particular concept (e.g. the "value constraints" attribute, the “Resource Name” column, a “false” value). In such cases, the string in quotes is always qualified by the concept it is an instance of.
- Names for CIMI concepts that may be common English words but have a very specific meaning in CIMI, are in narrative font but capitalized, e.g. Provider, Consumer, Resource, Collection.

© ISO/IEC 2015 — All rights reserved