INTERNATIONAL STANDARD

ISO/IEC 23008-9

Third edition
2023-05

Information technology — High efficiency coding and media delivery in heterogeneous environments —

Part 9: 3D Audio conformance testing

Technologies de l'information — Codage à haut rendement et fourniture de supports dans les environnements hétérogènes —

Partie 9: Essais de conformité 3D Audio

Reference number
ISO/IEC 23008-9:2023(E)

© ISO/IEC 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO/IEC 2023 – All rights reserved

Contents

Page

Foreword ..... **vii**

Introduction ..... **viii**

1 Scope **1**

2 Normative references **1**

3 Terms, definitions and abbreviated terms **1**
3.1 Terms and definitions 1
3.2 Abbreviated terms 2

4 MPEG-H 3D audio conformance testing **3**
4.1 General 3
4.2 Profiles 3
4.3 Test procedure 3
4.3.1 General 3
4.3.2 Naming convention 4
4.3.3 Conformance test tools 6

5 MPEG-H 3D audio bitstreams **7**
5.1 Characteristics, test procedure 7
5.2 MPEG-H 3D audio general configuration 7
5.2.1 mpegh3daConfig() 7
5.2.2 FrameworkConfig3d() 7
5.2.3 Signals3d() 7
5.2.4 SpeakerConfig3d() 8
5.2.5 mpegh3daFlexibleSpeakerConfig() 8
5.2.6 mpegh3daSpeakerDescription() 8
5.3 MPEG-H 3D core audio configuration 8
5.3.1 mpegh3daDecoderConfig() 8
5.3.2 mpegh3daSingleChannelElementConfig() 8
5.3.3 mpegh3daChannelPairElementConfig() 9
5.3.4 mpegh3daCoreConfig() 9
5.3.5 mpegh3daLfeElementConfig() 9
5.3.6 mpegh3daExtElementConfig() 9
5.3.7 mpegh3daConfigExtension() 10
5.3.8 SbrConfig() 10
5.3.9 Mps212Config() 10
5.4 MPEG-H 3D core audio frame 11
5.4.1 mpegh3daFrame() 11
5.4.2 mpegh3daSingleChannelElement() 11
5.4.3 mpegh3daChannelPairElement() 11
5.4.4 mpegh3daLfeElement() 11
5.4.5 mpegh3daExtElement() 11
5.4.6 ics_info() 12
5.4.7 mpegh3daCoreCoderData() 12
5.4.8 StereoCoreToolInfo() 12
5.4.9 fd_channel_stream() 13
5.4.10 lpd_channel_stream() 13
5.4.11 acelp_coding() 14
5.4.12 tcx_coding () 14
5.4.13 lpd_stereo_stream() 15
5.4.14 igf_stereo_pred_data() 15
5.4.15 igf_data() 15
5.4.16 tbe_data() 15
5.4.17 tw_data() 16
5.4.18 scale_factor_data() 16

© ISO/IEC 2023 – All rights reserved

5.4.19 tns_data() 16
5.4.20 ac_spectral_data() 16
5.4.21 arith_data() 16
5.4.22 fac_data() 16
5.4.23 code_book_indices() 16
5.4.24 UsacSbrData() 16
5.4.25 Mps212Data() 16
5.5 Fill element 17
5.6 MPEG surround configuration, SpatialSpecificConfig() 17
5.7 MPEG surround frame, SpatialFrame() 17
5.8 SAOC configuration, SAOCSpecificConfig() 17
5.9 SAOC frame, SAOCFrame() 17
5.10 AudioPreRoll 17
5.10.1 Recursive presence of AudioPreRoll extension payload 17
5.10.2 AudioPreRoll() 17
5.11 Dynamic range control configuration 17
5.11.1 mpegh3daUniDrcConfig() 17
5.11.2 mpegh3daUniDrcChannelLayout() 18
5.11.3 drcCoefficientsUniDrc() 18
5.11.4 drcInstructionsUniDrc() 18
5.11.5 uniDrcConfigExtension() 18
5.12 Dynamic range control frame, uniDrcGain() 18
5.13 Object metadata configuration, ObjectMetadataConfig() 18
5.14 Object metadata frame 18
5.14.1 object_metadata_efficient() 18
5.14.2 object_metadata() 18
5.14.3 object_metadata_efficient() 19
5.14.4 intracoded_object_metadata_efficient() 19
5.14.5 differential_object_metadata() 20
5.14.6 offset_data() 21
5.14.7 object_metadata_low_delay() 21
5.14.8 intracoded_object_metadata_low_delay() 21
5.14.9 dynamic_object_metadata() 22
5.14.10 single_dynamic_object_metadata() 22
5.15 EnhancedObjectMetadataConfig() 23
5.16 EnhancedObjectMetadataFrame() 24
5.17 SAOC 3D Config 24
5.17.1 SAOC3DSpecificConfig() 24
5.17.2 SAOC3DgetNumChannels() 25
5.17.3 SAOC3DExtensionConfig() 25
5.17.4 SAOC3DExtensionConfigData() 25
5.17.5 SAOCExtensionConfig() 25
5.18 SAOC 3D frame 25
5.18.1 Saoc3DFrame() 25
5.18.2 SAOC3DFramingInfo() 26
5.18.3 EcDataSaoc() 26
5.18.4 ByteAlign() 26
5.18.5 SAOC3DExtensionFrame() 26
5.18.6 SAOC3DExtensionFrameData() 26
5.18.7 SAOCExtensionFrame() 26
5.18.8 HOAConfig() 26
5.18.9 HOADecoderConfig() 26
5.18.10 HOAEnhConfig() 27
5.18.11 HOADecoderEnhConfig () 27
5.18.12 getSubbandWidths () 27
5.19 HOA frame 28
5.19.1 HOAFrame() 28
5.19.2 HOAEnhFrame () 28

© ISO/IEC 2023 – All rights reserved

5.19.3 ChannelSideInfoData() 28
5.19.4 AddAmbHoaInfoChannel() 28
5.19.5 HOAGainCorrectionData() 28
5.19.6 VVectorData() 29
5.19.7 HOAPredictionInfo() 29
5.19.8 HOADirectionalPredictionInfo() 29
5.19.9 readDirPredDiffValues() 30
5.19.10 HOAParInfo () 30
5.19.11 readParDiffValues () 30
5.20 FMT converter frame, FormatConverterFrame() 30
5.21 Multi-channel coding tool config, MCTConfig () 30
5.22 Multi-channel coding tool frame 30
5.22.1 MultichannelCodingBoxRotation () 30
5.22.2 MultichannelCodingBoxPrediction () 31
5.22.3 MultichannelCodingFrame() 31
5.23 Tonal component coding configuration, TccConfig () 32
5.24 Tonal component coding frame 32
5.24.1 General 32
5.24.2 TccGroupOfSegments() 32
5.25 HREP config, HREPConfig() 32
5.26 HREP frame, HREPFrame() 33
5.27 ICG config, ICGConfig () 33
5.28 SignalGroupInformation Config, SignalGroupInformation () 33
5.29 DownmixMatrix 33
5.29.1 downmixConfig() 33
5.29.2 DownmixMatrixSet() 33
5.29.3 DownmixMatrix() 34
5.29.4 DecoderGainValue() 34
5.29.5 ReadRange() 35
5.29.6 EqualizerConfig() 35
5.30 Loudness info 35
5.30.1 mpegh3daLoudnessInfoSet() 35
5.30.2 loudnessInfo() 35
5.30.3 loudnessInfoSetExtension() 35
5.31 Audioscene info 36
5.31.1 mae_AudioSceneInfo 36
5.31.2 mae_Data() 36
5.31.3 mae_GroupDefinition() 36
5.31.4 mae_SwitchGroupDefinition() 37
5.31.5 mae_Description() 37
5.31.6 mae_ContentData() 37
5.31.7 mae_CompositePair() 38
5.31.8 mae_GroupPresetDefinition() 38
5.31.9 mae_ProductionScreenSizeData() 39
5.31.10 mae_LoudnessCompensationData () 39
5.31.11 mae_ProductionScreenSizeDataExtension() 39
5.31.12 mae_GroupPresetDefinitionExtension() 40
5.31.13 mae_DrcUserInterfaceInfo() 40
5.32 HOA matrix 41
5.32.1 HoaRenderingMatrixSet() 41
5.32.2 HoaRenderingMatrix() 41
5.32.3 DecoderHoaMatrixData() 42
5.32.4 DecoderHoaGainValue() 42
5.33 CompatibleProfileLevelSet() 42
5.34 Restrictions depending on profiles and levels 42
5.34.1 General 42
5.34.2 Low complexity profile 42

6 MPEG-H 3D audio interfaces to the MPEG-H 3D audio decoder 46

© ISO/IEC 2023 – All rights reserved

6.1 Characteristics and test procedure 46
6.2 Interface for local setup information 46
6.2.1 mpegh3daLocalSetupInformation() 46
6.2.2 LoudspeakerRendering() 46
6.2.3 BinauralRendering() 47
6.2.4 LocalScreenSizeInformation() 47
6.3 Interface for user interaction 47
6.3.1 mpegh3daElementInteraction() 47
6.3.2 ElementInteractionData () 47
6.3.3 ei_GroupInteractivityStatus () 48
6.3.4 LocalZoomAreaSize() 48
6.4 Interface for loudness normalization and dynamic range control 48
6.5 Interface for scene displacement data, mpegh3daSceneDisplacementData() 48
6.6 Interface for positional scene displacement data, mpegh3daPositionalSceneDisplacementData() 48

7 MPEG-H 3D audio decoders 49
7.1 General 49
7.2 Basic conformance test conditions 49
7.2.1 Element configuration test condition 49
7.2.2 Sampling rate 51
7.2.3 Core mode tests [Fd|Lpd|Cct] 52
7.3 Additional test conditions 52
7.3.1 3D audio core (FD) 52
7.3.2 3D audio core (LPD) 60
7.3.3 3D audio core (FD and LPD) 64
7.3.4 Object rendering 71
7.3.5 Higher order ambisonics (HOA) 74
7.3.6 Signalling of HOA rendering matrix [Hmx] 78
7.3.7 Downmix matrix test condition (dwx) 78
7.3.8 Dynamic range and loudness control 80
7.3.9 AudioPreRoll() condition, immediate playout frame (IPF) 84
7.4 Decoder settings 85
7.4.1 Target layout (Lay-<x>) 85
7.4.2 Target loudness (Lou-<x>) 86
7.4.3 DRC effect type request (Eff-<x>) 87
7.4.4 Group preset request (Pr-<x>) 87
7.4.5 Conformance point (Cpo-<x>) 88

Bibliography 89

© ISO/IEC 2023 – All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see https://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This third edition cancels and replaces the second edition (ISO/IEC 23008-9:2022) which has been technically revised.

The main changes are as follows:

— Sample rate conversion.

A list of all parts in the ISO 23008 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

© ISO/IEC 2023 – All rights reserved

Introduction

This document specifies how tests can be designed to verify whether bitstreams and decoders meet the requirements as specified in ISO/IEC 23008-3 and allow interoperability with remote terminals in interactive, broadcast, streaming and local (with stored contents) sessions. These tests can be used for various purposes, such as:

— manufacturers of encoders, and their customers, can use the tests to verify whether the encoder produces bitstreams compliant with ISO/IEC 23008-3,

— manufacturers of decoders and their customers can use the tests to verify whether the decoder meets the requirements specified in ISO/IEC 23008-3 for the claimed decoder capabilities,

— manufacturers and customers of terminals supporting interactive, broadcast, streaming, and local sessions over a multitude of transport protocols and networks, can use the tests to verify whether the claimed functionalities are compliant with ISO/IEC 23008-3,

— manufacturers of test equipment, and their customers can use the tests to verify compliance with ISO/IEC 23008-3.

© ISO/IEC 2023 – All rights reserved

Information technology — High efficiency coding and media delivery in heterogeneous environments —

Part 9:
3D Audio conformance testing

1 Scope

This document specifies conformance criteria for both bitstreams and decoders compliant with the MPEG-H 3D audio standard as defined in ISO/IEC 23008-3. This is done to assist implementers and to ensure interoperability.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 23003-1, *Information technology — MPEG audio technologies — Part 1: MPEG Surround*

ISO/IEC 23003-2, *Information technology — MPEG audio technologies — Part 2: Spatial Audio Object Coding (SAOC)*

ISO/IEC 23003-3:2020, *Information technology — MPEG audio technologies — Part 3: Unified speech and audio coding*

ISO/IEC 23003-4:2020, *Information technology — MPEG audio technologies — Part 4: Dynamic range control*

ISO/IEC 23008-3:2022, *Information technology — High efficiency coding and media delivery in heterogeneous environments — Part 3: 3D audio*

ISO/IEC 23091-3, *Information technology — Coding-independent code points — Part 3: Audio*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1.1
bitstream
encoded audio data

3.1.2
conformance test bitstream
MPEG-H 3DA encoded bitstream used for testing the conformance of a MPEG-H 3DA decoder

© ISO/IEC 2023 – All rights reserved