INTERNATIONAL STANDARD

ISO/IEC 27553-1

First edition
2022-11

Information security, cybersecurity and privacy protection — Security and privacy requirements for authentication using biometrics on mobile devices —

Part 1:
Local modes

Reference number
ISO/IEC 27553-1:2022(E)

© ISO/IEC 2022



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO/IEC 2022 – All rights reserved

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Abbreviated terms ... **5**

5 Security challenges ... **5**
5.1 General ... 5
5.2 Security challenges common to all biometric systems ... 5
5.3 Security challenges specific to authentication using biometrics on mobile devices ... 6
5.3.1 Diversity across mobile devices ... 6
5.3.2 Open computation environment ... 6
5.3.3 Operation in an unsupervised environment ... 6

6 System description ... **7**
6.1 An example architecture ... 7
6.2 Entities and components ... 7
6.2.1 Biometric system ... 7
6.2.2 Relying party agent ... 8
6.2.3 Authentication agent ... 8
6.2.4 Relying party server ... 9
6.2.5 Authentication server ... 9

7 Information assets ... **9**

8 Threat analysis ... **10**
8.1 Threats to the biometric system ... 10
8.2 Threats to the authentication and relying party agents ... 10

9 Security requirements and recommendations ... **11**
9.1 General ... 11
9.2 Biometric system ... 11
9.3 Mobile device ... 12

10 Privacy considerations ... **13**
10.1 General ... 13
10.2 Privacy policy for biometric data ... 14
10.3 Other privacy considerations ... 14

Annex A (informative) **Implementation example** ... **15**

Annex B (informative) **Security issues related to communication between agents and servers for authentication using biometric on mobile devices** ... **21**

Annex C (informative) **An example of authentication assurance and assurance levels** ... **22**

Bibliography ... **29**

© ISO/IEC 2022 – All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see https://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology,* Subcommittee SC 27, *Information security, cybersecurity and privacy protection*.

A list of all parts in the ISO/IEC 27553 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

© ISO/IEC 2022 – All rights reserved

Introduction

The functionalities and computation capabilities of consumer-grade mobile devices are evolving fast. Authentication technologies using biometrics based on physiological or behavioural characteristics (e.g. fingerprint, face, voiceprint) have been developed and widely adopted across various mobile platforms. Compared to traditional authentication methods on mobile devices such as passwords, patterns, or SMS messages, biometric characteristics are easy to use and hard to share. Authentication methods using biometrics can, in some respects, provide a secure, reliable, and convenient solution, albeit with some potentially awkward restrictions.

However, the fragmentation of computing environments for mobile devices (e.g. different operating systems, different trusted environment implementations, different biometric system implementations, and open computation environments in mobile devices) often results in inconsistent implementations, which potentially increase the risks of vulnerabilities in, and attacks against, mobile devices. This fragmentation makes it even more necessary to analyse security challenges, threats, and security frameworks for authentication using biometrics on mobile devices. It is also necessary to specify the high-level security requirements that can mitigate the security risks for applications of authentication using biometrics in mobile devices.

Biometrics in this document is used for authentication on mobile devices whose result is consumed by relying parties. This document applies to the cases where the biometric data and any derived biometric data, except information on the verification outcome, do not leave the device, i.e. local modes.

This document provides high-level security requirements and recommendations for authentication using biometrics on mobile devices, including for functional components and for communication between the biometric system and the mobile applications requesting authentication success. Detailed security requirements are left to implementations. This document also analyses security challenges, threats, and security frameworks for authentication using biometrics on mobile devices.

The following contents are not addressed in this document:

— Identity proofing and enrolment requirements.

— The use of biometrics for authentication to applications which are entirely local to the mobile device and no remote service is involved.

© ISO/IEC 2022 – All rights reserved

Information security, cybersecurity and privacy protection — Security and privacy requirements for authentication using biometrics on mobile devices —

Part 1: Local modes

1 Scope

This document provides high-level security and privacy requirements and recommendations for authentication using biometrics on mobile devices, including security and privacy requirements and recommendations for functional components and for communication.

This document is applicable to the cases that the biometric data and derived biometric data do not leave the device, i.e. local modes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 24745:2022, *Information security, cybersecurity and privacy protection — Biometric information protection*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
attack presentation classification error rate
APCER
proportion of attack presentations using the same presentation attack instrument (PAI) species incorrectly classified as bona fide presentations in a specific scenario

Note 1 to entry: PAI means the biometric characteristic or object used in a *presentation attack* (3.17).

[SOURCE: ISO/IEC 30107-3:2017, 3.2.1, modified — Note 1 to entry has been added.]

3.2
artefact
artificial object or representation presenting a copy of biometric characteristics or synthetic biometric patterns

[SOURCE: ISO/IEC 30107-1:2016, 3.1]

© ISO/IEC 2022 – All rights reserved

3.3
authentication
provision of assurance in the identity of an entity

[SOURCE: ISO/IEC 29115:2013, 3.2]

3.4
authentication agent
component in a mobile device that performs authentication-related functions on the mobile device and interacts with the local biometric components

3.5
authentication credential
credential containing information that can be used to help authenticate the entity

[SOURCE: ISO/IEC 20009-4:2017, 3.3]

3.6
authentication service provider
entity that provides authentication services to a *relying party* (3.19)

3.7
biometric data
biometric sample or aggregation of biometric samples at any stage of processing

EXAMPLE Biometric reference, biometric probe, biometric feature or biometric property.

Note 1 to entry: Biometric data need not be attributable to a specific individual, e.g. Universal Background Models.

[SOURCE: ISO/IEC 2382-37:2022, 37.03.06]

3.8
biometric information
information conveyed or represented by *biometric data* (3.7)

Note 1 to entry: Biometric data include for instance data derived or transformed from biometric data which are handled in connection with biometric data within a biometric system.

[SOURCE: ISO/IEC 24745:2022, 3.9]

3.9
biometric probe
biometric sample (3.12) or biometric feature set input to an algorithm for comparison to a biometric reference(s)

[SOURCE: ISO/IEC 2382-37:2022, 37.03.14, modified — Notes to entry have been removed.]

3.10
biometric processing unit
BPU
trusted implementation of a collection of biometric subprocesses implemented in a single physical unit

Note 1 to entry: A BPU commonly comprises biometric subprocesses that are sequential in the process flow for a biometric verification.

Note 2 to entry: Application/service requirements typically require BPU subprocesses to meet a uniform level of security assurance. In ACBio, assurance is achieved through a BPU evaluation process that is authenticated by means of an X.509 certificate embedded in an ACBio instance.

[SOURCE: ISO/IEC 24761:2019, 3.3]

© ISO/IEC 2022 – All rights reserved

3.11
biometrics
automated recognition of individuals based on their biological and behavioural characteristics

[SOURCE: ISO/IEC 2382-37:2022, 37.01.03, modified — Notes to entry have been removed.]

3.12
biometric sample
analogue or digital representation of biometric characteristics prior to biometric feature extraction

EXAMPLE A record containing the image of a finger is a biometric sample.

[SOURCE: ISO/IEC 2382-37:2022, 37.03.21]

3.13
credential
representation of an identity for use in *authentication* (3.3)

Note 1 to entry: As described in ISO/IEC 24760-1:2019, 5.4, customary embodiments of a credential are very diverse. To accommodate this wide range, the definition adopted in this document is very generic.

Note 2 to entry: A credential is typically made to facilitate data authentication of the identity information pertaining to the identity it represents. Data authentication is typically used in authorization.

Note 3 to entry: The identity information represented by a credential can, for example, be printed on human-readable media, or stored within a physical token. Typically, such information can be presented in a manner designed to reinforce its perceived validity.

Note 4 to entry: A credential can be a username, username with a password, a PIN, a smartcard, a token, a fingerprint, a passport, etc.

[SOURCE: ISO/IEC 24760-1:2019, 3.3.5]

3.14
device binding
association of a specific device with the data (credential) and the holder (individual getting the credential)

Note 1 to entry: The binding process typically provides assurance to a known level.

3.15
information asset
knowledge or data that has value to the individual or organization

[SOURCE: ISO/IEC 27032:2012, 4.27, modified – Note 1 to entry has been removed]

3.16
mobile device
small, compact, handheld, lightweight, standalone computing device, typically having a display screen with digitizer input and/or a miniature keyboard

Note 1 to entry: Examples include laptops, tablet PCs, wearable information and communication technology (ICT) devices, and smartphones.

[SOURCE: ISO/IEC 30107-4:2020, 3.1]

3.17
presentation attack
presentation to the biometric data capture subsystem with the goal of interfering with the operation of the biometric system

Note 1 to entry: Presentation attack can be implemented through a number of methods, e.g. artefact, mutilations, replay, etc.

© ISO/IEC 2022 – All rights reserved

Note 2 to entry: Presentation attacks can have a number of goals, e.g. impersonation or not being recognized.

Note 3 to entry: It is possible that biometric systems are unable to differentiate between biometric presentation attacks with the goal of interfering with the systems operation and non-conformant presentations.

[SOURCE: ISO/IEC 30107-1:2016, 3.5, modified — "may" has been changed to "can" and "it is possible" in Notes 2 and 3 to entry.]

3.18
presentation attack detection
PAD
automated determination of a *presentation attack* (3.17)

Note 1 to entry: PAD cannot infer the subject's intent. In fact it may be impossible to derive that difference from the data capture process or acquired sample.

[SOURCE: ISO/IEC 30107-1:2016, 3.6]

3.19
relying party
RP
entity that relies on the verification of identity information for a particular entity

Note 1 to entry: A relying party is exposed to risk caused by incorrect identity information. Typically it has a trust relationship with one or more identity information authorities.

Note 2 to entry: In the context of this document, an RP is implemented as a server plus an agent. An RP agent is a software component located in the mobile device which initiates authentication requests to an RP server, displays the returned information, and interacts with the identity information provider (IIP) agent to fulfil the authentication process.

EXAMPLE An RP agent can be a mobile browser.

[SOURCE: ISO/IEC 24760-1:2019, 3.3.7, modified – Note 2 to entry and EXAMPLE added]

3.20
renewable biometric reference
RBR
renewable identifier that represents an individual or data subject within a domain by means of a protected binary identity (re)constructed from the captured biometric sample, and fulfilling irreversibility requirements

Note 1 to entry: A renewable biometric reference fulfilling irreversibility requirement provides additional security property.

Note 2 to entry: An example of a renewable biometric reference is a pseudonymous identifier and additional data elements required for biometric verification or identification such as auxiliary data.

[SOURCE: ISO/IEC 24745:2022, 3.34]

3.21
threat
potential cause of an unwanted incident, which can result in harm to a system or organization

[SOURCE: ISO/IEC 27000:2018, 3.74]

3.22
trusted environment
secure area that guarantees the confidentiality and integrity of code and data loaded inside

Note 1 to entry: Examples include trusted execution environment (TEE), SE secure element (SE), and trusted platform module (TPM). See ISO 12812-1 and the ISO/IEC 11889 series for further details.

© ISO/IEC 2022 – All rights reserved