INTERNATIONAL STANDARD

ISO/IEC 29341-20-12

First edition
2017-09

Information technology — UPnP Device Architecture —

Part 20-12: Audio video device control protocol — Level 4 — Content directory service

Technologies de l'information — Architecture de dispositif UPnP —

Partie 20-12: Protocole de contrôle de dispositif audio-vidéo — Niveau 4 — Service d'Annuaire de contenu

Reference number
ISO/IEC 29341-20-12:2017(E)

© ISO/IEC 2017



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

CONTENTS

1 Scope 1
2 Normative references 1
3 Terms, definitions, symbols and abbreviations....5
3.1 Provisioning terms 5
3.2 Symbols 5
4 Notations and Conventions 5
4.1 Notation 5
4.1.1 Data Types 6
4.1.2 Strings Embedded in Other Strings....6
4.1.3 Extended Backus-Naur Form....6
4.2 Derived Data Types 7
4.2.1 Summary 7
4.2.2 CSV Lists....7
4.3 Management of XML Namespaces in Standardized DCPs....8
4.3.1 Namespace Prefix Requirements....12
4.3.2 Namespace Names, Namespace Versioning and Schema Versioning 13
4.3.3 Namespace Usage Examples 15
4.4 Vendor-defined Extensions 15
4.4.1 Vendor-defined Action Names 15
4.4.2 Vendor-defined State Variable Names 15
4.4.3 Vendor-defined XML Elements and attributes 16
4.4.4 Vendor-defined Property Names....16
5 Service Modeling Definitions....16
5.1 Service Type 16
5.2 Key Concepts 16
5.2.1 *On-line* and *Off-line* Network States....16
5.2.2 object 16
5.2.3 Object Identity 17
5.2.4 Object Lifetime....18
5.2.5 Object Modification 18
5.2.6 class....19
5.2.7 *item* 19
5.2.8 *container* 19
5.2.9 Container Modification 19
5.2.10 ContentDirectory Tracking Changes Option 20
5.2.11 *ContainerUpdateIDValue* Indicator....20
5.2.12 ContentDirectory Service Object Organization 21
5.2.13 Hierarchical location 21
5.2.14 Subtree....22
5.2.15 Subtree Updates 22
5.2.16 XML Document 23
5.2.17 XML Fragment 23
5.2.18 DIDL-Lite XML Document....24
5.2.19 *CDS View* 25
5.2.20 *CDS Properties*....26

© ISO/IEC 2017 – All rights reserved

5.2.21 *reference*, *reference item*, *referenced item* 27
5.2.22 *CDS feature* 28
5.2.23 Metadata vs. Foreign Metadata 28
5.2.24 Embedded XML Documents 28
5.2.25 Device Protection Option 28
5.2.26 Device Mode Option 30
5.2.27 Shortcut 30
5.3 State Variables 30
5.3.1 State Variable Overview 31
5.3.2 *SearchCapabilities* 32
5.3.3 *SortCapabilities* 32
5.3.4 *SortExtensionCapabilities* 33
5.3.5 *SystemUpdateID* 33
5.3.6 *ContainerUpdateIDs* 35
5.3.7 *ServiceResetToken* 36
5.3.8 *LastChange* 37
5.3.9 *TransferIDs* 41
5.3.10 *FeatureList* 41
5.3.11 *DeviceMode* 41
5.3.12 *DeviceModeStatus* 42
5.3.13 *PermissionsInfo* 43
5.3.14 *A_ARG_TYPE_ObjectID* 45
5.3.15 *A_ARG_TYPE_Result* 45
5.3.16 *A_ARG_TYPE_SearchCriteria* 45
5.3.17 *A_ARG_TYPE_BrowseFlag* 47
5.3.18 *A_ARG_TYPE_Filter* 47
5.3.19 *A_ARG_TYPE_SortCriteria* 49
5.3.20 *A_ARG_TYPE_Index* 50
5.3.21 *A_ARG_TYPE_Count* 50
5.3.22 *A_ARG_TYPE_UpdateID* 50
5.3.23 *A_ARG_TYPE_TransferID* 50
5.3.24 *A_ARG_TYPE_TransferStatus* 51
5.3.25 *A_ARG_TYPE_TransferLength* 51
5.3.26 *A_ARG_TYPE_TransferTotal* 51
5.3.27 *A_ARG_TYPE_TagValueList* 51
5.3.28 *A_ARG_TYPE_URI* 51
5.3.29 *A_ARG_TYPE_CDSView* 51
5.3.30 *A_ARG_TYPE_QueryRequest* 51
5.3.31 *A_ARG_TYPE_QueryResult* 52
5.3.32 *A_ARG_TYPE_FFQCapabilities* 53
5.3.33 *A_ARG_TYPE_CPID* 54
5.3.34 *A_ARG_TYPE_DeviceModeID* 55
5.3.35 *A_ARG_TYPE_DeviceModeRequest* 55
5.4 Eventing and Moderation 58
5.5 Actions 59
5.5.1 Action Overview 59
5.5.2 *GetSearchCapabilities()* 61
5.5.3 *GetSortCapabilities()* 61

 © ISO/IEC 2017 – All rights reserved

5.5.4 *GetSortExtensionCapabilities()* 61
5.5.5 *GetFeatureList()* 62
5.5.6 *GetSystemUpdateID()* 62
5.5.7 *GetServiceResetToken()* 63
5.5.8 *Browse()* 63
5.5.9 *Search()* 65
5.5.10 *CreateObject()* 66
5.5.11 *DestroyObject()* 72
5.5.12 *UpdateObject()* 73
5.5.13 *MoveObject()* 79
5.5.14 *ImportResource()* 80
5.5.15 *ExportResource()* 81
5.5.16 *DeleteResource()* 82
5.5.17 *StopTransferResource()* 83
5.5.18 *GetTransferProgress()* 84
5.5.19 *CreateReference()* 84
5.5.20 *FreeFormQuery()* 85
5.5.21 *GetFreeFormQueryCapabilities()* 87
5.5.22 *RequestDeviceMode()* 88
5.5.23 *ExtendDeviceMode()* 89
5.5.24 *CancelDeviceMode()* 90
5.5.25 *GetDeviceMode()* 91
5.5.26 *GetDeviceModeStatus()* 91
5.5.27 *GetPermissionsInfo()* 92
5.5.28 Non-Standard Actions Implemented by a UPnP Vendor 92
5.5.29 Common Error Codes 92
6 XML Service Description 94
7 Test 106
Annex A (normative) Schemas 107
A.1 DIDL-Lite 107
A.2 UPnP Elements 107
A.3 Dublin Core Subset Elements 107
A.4 Event Schema 107
A.5 *FeatureList* State Variable Schema 107
Annex B (normative) AV Working Committee Properties 108
B.1 Base Properties 117
B.1.1 *@id* 117
B.1.2 *@parentID* 118
B.1.3 *@refID* 118
B.1.4 *@restricted* 118
B.1.5 *@searchable* 118
B.1.6 *@childCount* 118
B.1.7 *@childContainerCount* 118
B.1.8 *dc:title* 119
B.1.9 *dc:creator* 119
B.1.10 *res* 119
B.1.11 *res@id* 119
B.1.12 *upnp:class* 119

© ISO/IEC 2017 – All rights reserved

B.1.13 *upnp:searchClass* 121
B.1.14 *upnp:createClass* 121
B.1.15 *upnp:writeStatus* 122
B.2 Resource Encoding Characteristics Properties 123
B.2.1 *res* 123
B.3 Resource Encoding Extension Properties 128
B.3.1 *upnp:resExt* 128
B.3.2 *upnp:resExt::uniqueContentIdentification* 129
B.4 Contributor-related Properties 130
B.4.1 *upnp:artist* 130
B.4.2 *upnp:actor* 130
B.4.3 *upnp:author* 130
B.4.4 *upnp:producer* 131
B.4.5 *upnp:director* 131
B.4.6 *dc:publisher* 131
B.4.7 *dc:contributor* 131
B.5 Affiliation-related Properties 131
B.5.1 *upnp:genre* 131
B.5.2 *upnp:album* 132
B.5.3 *upnp:playlist* 132
B.6 Associated Resources Properties 132
B.6.1 *upnp:albumArtURI* 132
B.6.2 *upnp:artistDiscographyURI* 133
B.6.3 *upnp:lyricsURI* 133
B.6.4 *dc:relation* 133
B.7 Storage-Related Properties 133
B.7.1 *upnp:storageTotal* 133
B.7.2 *upnp:storageUsed* 133
B.7.3 *upnp:storageFree* 133
B.7.4 *upnp:storageMaxPartition* 134
B.7.5 *upnp:storageMedium* 134
B.8 General Description (mainly for UI purposes) Properties 135
B.8.1 *dc:description* 135
B.8.2 *upnp:longDescription* 135
B.8.3 *upnp:icon* 135
B.8.4 *upnp:region* 136
B.8.5 *upnp:rights* 136
B.8.6 *dc:date* 136
B.8.7 *dc:language* 136
B.8.8 *upnp:playbackCount* 136
B.8.9 *upnp:lastPlaybackTime* 137
B.8.10 *upnp:lastPlaybackPosition* 137
B.8.11 *upnp:recordedStartDateTime* 137
B.8.12 *upnp:recordedEndDateTime* 138
B.8.13 *upnp:recordedDuration* 138
B.8.14 *upnp:recordedDayOfWeek* 138
B.8.15 *upnp:srsRecordScheduleID* 139
B.8.16 *upnp:srsRecordTaskID* 139

 © ISO/IEC 2017 – All rights reserved

B.8.17 *upnp:recordable* 139
B.9 Recorded Object-related Properties 140
B.9.1 *upnp:programTitle* 140
B.9.2 *upnp:seriesTitle* 140
B.9.3 *upnp:programID* 141
B.9.4 *upnp:seriesID* 141
B.9.5 *upnp:channelID* 141
B.9.6 *upnp:episodeType* 143
B.9.7 *upnp:episodeCount* 143
B.9.8 *upnp:episodeNumber* 143
B.9.9 *upnp:episodeSeason* 143
B.9.10 *upnp:programCode* 143
B.9.11 *upnp:rating* 144
B.9.12 *upnp:recommendationID* 145
B.10 User Channel and EPG Related Properties 145
B.10.1 *upnp:channelGroupName* 145
B.10.2 *upnp:callSign* 146
B.10.3 *upnp:networkAffiliation* 146
B.10.4 *upnp:serviceProvider* 146
B.10.5 *upnp:price* 147
B.10.6 *upnp:payPerView* 147
B.10.7 *upnp:epgProviderName* 147
B.10.8 *upnp:dateTimeRange* 147
B.11 Preserved Program Properties 148
B.11.1 *upnp:programPreserved* 148
B.11.2 *upnp:preservedTimeRange* 149
B.11.3 *upnp:programList* 151
B.12 Radio Broadcast Properties 151
B.12.1 *upnp:radioCallSign* 151
B.12.2 *upnp:radioStationID* 151
B.12.3 *upnp:radioBand* 152
B.13 Video Broadcast Properties 152
B.13.1 *upnp:channelNr* 152
B.13.2 *upnp:channelName* 153
B.13.3 *upnp:scheduledStartTime* 153
B.13.4 *upnp:scheduledEndTime* 153
B.13.5 *upnp:scheduledDuration* 154
B.14 Physical Tuner Status-related Properties 154
B.14.1 *upnp:signalStrength* 154
B.14.2 *upnp:signalLocked* 154
B.14.3 *upnp:tuned* 155
B.15 MultiStream-related Properties 156
B.15.1 *upnp:resExt::isSyncAnchor* 157
B.15.2 *upnp:resExt::componentInfo* 157
B.16 Segmentation-related Properties 163
B.16.1 *upnp:segmentID* 164
B.16.2 *upnp:resExt::segmentInfo* 164
B.17 Bookmark-related Properties 166

© ISO/IEC 2017 – All rights reserved

B.17.1 *@neverPlayable* 166
B.17.2 *upnp:bookmarkID* 167
B.17.3 *upnp:bookmarkedObjectID* 167
B.17.4 *upnp:deviceUDN* 167
B.17.5 *upnp:stateVariableCollection* 167
B.18 Miscellaneous Properties 168
B.18.1 *upnp:DVDRegionCode* 169
B.18.2 *upnp:originalTrackNumber* 169
B.18.3 *upnp:toc* 169
B.18.4 *upnp:userAnnotation* 169
B.18.5 *desc* 169
B.19 Object Tracking Properties 170
B.19.1 *upnp:containerUpdateID* 170
B.19.2 *upnp:objectUpdateID* 170
B.19.3 *upnp:totalDeletedChildCount* 171
B.19.4 *res@updateCount* 171
B.20 Permission Properties 172
B.20.1 *upnp:inclusionControl* 172
B.21 Ownership Properties 172
B.21.1 *upnp:objectOwner* 173
B.22 Object Linking Properties 174
B.22.1 *upnp:objectLink* 174
B.22.2 *upnp:objectLinkRef* 178
B.23 Foreign Metadata-related Properties 180
B.23.1 *upnp:foreignMetadata* 180
B.24 Synchronized Playback-related Properties 187
B.24.1 *upnp:resExt::clockSync* 187
B.25 DRMInfo-related Overview Properties 188
B.25.1 *upnp:resExt::DRMInfo* 188
Annex C (normative) AV Working Committee Class Definitions 189
C.1 Class Hierarchy 189
C.1.1 Class name syntax 190
C.1.2 Class Properties Overview 191
C.2 *object* (Base Class) 203
C.2.1 *item:object* 203
C.2.2 *container:object* 211
Annex D (Informative) Theory of Operation 219
D.1 Introduction 219
D.2 Generating Object ID Values 219
D.3 Content Setup for Browsing and Searching 220
D.4 Browsing 220
D.4.1 Retrieving Sort Capabilities 221
D.4.2 Browsing the Root Level Metadata 221
D.4.3 Browsing the Children of the Root Level 222
D.4.4 Browsing the Children of the My Music Folder 223
D.4.5 Browsing the Children of the Singles Soundtrack Music Album 223
D.4.6 Browsing the Children of the Album Art Folder 224
D.5 Searching 225

 © ISO/IEC 2017 – All rights reserved

D.5.1 Retrieving Search Capabilities 225
D.5.2 Search for All Content Created by the performer Sting 225
D.5.3 Search for all Photos Taken During the Month of October 227
D.5.4 Search for All Objects in the My Photos Folder Containing the Word "Christmas" 227
D.5.5 Search for all *album* objects in the ContentDirectory service 228
D.6 Browsing, Searching, and References 229
D.6.1 Creating a reference to a photo in the Mexico Trip album inside the Christmas album 229
D.6.2 Search for All Photos Taken During the Month of October 229
D.6.3 Deletion of the Reference to the Photo in the Mexico Trip Album 230
D.7 Object Creation 230
D.7.1 Creating a New Object 230
D.7.2 Creating a New MusicTrack 230
D.8 Object Resource Binding (Importing a Resource) 231
D.8.1 Transfer Using the *ImportResource()* Action 231
D.8.2 Transfer Using Direct HTTP POST 232
D.9 Exporting ContentDirectory Resources 232
D.9.1 Transfer Using the *ExportResource()* Action 233
D.9.2 Transfer using HTTP GET 234
D.10 Playlist Manipulation 234
D.10.1 Playlist File Representation in the ContentDirectory Service 234
D.10.2 Playlist File Generation 234
D.11 Internet Content Representation 236
D.12 Multi-component media representation 236
D.12.1 Creating a multi-component video object 238
D.12.2 Adding a component to a multi-component video object 240
D.13 Segments Manipulation 243
D.13.1 Segment Item Example 243
D.13.2 Creating, Destroying and Updating Segments 244
D.13.3 Browse and Search Segment Items 246
D.14 Bookmark Manipulation 246
D.14.1 *bookmarkItem* Example 246
D.14.2 Creating and Destroying Bookmarks 248
D.14.3 Browsing Bookmarks 252
D.15 Processing FreeForm Queries 257
D.15.1 Retrieving the title of all music albums 258
D.15.2 Retrieving the audio items of Album 1 258
D.15.3 Retrieving a limited number of photo items 259
D.16 Foreign Metadata 260
D.16.1 Determining the Supported Foreign Metadata Types 260
D.16.2 Determining Whether an Object Contains Foreign Metadata 261
D.17 Monitoring Changes 262
D.17.1 Monitoring Changes while *on-line* 263
D.17.2 Monitoring Changes while *off-line* 268
D.18 Browsing preserved transitory content 270
D.18.1 Browsing broadcast items with preserved history 270
D.18.2 Browsing program items indicating preserved history (EPG data available but not exposed to control point) 271

© ISO/IEC 2017 – All rights reserved

D.18.3 Browsing program items for recording (EPG exposed to control point) 272
D.19 Object Linking 274
D.19.1 Displaying Object Link titles 274
D.19.2 Locating the head Object Link property of an Object Linked list 275
D.19.3 Starting an Object Linked presentation 275
D.19.4 Object Linking Example 275
D.20 *DEVICE_MODE feature* 282
D.20.1 Initiating and Managing *ActionBurst* mode 283
D.20.2 Initiating and Managing *ExclusiveOwnership* mode 287
D.21 Synchronized Playback 290
D.21.1 Precision Time Synchronized Playback for RTSP-RTP Transport 290
D.21.2 Precision Time Synchronized Playback for HTTP Transport 293
D.22 Usage of the *CONTAINER_SHORTCUTS feature* 294
Annex E (normative) EBNF Syntax Definitions 296
E.1 Summary 296
E.2 Date&time Syntax 296
Annex F (normative) *CDS features* 297
F.1 Requirements for the *EPG feature*, Version 1 298
F.2 Requirements for the *TUNER feature*, Version 1 299
F.3 Requirements for the *BOOKMARK feature*, Version 1 300
F.4 Requirements for the *FOREIGN_METADATA feature*, Version 1 300
F.5 Requirements for the *FFQ feature*, Version 1 301
F.6 Requirements for the *MULTI_STREAM feature*, Version 1 302
F.7 Requirements for the *SEGMENTATION feature*, Version 1 303
F.8 Requirements for the *DEVICE_MODE feature*, Version 1 304
F.9 Requirements for the *CLOCKSYNC feature*, Version 1 306
F.10 Requirements for the *CONTENT_PROTECTION feature*, Version 1 306
F.11 Requirements for the *CONTAINER_SHORTCUTS* feature, Version 1 307
Annex G (normative) *CONTENT_PROTECTION feature* 312
G.1 AV Roles for *CONTENT_PROTECTION* 312
G.1.1 Access at action level 313
G.1.2 Restrictable and Non-Restrictable Actions 313
G.1.3 *Action Level Access* using pre-defined AV *Roles* 314
G.1.4 Access at object level 315
G.1.5 *Role* assignments for unrecognized control points 316
G.1.6 Implicit role assignments 316
G.2 Behavior of actions with *CONTENT_PROTECTION feature* 317
G.2.1 *CreateObject()* action with *CONTENT_PROTECTION feature* 317
G.2.2 *UpdateObject()* action with *CONTENT_PROTECTION feature* 318
G.2.3 *Browse()* action with *CONTENT_PROTECTION feature* 319
G.2.4 *Search()* action with *CONTENT_PROTECTION feature* 319
G.2.5 *FreeFormQuery()* action with *CONTENT_PROTECTION feature* 320
G.2.6 *DestroyObject()* action with *CONTENT_PROTECTION feature* 320
G.2.7 *MoveObject()* action with *CONTENT_PROTECTION feature* 320
G.2.8 *DeleteResource()* action with *CONTENT_PROTECTION feature* 320
Annex H (informative) Content Authoring using Object Linking 321
H.1 Introduction 321
H.2 Object Linking Metadata Properties 321

 © ISO/IEC 2017 – All rights reserved

H.3 Table of Contents (Index) Lists 322
H.4 Playback and Step Lists 323
H.5 References between lists of items 324
H.6 Sharing items in multiple lists 324
H.7 Return Model 325
H.8 Control Point processing of Object Linked items 325
Annex I (informative) Example ContentDirectory Hierarchy 327
Annex J (informative) Bibliography 334

© ISO/IEC 2017 – All rights reserved

List of Tables

Table 1 — EBNF Operators....7
Table 2 — CSV Examples....8
Table 3 — Namespace Definitions....9
Table 4 — Schema-related Information....11
Table 5 — Default Namespaces for the AV Specifications....13
Table 6 — Properties in XML....26
Table 7 — State variables....31
Table 8 — *SearchCapabilities* requirements for supporting *Tracking Changes Option*....32
Table 9 — Sort Modifiers....33
Table 10 — *ContainerUpdateIDs* Example....35
Table 11 — *ContainerUpdateIDs* Example....36
Table 12 — Event moderation....58
Table 13 — Actions....60
Table 14 — Arguments for *GetSearchCapabilities()*....61
Table 15 — Error Codes for *GetSearchCapabilities()*....61
Table 16 — Arguments for *GetSortCapabilities()*....61
Table 17 — Error Codes for *GetSortCapabilities()*....61
Table 18 — Arguments for *GetSortExtensionCapabilities()*....62
Table 19 — Error Codes for *GetSortExtensionCapabilities()*....62
Table 20 — Arguments for *GetFeatureList()*....62
Table 21 — Error Codes for *GetFeatureList()*....62
Table 22 — Arguments for *GetSystemUpdateID()*....62
Table 23 — Error Codes for *GetSystemUpdateID()*....63
Table 24 — Arguments for *GetServiceResetToken()*....63
Table 25 — Error Codes for *GetServiceResetToken()*....63
Table 26 — Arguments for *Browse()*....64
Table 27 — Error Codes for *Browse()*....65
Table 28 — Arguments for *Search()*....66
Table 29 — Error Codes for *Search()*....66
Table 30 — Arguments for *CreateObject()*....71
Table 31 — Error codes for *CreateObject()*....71
Table 32 — Arguments for *DestroyObject()*....73
Table 33 — Error Codes for *DestroyObject()*....73
Table 34 — Update examples....76
Table 35 — Arguments for *UpdateObject()*....78
Table 36 — Error Codes for *UpdateObject()*....78
Table 37 — Arguments for *MoveObject()*....80
Table 38 — Error Codes for *MoveObject()*....80
Table 39 — Arguments for *ImportResource()*....81
Table 40 — Error Codes for *ImportResource()*....81
Table 41 — Arguments for *ExportResource()*....82

 © ISO/IEC 2017 – All rights reserved

Table 42 — Error Codes for *ExportResource()* 82
Table 43 — Arguments for *DeleteResource()* 83
Table 44 — Error Codes for *DeleteResource()* 83
Table 45 — Arguments for *StopTransferResource()* 83
Table 46 — Error Codes for *StopTransferResource()* 84
Table 47 — Arguments for *GetTransferProgress()* 84
Table 48 — Error Codes for *GetTransferProgress()* 84
Table 49 — Arguments for *CreateReference()* 85
Table 50 — Error Codes for *CreateReference()* 85
Table 51 — Arguments for *FreeFormQuery()* 86
Table 52 — Error Codes for *FreeFormQuery()* 87
Table 53 — Arguments for *GetFreeFormQueryCapabilities()* 87
Table 54 — Error Codes for *GetFreeFormQueryCapabilities()* 88
Table 55 — Arguments for *RequestDeviceMode()* 88
Table 56 — Error Codes for *RequestDeviceMode()* 89
Table 57 — Arguments for *ExtendDeviceMode()* 89
Table 58 — Error Codes for *ExtendDeviceMode()* 90
Table 59 — Arguments for *CancelDeviceMode()* 90
Table 60 — Error Codes for *CancelDeviceMode()* 91
Table 61 — Arguments for *GetDeviceMode()* 91
Table 62 — Error Codes for *GetDeviceMode()* 91
Table 63 — Arguments for *GetDeviceModeStatus()* 91
Table 64 — Error Codes for *GetDeviceModeStatus()* 92
Table 65 — Arguments for *GetPermissionsInfo()* 92
Table 66 — Error Codes for *GetPermissionsInfo()* 92
Table 67 — Common Error Codes 93
Table B.1 — ContentDirectory Service Properties Overview 108
Table B.2 — Base Properties Overview 117
Table B.3 — Allowed values for *upnp:class* 120
Table B.4 — Allowed values for *upnp:writeStatus* 122
Table B.5 — Resource Encoding Characteristics Properties Overview 123
Table B.6 — Allowed values for *res@daylightSaving* 128
Table B.7 — Resource Encoding Extension Properties Overview 128
Table B.9 — Contributor-related Properties Overview 130
Table B.10 — Affiliation-related Properties Overview 131
Table B.11 — Associated Resources Properties Overview 132
Table B.12 — Storage-Related Properties Overview 133
Table B.13 — General Description (mainly for UI purposes) Properties Overview 135
Table B.14 — Allowed values for *upnp:recordedDayOfWeek* 139
Table B.15 — Recorded Object-related Properties Overview 140
Table B.16 — User Channel and EPG Related Properties Overview 145
Table B.17 — Preserved Program Properties Overview 148
Table B.18 — Allowed values for *upnp:programPreserved* 148

© ISO/IEC 2017 – All rights reserved

Table B.19 — Radio Broadcast Properties Overview 151
Table B.20 — Allowed values for *upnp:radioBand* 152
Table B.21 — Video Broadcast Properties Overview 152
Table B.22 — Allowed values for *upnp:scheduledStartTime@usage* 153
Table B.23 — Physical Tuner Status-related Properties Overview 154
Table B.24 — MultiStream Properties Overview 156
Table B.25 — Allowed values for *upnp:resExt::componentInfo::componentGroup ::component::componentClass* 159
Table B.26 — Segmentation-related Properties Overview 163
Table B.27 — Bookmark-related Properties Overview 166
Table B.28 — Allowed values for *upnp:stateVariableCollection@rcsInstanceType* 168
Table B.29 — Miscellaneous Properties Overview 168
Table B.30 — Object Tracking Properties Overview 170
Table B.31 — Permission Properties Overview 172
Table B.32 — Ownership Properties Overview 172
Table B.33 — Object Linking Properties Overview 174
Table B.34 — Allowed values for *upnp:objectLink::mode* 176
Table B.35 — Allowed values for *upnp:objectLink::relatedInfo@role* 177
Table B.36 — Allowed values for *upnp:objectLink::endAction@action* 178
Table B.37 — Allowed values for *upnp:objectLinkRef::relatedInfo@role* 180
Table B.38 — Foreign Metadata-related Properties Overview 180
Table B.39 — Synchronized Playback Properties Overview 187
Table B.40 — DRMInfo-Related Properties Overview 188
Table C.1 — Class Properties Overview 191
Table C.2 — *object* Properties 203
Table C.3 — *item* Properties 203
Table C.4 — *imageItem:item* Properties 204
Table C.5 — *photo:imageItem* Properties 204
Table C.6 — *audioItem:item* Properties 204
Table C.7 — *musicTrack:audioItem* Properties 205
Table C.8 — *audioBroadcast:audioItem* Properties 205
Table C.9 — *audioBook:audioItem* Properties 205
Table C.10 — *videoItem:item* Properties 206
Table C.11 — *movie:videoItem* Properties 206
Table C.12 — *videoBroadcast:videoItem* Properties 207
Table C.13 — *musicVideoClip:videoItem* Properties 207
Table C.14 — *playlistItem:item* Properties 208
Table C.15 — *textItem:item* Properties 208
Table C.16 — *bookmarkItem:item* Properties 209
Table C.17 — *epgItem:item* Properties 210
Table C.18 — *audioProgram:epgItem* Properties 211
Table C.19 — *videoProgram:epgItem* Properties 211
Table C.20 — *container* Properties 212

 © ISO/IEC 2017 – All rights reserved

Table C.21 — *person:container* Properties 212
Table C.22 — *musicArtist:person* Properties 212
Table C.23 — *playlistContainer:container* Properties 213
Table C.24 — *album:container* Properties 213
Table C.25 — *musicAlbum:album* Properties 214
Table C.26 — *photoAlbum:album* Properties 214
Table C.27 — *genre:container* Properties 214
Table C.28 — *channelGroup:container* Properties 215
Table C.29 — *epgContainer:container* Properties 216
Table C.30 — *storageSystem:container* Properties 217
Table C.31 — *storageVolume:container* Properties 217
Table C.32 — *storageFolder:container* Properties 218
Table C.33 — genre:container Properties 218
Table F.1 — *CDS features* 298
Table F.2 — Required characteristics of the *EPG feature* element 299
Table F.3 — Required characteristics of the *TUNER feature* element 299
Table F.4 — Required characteristics of the *BOOKMARK feature* element 300
Table F.5 — Required characteristics of the *FOREIGN_METADATA feature* element 301
Table F.6 — Required characteristics of the *FFQ feature* element 302
Table F.7 — Required characteristics of the *MULTI_STREAM feature* element 303
Table F.8 — Required characteristics of the *SEGMENTATION feature* element 304
Table F.9 — Required characteristics of the *DEVICE_MODE feature* element 305
Table F.10 — Required characteristics of the *CLOCKSYNC feature* element 306
Table F.11 — Required characteristics of the *CONTENT_PROTECTION feature* element 307
Table F.12 — Required characteristics of the *CONTAINER_SHORTCUTS feature* element 307
Table F.13 — Allowed values for the Shortcut Name element 308
Table G.1 — Pre-defined *AV Roles* and *Public* 312
Table G.2 — Error Codes for *Action Level Access* 313
Table G.3 — Pre-defined settings for *Restrictable and Non-Restrictable* AV Actions 314
Table G.4 — Pre-defined AV Action to AV *Role* permissions mapping 315
Table G.5 — Error Codes for *Object Level Access* 317
Table G.6 — Error Codes for *CreateObject()* and *UpdateObject()* action with *upnp:objectOwner* and *upnp:objectOwner* property 319
Table G.7 — Error Codes for *MoveObject()* action with *CONTENT_PROTECTION feature* 320
Table G.8 — Error Codes for *DeleteResource()* action with *CONTENT_PROTECTION feature* 320

© ISO/IEC 2017 – All rights reserved

List of Figures

Figure 1 — ContentDirectory Service Object Organization 21
Figure 2 — Flattened DIDL-Lite hierarchical structure 25
Figure C.1 — Class hierarchy for the item base class 189
Figure C.2 — Class hierarchy for the container base class 190
Figure D.1 — Example Handshaking for *DEVICE_MODE feature* 283
Figure H.1 — Example of Object Link “Index” list 323
Figure H.2 — Example of Object Link list reference 324

 © ISO/IEC 2017 – All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see http://www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of Standard, the meaning of the ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword – Supplementary information

ISO/IEC 29341-20-12 was prepared by UPnP Forum and adopted, under the PAS procedure, by joint technical committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

The list of all currently available parts of ISO/IEC 29341 series, under the general title *Information technology — UPnP Device Architecture*, can be found on the ISO web site.

© ISO/IEC 2017 – All rights reserved

Introduction

ISO and IEC draw attention to the fact that it is claimed that compliance with this document may involve the use of patents as indicated below.

ISO and IEC take no position concerning the evidence, validity and scope of these patent rights. The holders of -these patent rights have assured ISO and IEC that they are willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these patent rights are registered with ISO and IEC.

Intel Corporation has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Intel Corporation
Standards Licensing Department
5200 NE Elam Young Parkway
MS: JFS-98
USA – Hillsboro, Oregon 97124

Microsoft Corporation has informed IEC and ISO that it has patent applications or granted patents as listed below:

6101499 / US; 6687755 / US; 6910068 / US; 7130895 / US; 6725281 / US; 7089307 / US; 7069312 / US; 10/783 524 /US

Information may be obtained from:

Microsoft Corporation
One Microsoft Way
USA – Redmond WA 98052

Philips International B.V. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Philips International B.V. – IP&S
High Tech campus, building 44 3A21
NL – 5656 Eindhoven

NXP B.V. (NL) has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

NXP B.V. (NL)
High Tech campus 60
NL – 5656 AG Eindhoven

Matsushita Electric Industrial Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Matsushita Electric Industrial Co. Ltd.
1-3-7 Shiromi, Chuoh-ku
JP – Osaka 540-6139

 © ISO/IEC 2017 – All rights reserved

Hewlett Packard Company has informed IEC and ISO that it has patent applications or granted patents as listed below:

5 956 487 / US; 6 170 007 / US; 6 139 177 / US; 6 529 936 / US; 6 470 339 / US; 6 571 388 / US; 6 205 466 / US

Information may be obtained from:

Hewlett Packard Company
1501 Page Mill Road
USA – Palo Alto, CA 94304

Samsung Electronics Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Digital Media Business, Samsung Electronics Co. Ltd.
416 Maetan-3 Dong, Yeongtang-Gu,
KR – Suwon City 443-742

Huawei Technologies Co., Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Huawei Technologies Co., Ltd.
Administration Building, Bantian Longgang District
Shenzhen – China 518129

Qualcomm Incorporated has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Qualcomm Incorporated
5775 Morehouse Drive
San Diego, CA – USA 92121

Telecom Italia S.p.A.has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Telecom Italia S.p.A.
Via Reiss Romoli, 274
Turin - Italy 10148

Cisco Systems informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA – USA 95134

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

© ISO/IEC 2017 – All rights reserved

Original UPnP Document

Reference may be made in this document to original UPnP documents. These references are retained in order to maintain consistency between the specifications as published by ISO/IEC and by UPnP Implementers Corporation and later by UPnP Forum. The following table indicates the original UPnP document titles and the corresponding part of ISO/IEC 29341:

UPnP Document Title	ISO/IEC 29341 Part
UPnP Device Architecture 1.0	ISO/IEC 29341-1:2008
UPnP Device Architecture Version 1.0	ISO/IEC 29341-1:2011
UPnP Device Architecture 1.1	ISO/IEC 29341-1-1:2011
UPnP Device Architecture 2.0	ISO/IEC 29341-1-2
UPnP Basic:1 Device	ISO/IEC 29341-2
UPnP AV Architecture:1	ISO/IEC 29341-3-1:2008
UPnP AV Architecture:1	ISO/IEC 29341-3-1:2011
UPnP AVTransport:1 Service	ISO/IEC 29341-3-10
UPnP ConnectionManager:1 Service	ISO/IEC 29341-3-11
UPnP ContentDirectory:1 Service	ISO/IEC 29341-3-12
UPnP RenderingControl:1 Service	ISO/IEC 29341-3-13
UPnP MediaRenderer:1 Device	ISO/IEC 29341-3-2
UPnP MediaRenderer:2 Device	ISO/IEC 29341-3-2:2011
UPnP MediaServer:1 Device	ISO/IEC 29341-3-3
UPnP AVTransport:2 Service	ISO/IEC 29341-4-10:2008
UPnP AVTransport:2 Service	ISO/IEC 29341-4-10:2011
UPnP ConnectionManager:2 Service	ISO/IEC 29341-4-11:2008
UPnP ConnectionManager:2 Service	ISO/IEC 29341-4-11:2011
UPnP ContentDirectory:2 Service	ISO/IEC 29341-4-12
UPnP RenderingControl:2 Service	ISO/IEC 29341-4-13:2008
UPnP RenderingControl:2 Service	ISO/IEC 29341-4-13:2011
UPnP ScheduledRecording:1	ISO/IEC 29341-4-14
UPnP ScheduledRecording:2	ISO/IEC 29341-4-14:2011
UPnP MediaRenderer:2 Device	ISO/IEC 29341-4-2
UPnP MediaServer:2 Device	ISO/IEC 29341-4-3
UPnP AV Datastructure Template:1	ISO/IEC 29341-4-4:2008
UPnP AV Datastructure Template:1	ISO/IEC 29341-4-4:2011
UPnP DigitalSecurityCamera:1 Device	ISO/IEC 29341-5-1
UPnP DigitalSecurityCameraMotionImage:1 Service	ISO/IEC 29341-5-10
UPnP DigitalSecurityCameraSettings:1 Service	ISO/IEC 29341-5-11
UPnP DigitalSecurityCameraStillImage:1 Service	ISO/IEC 29341-5-12
UPnP HVAC_System:1 Device	ISO/IEC 29341-6-1
UPnP ControlValve:1 Service	ISO/IEC 29341-6-10
UPnP HVAC_FanOperatingMode:1 Service	ISO/IEC 29341-6-11
UPnP FanSpeed:1 Service	ISO/IEC 29341-6-12
UPnP HouseStatus:1 Service	ISO/IEC 29341-6-13
UPnP HVAC_SetpointSchedule:1 Service	ISO/IEC 29341-6-14
UPnP TemperatureSensor:1 Service	ISO/IEC 29341-6-15
UPnP TemperatureSetpoint:1 Service	ISO/IEC 29341-6-16
UPnP HVAC_UserOperatingMode:1 Service	ISO/IEC 29341-6-17
UPnP HVAC_ZoneThermostat:1 Device	ISO/IEC 29341-6-2

© ISO/IEC 2017 – All rights reserved

UPnP BinaryLight:1 Device	ISO/IEC 29341-7-1
UPnP Dimming:1 Service	ISO/IEC 29341-7-10
UPnP SwitchPower:1 Service	ISO/IEC 29341-7-11
UPnP DimmableLight:1 Device	ISO/IEC 29341-7-2
UPnP InternetGatewayDevice:1 Device	ISO/IEC 29341-8-1
UPnP LANHostConfigManagement:1 Service	ISO/IEC 29341-8-10
UPnP Layer3Forwarding:1 Service	ISO/IEC 29341-8-11
UPnP LinkAuthentication:1 Service	ISO/IEC 29341-8-12
UPnP RadiusClient:1 Service	ISO/IEC 29341-8-13
UPnP WANCableLinkConfig:1 Service	ISO/IEC 29341-8-14
UPnP WANCommonInterfaceConfig:1 Service	ISO/IEC 29341-8-15
UPnP WANDSLLinkConfig:1 Service	ISO/IEC 29341-8-16
UPnP WANEthernetLinkConfig:1 Service	ISO/IEC 29341-8-17
UPnP WANIPConnection:1 Service	ISO/IEC 29341-8-18
UPnP WANPOTSLinkConfig:1 Service	ISO/IEC 29341-8-19
UPnP LANDevice:1 Device	ISO/IEC 29341-8-2
UPnP WANPPPConnection:1 Service	ISO/IEC 29341-8-20
UPnP WLANConfiguration:1 Service	ISO/IEC 29341-8-21
UPnP WANDevice:1 Device	ISO/IEC 29341-8-3
UPnP WANConnectionDevice:1 Device	ISO/IEC 29341-8-4
UPnP WLANAccessPointDevice:1 Device	ISO/IEC 29341-8-5
UPnP Printer:1 Device	ISO/IEC 29341-9-1
UPnP ExternalActivity:1 Service	ISO/IEC 29341-9-10
UPnP Feeder:1.0 Service	ISO/IEC 29341-9-11
UPnP PrintBasic:1 Service	ISO/IEC 29341-9-12
UPnP Scan:1 Service	ISO/IEC 29341-9-13
UPnP Scanner:1.0 Device	ISO/IEC 29341-9-2
UPnP QoS Architecture:1.0	ISO/IEC 29341-10-1
UPnP QosDevice:1 Service	ISO/IEC 29341-10-10
UPnP QosManager:1 Service	ISO/IEC 29341-10-11
UPnP QosPolicyHolder:1 Service	ISO/IEC 29341-10-12
UPnP QoS Architecture:2	ISO/IEC 29341-11-1
UPnP QosDevice:2 Service	ISO/IEC 29341-11-10
UPnP QosManager:2 Service	ISO/IEC 29341-11-11
UPnP QosPolicyHolder:2 Service	ISO/IEC 29341-11-12
UPnP QOS v2 Schema Files	ISO/IEC 29341-11-2
UPnP RemoteUIClientDevice:1 Device	ISO/IEC 29341-12-1
UPnP RemoteUIClient:1 Service	ISO/IEC 29341-12-10
UPnP RemoteUIServer:1 Service	ISO/IEC 29341-12-11
UPnP RemoteUIServerDevice:1 Device	ISO/IEC 29341-12-2
UPnP DeviceSecurity:1 Service	ISO/IEC 29341-13-10
UPnP SecurityConsole:1 Service	ISO/IEC 29341-13-11
UPnP ContentDirectory:3 Service	ISO/IEC 29341-14-12:2011
UPnP MediaServer:3 Device	ISO/IEC 29341-14-3:2011
UPnP ContentSync:1	ISO/IEC 29341-15-10:2011
UPnP Low Power Architecture:1	ISO/IEC 29341-16-1:2011
UPnP LowPowerProxy:1 Service	ISO/IEC 29341-16-10:2011

© ISO/IEC 2017 – All rights reserved

UPnP LowPowerDevice:1 Service	ISO/IEC 29341-16-11:2011
UPnP QoS Architecture:3	ISO/IEC 29341-17-1:2011
UPnP QosDevice:3 Service	ISO/IEC 29341-17-10:2011
UPnP QosManager:3 Service	ISO/IEC 29341-17-11:2011
UPnP QosPolicyHolder:3 Service	ISO/IEC 29341-17-12:2011
UPnP QosDevice:3 Addendum	ISO/IEC 29341-17-13:2011
UPnP RemoteAccessArchitecture:1	ISO/IEC 29341-18-1:2011
UPnP InboundConnectionConfig:1 Service	ISO/IEC 29341-18-10:2011
UPnP RADAConfig:1 Service	ISO/IEC 29341-18-11:2011
UPnP RADASync:1 Service	ISO/IEC 29341-18-12:2011
UPnP RATAConfig:1 Service	ISO/IEC 29341-18-13:2011
UPnP RAClient:1 Device	ISO/IEC 29341-18-2:2011
UPnP RAServer:1 Device	ISO/IEC 29341-18-3:2011
UPnP RADiscoveryAgent:1 Device	ISO/IEC 29341-18-4:2011
UPnP SolarProtectionBlind:1 Device	ISO/IEC 29341-19-1:2011
UPnP TwoWayMotionMotor:1 Service	ISO/IEC 29341-19-10:2011
UPnP AV Architecture:2	ISO/IEC 29341-20-1
UPnP AVTransport:3 Service	ISO/IEC 29341-20-10
UPnP ConnectionManager:3 Service	ISO/IEC 29341-20-11
UPnP ContentDirectory:4 Device	ISO/IEC 29341-20-12
UPnP RenderingControl:3 Service	ISO/IEC 29341-20-13
UPnP ScheduledRecording:2 Service	ISO/IEC 29341-20-14
UPnP MediaRenderer:3 Service	ISO/IEC 29341-20-2
UPnP MediaServer:4 Device	ISO/IEC 29341-20-3
UPnP AV Datastructure Template:1	ISO/IEC 29341-20-4
UPnP InternetGatewayDevice:2 Device	ISO/IEC 29341-24-1
UPnP WANIPConnection:2 Service	ISO/IEC 29341-24-10
UPnP WANIPv6FirewallControl:1 Service	ISO/IEC 29341-24-11
UPnP WANConnectionDevice:2 Service	ISO/IEC 29341-24-2
UPnP WANDevice:2 Device	ISO/IEC 29341-24-3
UPnP Telephony Architecture:2	ISO/IEC 29341-26-1
UPnP CallManagement:2 Service	ISO/IEC 29341-26-10
UPnP MediaManagement:2 Service	ISO/IEC 29341-26-11
UPnP Messaging:2 Service	ISO/IEC 29341-26-12
UPnP PhoneManagement:2 Service	ISO/IEC 29341-26-13
UPnP AddressBook:1 Service	ISO/IEC 29341-26-14
UPnP Calendar:1 Service	ISO/IEC 29341-26-15
UPnP Presense:1 Service	ISO/IEC 29341-26-16
UPnP TelephonyClient:2 Device	ISO/IEC 29341-26-2
UPnP TelephonyServer:2 Device	ISO/IEC 29341-26-3
UPnP Friendly Info Update:1 Service	ISO/IEC 29341-27-1
UPnP MultiScreen MultiScreen Architecture:1	ISO/IEC 29341-28-1
UPnP MultiScreen Application Management:1 Service	ISO/IEC 29341-28-10
UPnP MultiScreen Screen:1 Device	ISO/IEC 29341-28-2
UPnP MultiScreen Application Management:2 Service	ISO/IEC 29341-29-10
UPnP MultiScreen Screen:2 Device	ISO/IEC 29341-29-2
UPnP IoT Management and Control Architecture Overview:1	ISO/IEC 29341-30-1

© ISO/IEC 2017 – All rights reserved

UPnP DataStore:1 Service	ISO/IEC 29341-30-10
UPnP IoT Management and Control Data Model:1 Service	ISO/IEC 29341-30-11
UPnP IoT Management and Control Transport Generic:1 Service	ISO/IEC 29341-30-12
UPnP IoT Management and Control:1 Device	ISO/IEC 29341-30-2
UPnP Energy Management:1 Service	ISO/IEC 29341-31-1

© ISO/IEC 2017 – All rights reserved

1 Scope

This document specifies the characteristics of the UPnP networked service named *ContentDirectory*, version *4*. This service definition is compliant with UPnP Device Architecture 1.0 [14].

Many devices within the home network contain various types of content that other devices would like to access (for example, music, videos, still images, etc). As an example, a MediaServer device might contain a significant portion of the homeowner's audio, video, and still-image library. In order for the homeowner to enjoy this content, the homeowner needs to be able to browse the objects stored on the MediaServer, select a specific one, and cause it to be played on an appropriate rendering device (for example, an audio player for music objects, a TV for video content, an Electronic Picture Frame for still-images, etc).

For maximum convenience, it is highly desirable to let the homeowner to initiate these operations from a variety of UI devices. In most cases, these UI devices will either be a UI built into the rendering device, or it will be a stand-alone UI device such as a wireless PDA or tablet. In any case, it is unlikely that the homeowner will interact directly with the device containing the content (that is: the homeowner won't have to walk over to the server device). In order to enable this capability, the server device needs to provide a uniform mechanism for UI devices to browse the content on the server and to obtain detailed information about individual content objects. This is the purpose of the ContentDirectory service.

The ContentDirectory service additionally provides a lookup/storage service that enables clients (for example, UI devices) to locate (and possibly store) individual objects (for example, songs, movies, pictures, etc) that the (server) device is capable of providing. For example, this service can be used to enumerate a list of songs stored on an MP3 player, a list of still-images comprising various slide-shows, a list of movies stored in a DVD-Jukebox, a list of TV shows currently being broadcast (a.k.a an EPG), a list of songs stored in a CD-Jukebox, a list of programs stored on a PVR (Personal Video Recorder) device, etc. Nearly any type of content can be enumerated via this ContentDirectory service. For devices that contain multiple types of content (for example, MP3, MPEG2, JPEG, etc.), a single instance of the ContentDirectory service can be used to enumerate all objects, regardless of their type.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[1] – *XML Schema for RenderingControl AllowedTransformSettings*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/AllowedTransformSettings-v1-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/AllowedTransformSettings.xsd.

[2] – *AV Datastructure Template:1*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/specs/av/UPnP-av-AVDataStructureTemplate-v1-20130331.pdf.
Latest version available at: http://www.upnp.org/specs/av/UPnP-av-AVDataStructureTemplate-v1.pdf.

[3] – *XML Schema for UPnP AV Common XML Data Types*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/av-v3-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/av.xsd.

[4] – *XML Schema for UPnP AV Common XML Structures*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/avs-v3-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/avs.xsd.

[5] – *AVTransport:3*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/specs/av/UPnP-av-AVTransport-v3-Service-20130331.pdf.

© ISO/IEC 2017 – All rights reserved

Latest version available at: http://www.upnp.org/specs/av/UPnP-av-AVTransport-v3-Service.pdf.

[6] – *XML Schema for AVTransport LastChange Eventing*, UPnP Forum, September 30, 2008.
Available at: http://www.upnp.org/schemas/av/avt-event-v2-20080930.xsd.
Latest version available at: http://www.upnp.org/schemas/av/avt-event.xsd.

[7] – *ContentDirectory:4*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/specs/av/UPnP-av-ContentDirectory-v4-Service-20130331.pdf.
Latest version available at: http://www.upnp.org/specs/av/UPnP-av-ContentDirectory-v4-Service.pdf.

[8] – *XML Schema for ContentDirectory LastChange Eventing*, UPnP Forum, September 30, 2008.
Available at: http://www.upnp.org/schemas/av/cds-event-v1-20080930.xsd.
Latest version available at: http://www.upnp.org/schemas/av/cds-event.xsd.

[9] – *ConnectionManager:3*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/specs/av/UPnP-av-ConnectionManager-v3-Service-20130331.pdf.
Latest version available at: http://www.upnp.org/specs/av/UPnP-av-ConnectionManager-v3-Service.pdf.

[10] – *XML Schema for ConnectionManager DeviceClockInfoUpdates*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/cm-deviceClockInfoUpdates-v1-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/cm-deviceClockInfoUpdates.xsd.

[11] – *XML Schema for ConnectionManager Features*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/cm-featureList-v1-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/cm-featureList.xsd.

[12] – *XML Schema for UPnP AV Dublin Core*.
Available at: http://www.dublincore.org/schemas/xmls/simpledc20020312.xsd.

[13] – *DCMI term declarations represented in XML schema language*.
Available at: http://www.dublincore.org/schemas/xmls.

[14] – *UPnP Device Architecture, version 1.0*, UPnP Forum, October 15, 2008.
Available at: http://www.upnp.org/specs/arch/UPnP-arch-DeviceArchitecture-v1.0-20081015.pdf.
Latest version available at: http://www.upnp.org/specs/arch/UPnP-arch-DeviceArchitecture-v1.0.pdf.

[15] – *XML Schema for ContentDirectory Structure and Metadata (DIDL-Lite)*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/didl-lite-v3-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/didl-lite.xsd.

[16] – *XML Schema for ContentDirectory DeviceMode*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/dmo-v1-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/dmo.xsd.

[17] – *XML Schema for ContentDirectory DeviceModeRequest*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/dmor-v1-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/dmor.xsd.

[18] – *XML Schema for ContentDirectory DeviceModeStatus*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/dmos-v1-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/dmos.xsd.

 © ISO/IEC 2017 – All rights reserved

[19] – ISO/IEC 14977, *Information technology - Syntactic metalanguage - Extended BNF*, December 1996.

[20] – *XML Schema for ContentDirectory PermissionsInfo*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/pi-v1-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/pi.xsd.

[21] – *RenderingControl:3*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/specs/av/UPnP-av-RenderingControl-v3-Service-20130331.pdf.
Latest version available at: http://www.upnp.org/specs/av/UPnP-av-RenderingControl-v3-Service.pdf.

[22] –*XML Schema for RenderingControl LastChange Eventing*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/rcs-event-v3-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/rcs-event.xsd.

[23] – *XML Schema for ConnectionManager RendererInfo*, UPnP Forum, December 31, 2010.
Available at: http://www.upnp.org/schemas/av/rii-v1-20101231.xsd.
Latest version available at: http://www.upnp.org/schemas/av/rii.xsd.

[24] – *XML Schema for AVTransport PlaylistInfo*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/rpl-v1-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/rpl.xsd.

[25] – *ScheduledRecording:2*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/specs/av/UPnP-av-ScheduledRecording-v2-Service-20130331.pdf.
Latest version available at: http://www.upnp.org/specs/av/UPnP-av-ScheduledRecording-v2-Service.pdf.

[26] – *XML Schema for ScheduledRecording Metadata and Structure*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/srs-v2-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/srs.xsd.

[27] – *XML Schema for ScheduledRecording LastChange Eventing*, UPnP Forum, September 30, 2008.
Available at: http://www.upnp.org/schemas/av/srs-event-v1-20080930.xsd.
Latest version available at: http://www.upnp.org/schemas/av/srs-event.xsd.

[28] – *XML Schema for RenderingControl TransformSettings*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/TransformSettings-v1-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/TransformSettings.xsd.

[29] – *XML Schema for ContentDirectory Metadata*, UPnP Forum, March 31, 2013.
Available at: http://www.upnp.org/schemas/av/upnp-v4-20130331.xsd.
Latest version available at: http://www.upnp.org/schemas/av/upnp.xsd.

[30] – *The "xml:" Namespace*, November 3, 2004.
Available at: http://www.w3.org/XML/1998/namespace.

[31] – *XML Schema for the "xml:" Namespace*.
Available at: http://www.w3.org/2001/xml.xsd.

[32] – *Namespaces in XML*, Tim Bray, Dave Hollander, Andrew Layman, eds., W3C Recommendation, January 14, 1999.
Available at: http://www.w3.org/TR/1999/REC-xml-names-19990114.

[33] – *XML Schema Part 1: Structures, Second Edition*, Henry S. Thompson, David Beech, Murray Maloney, Noah Mendelsohn, W3C Recommendation, 28 October 2004.
Available at: http://www.w3.org/TR/2004/REC-xmlschema-1-20041028.

© ISO/IEC 2017 – All rights reserved

[34] – *XML Schema Part 2: Data Types, Second Edition*, Paul V. Biron, Ashok Malhotra, W3C Recommendation, 28 October 2004.
Available at: http://www.w3.org/TR/2004/REC-xmlschema-2-20041028.

[35] – *XML Schema for XML Schema*.
Available at: http://www.w3.org/2001/XMLSchema.xsd.

[36] – *DeviceProtection:1*, UPnP Forum, February 24, 2011.
Available at: http://www.upnp.org/specs/gw/UPnP-gw-DeviceProtection-v1-Service-20110224.pdf.
Latest version available at: http://www.upnp.org/specs/gw/UPnP-gw-DeviceProtection-v1-Service.pdf.

[37] – *IETF RFC 4122, A Universally Unique Identifier (UUID) URN Namespace*, P. Leach, Microsoft, M. Mealling, Refactored Networks LLC, R. Salz, DataPower Technology, Inc., July 2005.
Available at: http://www.ietf.org/rfc/rfc4122.txt.

[38] – *Extensible Markup Language (XML) 1.0 (Third Edition)*, François Yergeau, Tim Bray, Jean Paoli, C. M. Sperberg-McQueen, Eve Maler, eds., W3C Recommendation, February 4, 2004.
Available at: http://www.w3.org/TR/2004/REC-xml-20040204.

[39] – *Unicode Standard Annex #15, Unicode Normalization Forms, version 4.1.0, revision 25*, M. Davis, M. Dürst, March 25, 2005.
Available at: http://www.unicode.org/reports/tr15/tr15-25.html.

[40] – *IETF RFC 3986, Uniform Resource Identifiers (URI): Generic Syntax*, January 2005.
Available at: http://www.ietf.org/rfc/rfc3986.txt.

[41] – *IETF RFC 1738*, *Uniform Resource Locators (URL)*, Tim Berners-Lee, et. Al., December 1994.
Available at: http://www.ietf.org/rfc/rfc1738.txt.

[42] – *XQuery 1.0 An XML Query Language*. W3C Recommendation, 23 January 2007.
Available at: http://www.w3.org/TR/2007/REC-xquery-20070123.

[43] – ISO/IEC CD 21000-2:2001**,** *Information Technology - Multimedia Framework - Part 2: Digital Item Declaration,* July 2001.

[44] – *IETF RFC 1321, The MD5 Message-Digest Algorithm*, R. Rivest, April 1992.
Available at: http://tools.ietf.org/html/rfc1321.

[45] – *IETF RFC 3174, US Secure Hash Algorithm 1 (SHA1)*, D. Eastlake et al, September 2001.
Available at: http://tools.ietf.org/html/rfc3174.

[46] – *IETF RFC 4078, The TV-Anytime Content Reference Identifier (CRID)*, N. Earnshaw et al, May 2005.
Available at: http://www.ietf.org/rfc/rfc4078.txt.

[47] – *Data elements and interchange formats – Information interchange -- Representation of dates and times*, International Standards Organization, December 21, 2000.
Available at: ISO 8601:2000.

[48] – *IETF RFC 3339, Date and Time on the Internet: Timestamps*, G. Klyne, Clearswift Corporation, C. Newman, Sun Microsystems, July 2002.
Available at: http://www.ietf.org/rfc/rfc3339.txt.

[49] – *IETF RFC 2045*, *Multipurpose Internet Mail Extensions (MIME) Part 1:Format of Internet Message Bodies*, N. Freed, N. Borenstein, November 1996.
Available at: http://www.ietf.org/rfc/rfc2045.txt.

 © ISO/IEC 2017 – All rights reserved

3 Terms, definitions, symbols and abbreviations

For the purposes of this document, the terms and definitions given in [14] and the following subclauses 3.1 and 3.2 apply.

3.1 Provisioning terms

3.1.1
allowed
A
The definition or behavior is allowed.

3.1.2
conditionally allowed
CA
The definition or behavior depends on a condition. If the specified condition is met, then the definition or behavior is allowed, otherwise it is not allowed.

3.1.3
conditionally required
CR
The definition or behavior depends on a condition. If the specified condition is met, then the definition or behavior is required. Otherwise the definition or behavior is allowed as default unless specifically defined as not allowed.

3.1.4
required
R
The definition or behavior is required.

3.1.5
R/A
Used in a table column heading to indicate that each abbreviated entry in the column declares the provisioning status of the item named in the entry's row.

3.1.6
X
Vendor-defined, non-standard.

3.1.7
-D
Declares that the item referred to is deprecated, when it is appended to any of the other abbreviated provisioning terms.

3.1.8
CSV list (or CSV)
Comma separated value list. List—or one-dimensional array—of values contained in a string and separated by commas

3.2 Symbols

3.2.1
::
Signifies a hierarchical parent-child (parent::child) relationship between the two objects separated by the double colon. This delimiter is used in multiple contexts, for example: Service::Action(), Action()::Argument, parentProperty::childProperty.

4 Notations and Conventions

4.1 Notation

- UPnP interface names defined in the UPnP Device Architecture specification [14] are styled in **green bold underlined** text.

© ISO/IEC 2017 – All rights reserved