ISO/IEC 30100-2

Edition 1.0 2016-04

INTERNATIONAL STANDARD

colour inside

Information technology – Home network resource management – Part 2: Architecture



ISO/IEC 30100-2:2016-04(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

ISO/IEC 30100-2

Edition 1.0 2016-04

INTERNATIONAL STANDARD

colour inside

Information technology – Home network resource management – Part 2: Architecture

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-3293-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD....4
INTRODUCTION....5
1 Scope....6
2 Normative references....6
3 Terms, definitions and abbreviations....7
3.1 Terms and definitions....7
3.2 Abbreviations....9
3.3 Conventions....10
4 Conformance....10
5 Home network resource management....10
5.1 Information resouce categories....10
5.2 Architecture....11
5.3 Resource information provider....13
5.4 Home resource management process....14
5.5 Management application....14
5.6 Interface....15
6 Home resource model....16
6.1 Home resource model....16
6.2 Home resource object....16
6.2.1 Domain, class and resource object....16
6.2.2 Resource object structure....19
6.3 Domain-specific information....19
6.3.1 General....19
6.3.2 Device specific information....20
6.3.3 Network specific information....20
6.3.4 Physical space specific information....20
6.3.5 Service specific information....20
6.4 Home resource relation object....21
6.4.1 Definition....21
6.4.2 BNF notation of resource relation object....22
6.5 Miscellaneous....23
6.5.1 Relationship generation methods....23
6.5.2 Common policy....23
6.5.3 Privacy....23
7 Home network resource information modeling....24
7.1 Overview....24
7.2 Device-specific information modelling....24
7.3 Network specific information....101
7.4 Physical space-specific information modelling....116
7.5 Service-Specific Information modelling....133
Annex A (informative) Implementation of IWML (example)....189
A.1 Overview....189
A.2 IWML....189
A.2.1 General....189
A.2.2 IWML: Device description schema....189

Annex B (informative) Security and privacy model (examples) 192
B.1 Overview 192
B.2 Security and Privacy model 192
B.2.1 General 192
B.2.2 Access control: XACML 192
B.2.3 Encryption: XML encryption 193
B.2.4 Signature: XML signature 193
Annex C (informative) Implementation of home resource model (example) 194
C.1 Overview 194
C.2 Resource types of resource object 194
C.2.1 General 194
C.2.2 Resource type of device domain 194
C.2.3 Resource type of network domain 195
C.2.4 Resource type of service domain 195
C.2.5 Resource type of physical space domain 196
Bibliography 197

Figure 1 – Logical concept of home resource management architecture 11
Figure 2 – Overview of the home network resource management architecture 12
Figure 3 – Resource information provider collects data from one or more HES entities 13
Figure 4 – Resource management process model 14
Figure 5 – Management information 15
Figure 6 – Interfaces of resource management process 15
Figure 7 – Resource object hierarchy 18
Figure 8 – Resource object structure 19
Figure 9 – Home resource relation object 21

Table 1 – Notations in ISO/IEC and this standard 10
Table 2 – Definition of resource domain ID 19
Table 3 – Resource relation types 22
Table 4 – BNF notation of resource relation object 23

INFORMATION TECHNOLOGY – HOME NETWORK RESOURCE MANAGEMENT –

Part 2: Architecture

FOREWORD

1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.

3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.

5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.

8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 30100-2 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

A list of all currently available parts of the ISO/IEC 30100 series, published under the general title *Information technology – Home network resource management,* can be found on the IEC website.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The ISO/IEC 30100 series of standards specifies an abstract model for remote management of home networks conforming to the Home Electronic System (HES) architecture specified in ISO/IEC 14543-2-1. HES consists of a collection of devices that are able to interwork via a common internal network. In a home environment several HESs may operate concurrently, each with separate control and management methods. The Home resource management architecture allows uniform fault processing, diagnostics and configuration management of HES elements in a home environment.

The ISO/IEC 30100 series specifies the home network resource managment architecture and an information model for various home network elements. The information model specifies the minimum requirements of the functionalities that shall be provided by each HES entity. It is specified by the XML-based schema provided in Clause 7. The information consists of the mandatory and optional attributes including user-defined attributes. The user-defined attributes are used for a proprietary purpose or to define attributes that are not specified in the information model. In this part, the information model is specified to cover the physical space, device, network and service information. This information model can be easily extended to accommodate new types of information including user-defined attributes. These functionalities are required to accommodate changes with minimal uploads and restructuring.

Currently, ISO/IEC 30100, *Information technology – Interconnection of information technology equipment –Home Network Resource Management*, consists of the following parts:

Part 1: Requirements

Part 2: Architecture

Part 3: Management application

ISO/IEC 30100 is applicable to:

- a management server located at a home network service provider that manages home networks;
- an apartment complex server, located in an office at the apartment complex;
- a home residential gateway or set top box (STB).

INFORMATION TECHNOLOGY – HOME NETWORK RESOURCE MANAGEMENT –

Part 2: Architecture

1 Scope

This part of ISO/IEC 30100 specifies the general information model and architecture for managing the resources in a home network. Home network resources are managed objects that provide home network services. Essential home resources include device, network and service resources.

The objectives of this standard are to

- define terminology that describes logical resources of devices, networks and services in a home area network;
- specify the logical information model for describing relations among resources;
- describe the basic logical functional procedures of home area networks (e.g., remote maintenance, auto-configuration and fault processing).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 14543-2-1, *Information technology – Home electronic system (HES) architecture – Part 2-1: Introduction and device modularity*

ISO/IEC 15944-8, *Information technology – Business Operational View – Part 8: Identification of privacy protection requirements as external constraints on business transactions*

ISO/IEC 18012 (all parts), *Information technology – Home electronic system (HES) – Guidelines for product interoperability*

ISO/IEC 18012-2:2012, *Information technology – Interconnection of information technology equipment – Home Electronic System (HES) – Guidelines for product interoperability – Part 2: Taxonomy and Lexicon*

ISO/IEC 27000, *Information technology – Security techniques – Information security management systems – Overview and vocabulary*

ISO/IEC 27001, *Information technology – Security techniques – Information security management systems – Requirements*

ISO/IEC 27002, *Information technology – Security techniques – Code of practice for information security management*

ISO/IEC 27003, *Information technology – Security techniques – Information security management system implementation guidance*

ISO/IEC 27004, *Information technology – Information security management – Measurement*

ISO/IEC 27005, *Information technology – Security techniques – Information security risk management*

ISO/IEC 27006, *Information technology – Security techniques – Requirements for bodies providing audit and certification of information security management systems*

ISO/IEC 27007, *Information technology – Security techniques – Guidelines for information security management systems auditing*

ISO/IEC TR 27008, *Information technology – Security techniques – Guidelines for auditors on information security controls*

ISO/IEC 27009, *Information technology – Security techniques – Sector-specific application of ISO/IEC 27001 – Requirements*[1]

ISO/IEC 27010, *Information technology – Security techniques – Information security management system implementation guidance*

ISO/IEC 27011, *Information technology – Security techniques – Information security management guidelines for telecommunications organizations based on ISO/IEC 27002*

ISO/IEC 30100-1:2016, *Information technology – Home network resource management – Part 1: Requirements*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1
apartment complex
group of two or more apartment buildings with a common manager

Note 1 to entry: A common manager provides management services for the apartment buildings. These services may include the management of home networks in the apartments.

3.1.2
application
field of use of the home resource management process

3.1.3
class
set of instances of home resources

[1] To be published.

3.1.4
device
distinct physical unit on a network that performs a (set of) specific function(s) in a particular context

Note 1 to entry: A device can either be an end node on the network, or an intermediate node (as in the case of a network gateway device connecting two distinct physical networks).

3.1.5
domain
range of validity of a resource object

3.1.6
HES entity
logical component that has a defined functionality in the HES architecture

3.1.7
HES interoperability framework
collection of standards defining device and network interoperability for homes

3.1.8
home resource
managed object that can be used for home network services

3.1.9
home resource management interface
data transfer between a management application and a home resource management process

3.1.10
home resource model
abstract, formal representation of resource objects in a home environment

Note 1 to entry: Resource objects include resource properties, relationships and the operations that can be performed on them.

3.1.11
management application
function to be used by an apartment complex manager for suppporting the occupants

3.1.12
management information
set of components used either in a management application or in a resource management process

3.1.13
network
devices interconnected via a common medium for communicating according the reference model specified in ISO/IEC 7498-1

3.1.14
object

3.1.14.1
object
unit of software functionality

Note 1 to entry: This definition is traditionally used in object-oriented programming. It has properties and methods for accessing these properties and/or interacting with other objects.

3.1.14.2
object
collection of related data (attributes) and methods (procedures) for operating on that data

Note 1 to entry: This definition implies a well-defined boundary (interface) and identity that encapsulates state and behaviour

3.1.15
physical space
arbitrary set of reference co-ordinates of a home resource in the real world

3.1.16
resource information provider
functions for home resource management process to control HES entities

Note 1 to entry: Collects data from HES entities and transfers the collected data to the home resource management process.

3.1.17
resource object
unit managed by the resource management process

Note 1 to entry: It has methods for accessing internal properties of the object and/or interacting with other objects. A resource object can contain one or more HES entities.

3.1.18
resource relation object
association between resource objects

3.1.19
service
field of use of an HES

3.2 Abbreviations

AFM Automatic Fault Management
BNF Backus-Naur Form
DM Device Management
HAN Home Area Network
HES Home Electronic System
HNRM Home Network Resource Management
HRMI Home Resource Management Interface
HRPI Home Resource Provider Interface
IFC Industry Foundation Classes
IWF Inter Working Function
IWML Inter Working Markup Language
LSM Layer System Management
NM Network Management
OSI Open System Interconnection
PLC Power Line Carrier
QoS Quality of Service
RM Remote Management
STB Set Top Box
SVC Service object

XSD XML Schema Definitions

3.3 Conventions

Table 1 shows the SI-unit equivalents of the non-SI notations used in the attributes, diagrams and XML Schema Definitions (XSD) in Clause 7. These non-SI notations avoid syntax conflicts with the XSD tag delimiter (“/”).

Table 1 – Notations in ISO/IEC and this standard

Notations in this standard	SI units
bps	bit/s
kbps	kbit/s
mbps	Mbit/s
gbps	Gbit/s
sec	s
usec	µs

4 Conformance

In order to claim conformance to this standard a service provider offering management services for home networks shall provide the following services for each home network device as specified in ISO/IEC 14543-2-1:

- a resource management process that manages each home resource object as specified in 6.2;
- a resource management process that manages each home resource relation object as specified in 6.4;
- a resource management process that provides the mandatory information specified in Clause 7.

5 Home network resource management

5.1 Information resouce categories

To extend the HES interoperability architecture specified in the ISO/IEC 18012 series from products to the management of network resources, several categories of information resources are specified. These categories shall include devices, and may include services, networks and physical spaces, as illustrated in Figure 1. Each category includes elements that shall provide information resources, as described in 6.1 and Figure 2 of ISO/IEC 30100-1:2016. For example, ISO 16739 (IFC) can act as an information resource for the physical elements (floor plan). Also the resource management requires defined representation models for the components of each information category and a mapping method to represent the relations between the categories, which is explained in Clause 6. In this standard, an information category is a synonym for domain information.