INTERNATIONAL STANDARD

ISO/IEC 30113-12

First edition
2019-11

Information technology — User interfaces — Gesture-based interfaces across devices and methods —

Part 12: Multi-point gestures for common system actions

Technologies de l'information — Interfaces utilisateur — Interfaces fondées sur la gestuelle entre dispositifs et méthodes —

Partie 12: Gestes multi-points pour les actions courantes du système

Reference number
ISO/IEC 30113-12:2019(E)

© ISO/IEC 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ... **vi**
Introduction ... **vii**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **1**
4 Visual description of multi-point gestures ... **4**
5 General requirements and recommendations ... **6**
5.1 Alternatives for multi-point gestures ... 6
5.2 Simple movements ... 6
5.3 Priority in assigning multi-point gestures ... 6
5.4 Choice of movement metaphor ... 6
5.5 Description of multi-point gestures ... 6
6 Alternatives for multi-point gestures ... **6**
7 Descriptions of the multi-point gestures ... **7**
7.1 The “2-point left” gesture ... 7
7.1.1 General ... 7
7.1.2 State description ... 8
7.1.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor ... 9
7.1.4 Specific instances with a mediated gesture in applying “window-mover” metaphor ... 10
7.2 The “2-point right” gesture ... 10
7.2.1 General ... 10
7.2.2 State description ... 11
7.2.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor ... 12
7.2.4 Specific instances with a mediated gesture in applying “window-mover” metaphor ... 12
7.3 The “2-point down” gesture ... 13
7.3.1 General ... 13
7.3.2 State description ... 13
7.3.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor ... 14
7.3.4 Specific instances with a mediated gesture in applying “window-mover” metaphor ... 15
7.4 The “2-point up” gesture ... 15
7.4.1 General ... 15
7.4.2 State description ... 16
7.4.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor ... 17
7.4.4 Specific instances with a mediated gesture in applying “window-mover” metaphor ... 18
7.5 The “2-point left flick” gesture ... 18
7.5.1 General ... 18
7.5.2 State description ... 18
7.5.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor ... 19
7.5.4 Specific instances with a mediated gesture in applying “window-mover” metaphor ... 20
7.6 The “2-point right flick” gesture ... 20
7.6.1 General ... 20
7.6.2 State description ... 20

© ISO/IEC 2019 – All rights reserved

7.6.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor 21
7.6.4 Specific instances with a mediated gesture in applying “window-mover” metaphor 21
7.7 The “2-point down flick” gesture 22
7.7.1 General 22
7.7.2 State description 22
7.7.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor 23
7.7.4 Specific instances with a mediated gesture in applying “window-mover” metaphor 23
7.8 The “2-point up flick” gesture 24
7.8.1 General 24
7.8.2 State description 24
7.8.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor 25
7.8.4 Specific instances with a mediated gesture in applying “window-mover” metaphor 25
7.9 The “2-point continuous any direction” gesture 26
7.9.1 General 26
7.9.2 State description 26
7.9.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor 27
7.9.4 Specific instances with a mediated gesture in applying “window-mover” metaphor 27
7.10 The “2-point pinch” gesture 27
7.10.1 General 27
7.10.2 State description 28
7.10.3 Specific instances 29
7.11 The “2-point spread” gesture 29
7.11.1 General 29
7.11.2 State description 30
7.11.3 Specific instances 31
7.12 The “2-point continuous pinch and spread” gesture 31
7.12.1 General 31
7.12.2 State description 31
7.12.3 Specific instances 32
7.13 The “2-point clockwise rotation” gesture 32
7.13.1 General 32
7.13.2 State description 33
7.13.3 Specific instances 34
7.14 The “2-point counter-clockwise rotation” gesture 34
7.14.1 General 34
7.14.2 State description 35
7.14.3 Specific instances 36
7.15 The “2-point continuous rotation” gesture 36
7.15.1 General 36
7.15.2 State description 36
7.15.3 Specific instances 37
7.16 The “2-point tap” gesture 37
7.16.1 General 37
7.16.2 State description 38
7.16.3 Specific instances 39
7.17 The “2-point double-tap” gesture 39
7.17.1 General 39
7.17.2 State description 40
7.17.3 Specific instances 41
7.18 The “2-point tap and hold” gesture 41

 © ISO/IEC 2019 – All rights reserved

7.18.1 General 41
7.18.2 State description 41
7.18.3 Specific instances 42
7.19 The “3-point left” gesture 42
7.19.1 General 42
7.19.2 State description 43
7.19.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor 44
7.19.4 Specific instances with a mediated gesture in applying “window-mover” metaphor 45
7.20 The “3-point right” gesture 45
7.20.1 General 45
7.20.2 State description 45
7.20.3 Specific instances with a direct touch gesture or a mediated gesture in applying “content-mover” metaphor 46
7.20.4 Specific instances with a mediated gesture in applying “window-mover” metaphor 47
7.21 The “3-point down” gesture 47
7.21.1 General 47
7.21.2 State description 48
7.21.3 Specific instances 49
7.22 The “3-point up” gesture 49
7.22.1 General 49
7.22.2 State description 50
7.22.3 Specific instances 51
7.23 The “3-point tap” gesture 51
7.23.1 General 51
7.23.2 State description 51
7.23.3 Specific instances 52
7.24 The “3-point double-tap” gesture 52
7.24.1 General 52
7.24.2 State description 53
7.24.3 Specific instances 54
Bibliography **55**

© ISO/IEC 2019 – All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see http://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 35, *User interfaces*.

A list of all parts in the ISO/IEC 30113 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO/IEC 2019 – All rights reserved

Introduction

A multi-point gesture is generated by a user with several pointers (which includes an input device such as a multi-touchpad, multi-touchscreen or body parts such as fingertips, hands, etc.) providing gesture actions using a multi-point of interest. Multi-point gestures are used in several commercially available ICT systems including personal computers, smartphones and video game consoles.

There is a need for an international standard to define the multi-point gesture so that users do not get confused. Potential variety and inconsistency among multi-point gestures might cause a serious usability problem in using applications on the ICT systems.

This document presents descriptions of multi-point gestures and their corresponding gesture commands for system-level functions and common functions across applications on ICT systems. The system-level functions include functions for selecting and initiating applications which are handled by operating systems or platforms. The common functions across applications are also identified. These functions include menu navigation, “help”, “undo”, “redo”, and so on.

© ISO/IEC 2019 – All rights reserved

Information technology — User interfaces — Gesture-based interfaces across devices and methods —

Part 12: Multi-point gestures for common system actions

1 Scope

This document defines multi-point gestures for common system actions used in information and communication technology (ICT) systems.

It specifies movements and conditions for describing multi-point gestures recognized by the systems and applications. The multi-point gestures are performed using an input device (multi-touchpad, multi-touchscreen, etc.) or body parts (fingertips, hands, etc.). These multi-point gestures are intended to operate in a consistent manner regardless of systems, platforms or applications.

The gestures for common system actions denote system-level functions and common functions across applications of ICT systems. The system-level functions are executed at a system or a platform level. They include initiation, resume, restart and termination, etc. The common functions across applications are commonly executed among applications of a system or a platform. The functions include navigation of menus, opening an object, closing an object, etc.

NOTE ICT systems include, but are not limited to, digital televisions, set-top boxes, video game consoles, communication devices, internet devices, entertainment devices, and personal computers (PCs).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 24786:2009, *Information technology — User interfaces — Accessible user interface for accessibility settings*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at http://www.electropedia.org/

— ISO Online browsing platform: available at http://www.iso.org/obp

3.1
gesture-based interface
gesture interface
user interface that provide information and controls for a user to accomplish specific tasks with the interactive system by his/her gestures

[SOURCE: ISO/IEC 30113-1:2015, 3.2]

© ISO/IEC 2019 – All rights reserved

3.2
application
app
software application or application software

[SOURCE: ISO/TR 17427-2:2015, 2.1]

3.3
gesture software
software for implementing *gesture-based interface* (3.1) functionality including gesture recognition, command processing and feedback generation

Note 1 to entry: The gesture software could be an embedded combination of input devices, operating systems or applications. An application such as a web browser can contain a gesture software module for handling functions for the application.

[SOURCE: ISO/IEC 30113-1:2015, 3.4 — modified, Note 1 to entry revised.]

3.4
point of interest
POI
specific point location that a user utilizes to formulate a gesture

EXAMPLE Fingertip, pen points, hand etc.

[SOURCE: ISO/IEC 30113-11:2017, 3.1, modified — examples added.]

3.5
movement metaphor
metaphor for expressing relationship between gesture direction and moving object when moving content in a scrollable window to desired position

3.6
content-mover metaphor
movement of content focused
movement metaphor (3.5) for describing the movement of content by a user in a viewing window along a gesture direction

EXAMPLE If a "2-point down" gesture is assigned for page scroll with the metaphor of "movement of content", users see the upper part of the page by using the gesture. The function of the gesture is similar to "page up".

3.7
window-mover metaphor
movement of viewing window focused
movement metaphor (3.5) for describing the movement of content by a user in a viewing window in the opposite direction of a gesture

EXAMPLE If a "2-point down" gesture is assigned for page scroll with the metaphor of "movement of viewing window", users see the lower part of the page by using the gesture. The function of the gesture is similar to "page down".

3.8
mediated gesture
gesture utilized with pointing input(s) such as a mouse, a touchpad, a joystick, a track ball, etc.

3.9
direct touch gesture
gesture utilized with a body part (e.g. a finger) or a physical object (e.g. a stylus) on an input device (e.g. a touchpad or a touchscreen)

© ISO/IEC 2019 – All rights reserved

3.10
non-contact gesture
gesture utilized with a sequence of movements of a body part (e.g. a finger) without physical contact on an input device

3.11
content window
viewing window
part of a display image with defined boundaries in which one or more content(s) is(are) displayed

3.12
accelerator keys
shortcut keys
key combinations which invoke a menu option without displaying the menu on which the option appears or intermediate menus

[SOURCE: ISO 9241-171:2008, 3.1]

3.13
sticky keys
keyboard enhancement in which modifier keys, such as control, shift, and alt, "stick", act as if held down while a second key is depressed manually

Note 1 to entry: The sticky keys functionality is available on Microsoft® Windows®[1)] as StickyKeys™, on macOS®* as Sticky Keys™,, and on Unix/X11®* systems as part of the AccessX™* utility. The sticky keys are designed for people who cannot use both hands, or who use a dowel or stick to type. The sticky keys work with those keys defined as "modifier" keys, such as the Shift, Alt and Control keys. Usually the sticky keys status is shown on-screen at the user's option.

[SOURCE: ISO/IEC 24751-1:2008, 0000_11, modified — Note 1 to entry has been added.]

3.14
tap
touch real (or virtual) surface briefly, typically for less than one second, with a point(s) of interest and then lift-off in approximately the same position

[SOURCE: ISO/IEC 14754:1999, 4.13, modified — changing from digitizer to real (or virtual) surface and from pen to point(s) of interest.]

3.15
double-tap
to touch twice rapidly surface with a point(s) of interest

3.16
touch and hold
long touch
touch surface for extended period of time

3.18
rotation
touch surface with one or more POIs and move the POIs in a clockwise or counter-clockwise direction

Note 1 to entry: Rotation with two or more POIs means revolving around a centre of the POIs or revolving around a POI among the POIs.

3.19
pinch
touch surface with two or more POIs to bring the POIs closer together

---

1) Microsoft® Windows® (StickyKeys™), macOS® (Sticky Keys™), and Unix/X11® (AccessX™) are examples of a suitable products available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of these products.

© ISO/IEC 2019 – All rights reserved

3.20
spread
touch surface with two or more POIs to move the POIs apart

3.21
context menu
pop-up menu
menu in a graphical user interface that appears upon user interaction offering a limited set of choices that are available in the current state

Note 1 to entry: A context menu is usually shown by a right-click mouse operation.

3.22
common system action
function executed at an OS level or a platform level or common functions among application software

EXAMPLE Going to the previous/next application, showing desktop, executing an application, going the previous/next page of content.

4 Visual description of multi-point gestures

For describing multi-point gestures, this document follows ISO/IEC 30113-1:2015, A.3 and ISO/IEC 30113-11:2017, 5.4.

The starting points of a multi-point gesture are visually represented by circles with solid line as shown in Figure 1. The number of circles is the number of POIs for describing multi-point gestures. The ending points of the multi-point gesture are visually represented by circles with dotted line as shown in Figure 2. If there are no descriptions for the relative positions of the POIs, any relative position is permitted.




Figure 1 — Circles representing POIs for starting points of a multi-point gesture



Figure 2 — Dotted circles representing POIs for ending points of a multi-point gesture

If the multiple POIs move same direction simultaneously, the POIs are grouped with a rectangle shown in Figure 3.

© ISO/IEC 2019 – All rights reserved