ISO/IEC TR 11801-9911

Edition 1.0 2024-11

TECHNICAL REPORT

colour inside

Information technology – Generic cabling for customer premises – Part 9911: Guidelines for the use of balanced single pair applications within a balanced 4-pair cabling system



ISO/IEC TR 11801-9911:2024-11(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

ISO/IEC TR 11801-9911

Edition 1.0 2024-11

TECHNICAL REPORT

colour inside

Information technology – Generic cabling for customer premises – Part 9911: Guidelines for the use of balanced single pair applications within a balanced 4-pair cabling system

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 35.200

ISBN 978-2-8322-9937-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms and definitions 7
4 Simultaneous operation of multiple single pair applications within an engineered system that includes 4-pair cabling components in accordance with ISO/IEC 11801-1:2017 [2] 8
4.1 General 8
4.2 Creation of single pair cabling channels 8
4.3 Evaluation of the parameters that must be fulfilled by the shared SCP 4-pair link 9
4.3.1 General 9
4.3.2 T1-A-100 9
4.3.3 T1-A-400 and T1-A-1000 10
4.3.4 T1-B 11
4.3.5 T1-C 12
5 Guidance 13
5.1 General 13
5.2 Frequency range 14
5.2.1 Lower frequency 14
5.2.2 Upper or higher frequency 14
5.3 Return loss 14
5.4 Insertion loss 15
5.5 Direct current (DC) loop resistance 15
5.6 Direct current (DC) resistance unbalance 15
5.7 Current carrying capacity 15
5.8 Dielectric withstand 16
5.9 Propagation delay 16
5.10 Unbalance attenuation (TCL and ELTCTL) 16
5.11 Coupling attenuation 16
5.12 Alien crosstalk (PS ANEXT and PS AACR-F) 16
5.13 Different disturbers 17
5.14 Cables 17
5.15 Connectors 18
5.16 Installation 18
5.17 Bonding 18
5.18 Administration 18
5.19 Supported applications 18
5.20 Segregation of maximum 0,75 A cabling components from higher power applications 19
Bibliography 20

Figure 1 – Structure and definition of an extended type B generic channel 8
Figure 2 – Return loss (RL) comparison between single pair and 4-pair cabling classes 14

Figure 3 – Insertion loss (IL) comparison between ISO/IEC/IEEE 8802-3:2021/Amd 5:2021 [7] and cabling classes....15
Figure 4 – Comparison between 4-pair and single pair link requirements in linear and logarithmic scale....17

Table 1 – Evaluation of a 4-pair SCP link for T1-A-100....9
Table 2 – Allowed extension lengths for T1-A-1000 extensions based on 4-pair SCP classes....10
Table 3 – Allowed extension lengths for T1-A-400 extension based on 4-pair SCP classes....10
Table 4 – Evaluation of an 4-pair SCP link for T1-A-400 and T1-A-1000....11
Table 5 – Evaluation of a 4-pair SCP link for T1-B....11
Table 6 – Evaluation of a 4-pair SCP link for T1-C....12
Table 7 – Nominal cable DC loop resistance....15
Table 8 – Support of single pair cabling classes by 4-pair cabling classes based on alien crosstalk....17
Table 9 – Support of single pair cabling classes by 4-pair cabling classes based on IEEE Std 802.3dd [6] powering classes....18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Information technology – Generic cabling for customer premises – Part 9911: Guidelines for the use of balanced single pair applications within a balanced 4-pair cabling system

FOREWORD

1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this document.
7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch and www.iso.org/patents. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TR 11801-9911 has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology. It is a Technical Report.

The list of all currently available parts of the ISO/IEC 11801 series, under the general title *Information technology - Generic cabling for customer premises*, can be found on the IEC and ISO websites.

The text of this Technical Report is based on the following documents:

DTR	Report on voting
JTC1-SC25/3253/DTR	JTC1-SC25/3282/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, JTC 1 Supplement, available at http://www.iec.ch/members_experts/refdocs and http://www.iso.org/directives.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The ISO/IEC 11801 series is currently being revised to cover “balanced single pair cabling systems”, which will expand the range of use for structured cabling systems. With the capability of delivering data and power, these systems are ideally suited for incorporating Internet of Things (IoT) devices into premises cabling systems. Single pair applications are increasingly important for all operators of automation networks in buildings and industrial areas. Implementing these new single pair cabling structures provides for application of device-level diagnostics and security and provides for improved system scalability. Single pair cabling is not meant to replace traditional 4-pair cabling, but to support emerging applications, such as interconnecting IoT and M2M (machine-to-machine) devices.

This document gives guidance and instructions for the use of balanced single pair cabling as specified in ISO/IEC 11801-1:2017/AMD1:- [1][1] and 4-pair components specified in ISO/IEC 11801-1:2017 [2] together in the same balanced cabling system assuring application support in accordance with ISO/IEC 11801-6 [3].

[1] Under preparation. Stage at the time of publication: ISO/IEC CD 11801-1:2017/AMD1:2023.

Information technology – Generic cabling for customer premises – Part 9911: Guidelines for the use of balanced single pair applications within a balanced 4-pair cabling system

1 Scope

This part of ISO/IEC 11801, which is a Technical Report,

a) describes the rules of implementation of balanced single pair cabling as specified by ISO/IEC 11801-6 [3] within a balanced 4-pair cabling system with a current carrying capacity of 0,75 A per conductor as specified in ISO/IEC 11801-1:2017 [2];

b) describes the use of ISO/IEC 11801-1:2017 [2] components and cabling to implement and configure in accordance with ISO/IEC 11801-3:2017/AMD1:2021 [4], ISO/IEC 11801-4 [5] and ISO/IEC 11801-6 [3];

c) describes links and components for generic single pair channels in accordance with ISO/IEC 11801-1:2017/AMD1:- [1]. Particular areas of interest are

   1) remote powering in accordance with IEEE Std 802.3dd [6],
   2) loop resistance and maximum current,
   3) insertion loss,
   4) return loss,
   5) noise considerations,
   6) frequency range requirements (low and high),
   7) length calculation of the SCP link 4-pair-cable, and
   8) number of channels;

d) describes the use of application-specific single pair channels in addition to ISO/IEC 11801-1:2017/AMD1:- [1], 6.6.4;

e) describes guidance on single pair remote powering applications when using 4-pair cabling with current carrying capacity specified by ISO/IEC 11801-1:2017 [2];

f) describes guidelines for planning, administration and installation.

NOTE This document compares requirements of existing 4-pair cabling classes and single-pair classes. The described approach can be adjusted to any number of pairs.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11801-1, *Information technology - Generic cabling for customer premises - Part 1: General requiements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 11801-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/