TECHNICAL SPECIFICATION

ISO/IEC TS 22424-1

First edition
2020-01

Digital publishing — EPUB3 preservation —

Part 1: Principles

Publications numériques — EPUB3 preservation —

Partie 1: Principes

Reference number
ISO/IEC TS 22424-1:2020(E)

© ISO/IEC 2020



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ... **iv**
Introduction ... **v**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **1**
4 Abbreviated terms ... **9**
5 Packaging standards ... **9**
6 Construction of OAIS information packages ... **11**
6.1 Overview ... 11
6.2 General principles ... 12
6.2.1 EPUB publications shall be sent to a repository system as well-formed and complete submission information packages (SIPs) ... 12
6.2.2 Regardless of its type or format, it shall be possible to include any data or metadata in SIPs ... 14
6.2.3 It should be possible to transfer SIPs by any means, methods, or tools from the submitting organization to the repository system ... 16
6.2.4 The archive shall have a way to verify the identity of the submitting organization/person, no matter how the information packages are transferred 16
6.2.5 There is no 1:1 relation between OAIS information packages ... 16
6.2.6 A SIP may contain 0-n EPUB 3 publications, and one EPUB 3 publication may be submitted to the repository system in 1-n SIPs ... 16
6.2.7 The information package type (in this case, SIP) shall be indicated ... 16
6.2.8 SIP packaging method shall not restrict the application of any preservation method ... 17
6.2.9 The packaging method shall not limit the size of the SIP ... 17
6.3 Identification of information packages and their content ... 17
6.3.1 It shall be possible to identify any SIP uniquely both during and after the ingest process ... 17
6.3.2 Information objects (EPUB publications, PREMIS preservation metadata record, etc.) within SIPs shall be identified uniquely and persistently ... 17
6.3.3 EPUB Fragment Identifiers should not be used in EPUB publications sent to a repository system, unless the submission agreement explicitly allows their use ... 18
6.4 Structure of information packages ... 18
6.5 Generic Information package metadata ... 19
6.5.1 Metadata in information packages shall be based on standards ... 19
6.5.2 Metadata should allow (automatic) validation of the structure and content of SIPs in terms of integrity, fixity, and syntax ... 19
6.5.3 It shall be possible to edit metadata in information packages ... 19
Annex A (informative) **EPUB and digital preservation: issues and recommendations** ... **20**
Bibliography ... **24**

© ISO/IEC 2020 – All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see http://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 34, *Document description and processing languages*.

A list of all parts in the ISO/IEC TS 22424 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO/IEC 2020 – All rights reserved

Introduction

0.1 General

This document facilitates the long-term preservation of EPUB publications by specifying in general level EPUB features which are mandatory for long-term preservation (such as font embedding) and features which should be avoided if possible.

This document can be seen as a stepping stone towards a detailed specification which would be related to EPUB in the same way as PDF/A, specified in ISO 19005-1 to ISO 19005-3, is related to the Portable Document Format (PDF). If and when the EPUB community develops detailed guidelines for the production of archivable EPUB publications, this document could be used as one of the starting points.

Long-term preservation in general requires two things:

— making the object such as EPUB publication fit for preservation – including features to be used and features to avoid;

— packaging the object (and any metadata related to it) together with any additional data such as other versions of the object and other documentation into an Open Archival Information System (OAIS) submission information package (SIP).

Packaging is covered in ISO/IEC TS 22424-2.

0.2 EPUB

The EPUB standard

defines a distribution and interchange format for digital publications and documents. The EPUB® format provides a means of representing, packaging and encoding structured and semantically enhanced Web content — including HTML, CSS, SVG and other resources — for distribution in a single-file container.[17]

EPUB format was developed by the International Digital Publishing Forum, IDPF, which merged with the World Wide Web Consortium, W3C, in January 2017. Ongoing technical development of the standard, related extension specifications and ancillary deliverables are the responsibility of the W3C EPUB 3 Community Group[1], which published its charter in February 2017. According to the charter,

work on any future major revision of EPUB, e.g. an EPUB 4, is initially out of scope on the presumption that this will be taken up by a new W3C WG as a W3C Recommendation Track *activity. The EPUB 3 CG will coordinate its work with such new WG, and meanwhile with the existing W3C* Digital Publishing Interest Group *(DPUB IG).*[23]

The International Digital Publishing Forum, IDPF, has ceased operations as a membership organization in January 2017, and its website[2] is now an archive. The latest version of the standard and information about future EPUB developments is available at the Publishing@W3C webpage, https://www.w3.org/publishing/.

The specification at hand covers EPUB 3 versions up to EPUB 3.0.1[3]. EPUB 3.1[4] was the first major revision of EPUB 3.0.1, but there are no implementations of version 3.1 and therefore it is not covered in this document. The most widely used version of the standard is still 3.0.1. EPUB 3.2, was published in May 2019[5]. Unlike 3.1, it is fully backwards compatible with 3.0.1. It will be covered in the next edition of this document.

---

1) https://www.w3.org/publishing/groups/epub3-cg/

2) http://idpf.org/

3) http://idpf.org/epub/301

4) https://www.w3.org/Submission/epub31/

5) https://w3c.github.io/publ-epub-revision/epub32/spec/epub-spec.html

© ISO/IEC 2020 – All rights reserved

Differences between EPUB specifications 2.0.1-3.2 are well documented:

— EPUB 3 Changes from EPUB 2.0.1[6)]

— EPUB 3.0.1 Changes from EPUB 3.0[7)]

— EPUB 3.2 Changes from EPUB 3.0.1[8)]

All EPUB specifications are available in the Web; 2.01 at http://idpf.org/epub/201, EPUB 3.0.1 at http://idpf.org/epub/301 and 3.2 at https://w3c.github.io/publ-epub-revision/epub32/spec/epub-spec.html.

All EPUB publications, including ones using version 3.2, can be validated using EPUBCheck version 4.2.0, which was released in March 2019.

From long-term preservation point of view, lack of backward compatibility between successive versions of a file format would be a problem because it makes migration more challenging. In addition, EPUB 3.1 has at least one feature which would have been problematic. In EPUB 3.1 foreign resources do not require fallbacks if they are not in the spine and not embedded in EPUB Content Documents. In EPUB 3.0.1, fallback guarantees that there is a version of the document that can be rendered; in 3.1 such guarantee no longer exists.

EPUB 3.0.1 was prepared by the IDPF. It consists of six interlinked documents:

— EPUB 3 Overview

— Publications 3.0.1

— Canonical fragment identifiers

— Content documents 3.0.1

— Media overlays 3.0.1

— Open Container Format 3.0.1

There are several extension specifications to these EPUB base standards. The list below is incomplete, as it contains mainly specifications that are relevant from the long-term preservation point of view. Some of them are still drafts:

— EPUB Accessibility specification 1.0[9)] addresses evaluation and certification of accessible EPUB publications, and discovery of the accessible qualities in such publications.

— EPUB Previews 1.0[10)] describes how content previews can be included in EPUB publications.

— EPUB Distributable Objects 1.0[11)] is a draft specification that defines a method for the encapsulation, transportation, and integration of distributable objects in EPUB publications.

— EPUB Scriptable Components 1.0[12)] provides an interoperable publish and subscribe (pubsub) pattern by which interactive content can be created and incorporated into EPUB publications. Same as EPUB Distributable Objects, it is as of 2019-05-13 a draft.

---

6) http://www.idpf.org/epub/30/spec/epub30-changes-20111011.html

7) http://www.idpf.org/epub/301/spec/epub-changes-20140626.html

8) https://w3c.github.io/publ-epub-revision/epub32/spec/epub-changes.html

9) http://www.idpf.org/epub/a11y/accessibility.html

10) http://www.idpf.org/epub/previews/epub-previews-20150826.html

11) http://www.idpf.org/epub/do/

12) http://www.idpf.org/epub/sc/api/

© ISO/IEC 2020 – All rights reserved

— EPUB Scriptable Components Packaging and Integration 1.0[13] is a draft that defines a method for the creation and inclusion of dynamic and interactive components in EPUB publications.

— EPUB Multiple-Rendition Publications 1.0[14] defines the creation and rendering of EPUB publications consisting of more than one rendition of the same publication.

— EPUB Dictionaries and Glossaries 1.0[15] provides a means for expressing dictionary and glossary semantics in EPUB publications.

These extensions are not widely used and they have not been explicitly taken into account in this document. As regards accessibility, all EPUB publications are supposed to be accessible. However, accessibility features as such do not have an impact on long term preservation of EPUB publications and therefore this document does not make accessibility-related requirements.

EPUB 3 core media types have been listed at https://www.w3.org/publishing/epub3/epub-spec.html#sec-core-media-types. As of 2019-05-13, the latest change has been made on April 1, 2018. Starting from EPUB 3.2, core media types are part of the standard.

In 2014, EPUB 3.0 specifications were republished as ISO/IEC TS 30135-1 to ISO/IEC TS 30135-6. Each of these six ISO specifications is identical to its IDPF equivalent, for example ISO/IEC TS 30135-1 has exactly the same content as the EPUB 3.0 Overview.

ISO/IEC TS 30135-7 entitled "Part 7: EPUB3 Fixed-Layout Documents" is from EPUB 3.0.1 (EPUB 3.0 does not have fixed layout specification). ISO/IEC TS 30135 (all parts) is therefore a combination of EPUB 3.0 and Fixed-Layout Documents specification from 3.0.1.

ISO/IEC JTC 1/SC 34 is currently updating the ISO standard to match fully the version 3.0.1.

EPUB is a rich document format with a lot of features. From the digital preservation point of view this is a challenge, not least because long-term preservation has not been a priority in the development of the standard. Preserving all aspects and features of EPUB publications may be difficult, since there are features which are difficult to preserve. Moreover, EPUB reading systems usually do not support all features of the specification and finding tools supporting rare features can be difficult.

In spite of these challenges EPUB is generally regarded as a suitable format for digital archiving. For instance, the Finnish National Digital Library initiative has selected just eight archivable file formats for text, EPUB being one of them. The selection criteria were openness/transparency, adoption as a preservation standard, degree of forward/backward compatibility, degree of protection against file corruption, frequency of version releases, dependencies/interoperability, and standardization. EPUB got an A, the best grade, from everything else except the second and third criterion. For those, the grade was the second best, a B (see Reference [19], p.40). Based on these generic criteria, EPUB seems to provide a good basis for long-term preservation, although additional guidelines on how to use the standard are needed to guarantee EPUB files can be preserved efficiently.

The British Library's Digital Preservation Team has published an assessment of EPUB as a preservation format[15]. It covers EPUB versions 3.0.1 and 2 and the overall view of EPUB is positive (Reference [15], p.2):

EPUB 3 is currently the closest thing available to an open standard for e-books. In 2013, Bläsi and Rothlauf concluded that EPUB 3 had the "highest expressive power" of all formats in the e-book ecosystem, and that it included the superset of all features used in proprietary formats like KF8, Fixed Layout EPUB, and iBooks.

EPUB long-term preservation issues uncovered in the assessment of the British Library are discussed in Annex A.

EPUB is enjoying reasonable support in the e-book market. Many suppliers, publishers, and application developers who have supported EPUB 2 have implemented version 3.0.1. According to the EPUBTest web

13) http://www.idpf.org/epub/sc/pkg/

14) http://www.idpf.org/epub/renditions/multiple/

15) http://www.idpf.org/epub/dict/

© ISO/IEC 2020 – All rights reserved

site[16], EPUB 3 support in reading systems is far from exhaustive, but market coverage is good – in January 2018, there were 59 reading systems supporting at least some of the features specified in EPUB 3.0.

E-book suppliers have produced EPUB 3 based formats that incorporate digital rights management (DRM), and EPUB modifications that may restrict using the format on other than the suppliers' own platforms. For example, the Kindle Fire eReader, released in 2015, uses a new format called Kindle Format 8 (KF8), which is partly based on EPUB 3, with Amazon's DRM. See Reference [15], 3. Publisher/ supplier specific DRM often restricts the use of e-books to that publisher's/supplier's rendering devices and/or applications, and is therefore a major obstacle to digital preservation (see Reference [15], p.7).

The EPUB specification does not enforce a particular digital rights management scheme, but DRM may be layered on top of the EPUB specifications. A producer can, for instance, use one of the three major rights management systems in the market (Amazon DRM, Apple FairPlay DRM for books bought from iBooks, and Adobe DRM), or some other DRM system along with some additional platform-targeting.

DRM protection should be removed from EPUB publications during pre-ingest by the producer or as a part of the ingest process by the OAIS archive. In practice, only national libraries may be able to do this, provided that legal deposit act and / or copyright act guarantee them such privilege. If migration is the chosen preservation strategy, existing EPUB publications will be converted into more modern EPUB versions when rendering tools for old versions are no longer available, and (eventually) migrated into other formats.

If preserved EPUB publications are not directly accessible by the public, removing DRM, digital watermarking, and other protection mechanisms from the archived documents is not a risk. When publications are delivered to the customers as dissemination information packages (DIPs), the archive shall use a combination of administrative and technical means to protect the documents as required in the submission agreement. These means may include adding DRM protection mechanism into the DIP submitted to the user according to the requirements of the submission agreement. The agreement may also specify the customers the archive is entitled to serve; for instance, it is possible to require that the preserved documents can only be disseminated to the producer, and the producer will serve the end-users who do not have direct access the OAIS archive.

0.3 Digital preservation

The information society is dependent on successful long-term digital preservation. When an increasing percentage of information is produced and published only in a digital format, it is important to make sure that this information remains available in the distant future.

Digital preservation is not about preserving just bits, but about preserving access. The "business logic" is as follows:

— we need software and hardware to render content for human users;

— software changes over time; there are new versions from old applications, and entirely new applications;

— new or updated applications may not be able to render outdated file formats or format versions correctly

— digital preservation makes an effort to have all archived content in stable formats. Publications should also contain the smallest possible amount of features which are not commonly supported in software packages used to render the content in these formats, and also avoid adding links to external resources since then the long-term access to the publication requires also persistence of these external resources.

— when necessary, data in old formats may be migrated into more modern formats or updated versions of the same format. For instance, an e-book in EPUB 3.0.1 format may be migrated to EPUB 3.2. when version 3.0.1 is no longer widely supported by reading systems.

16) http://epubtest.org/results

© ISO/IEC 2020 – All rights reserved

— since the aim is to preserve the content, not the bits, the bits may change as a result of version updates and format migrations.

— Many OAIS archives preserve successive versions of archives publications, because migration may change the look and feel of the original document, or even its intellectual content.

In many countries, national libraries are responsible for preserving the published cultural heritage for the future generations, while national archives take care of governmental publications, irrespective of which format they are available in. All of these resources have to be preserved for decades, centuries even. Then again, publishers may guarantee continuous access to the subscribers of electronic serials and other licensed content. If this is so, either the publisher or a third-party should look after the publications and make sure they remain accessible or at least available.

Ordinary digital asset management systems are not suitable for long-term preservation; therefore it is a normal practice to separate short-term and long-term information management into different systems. However, this does not mean that digital archiving is independent of the routine life cycle of documents. Digital preservation is a long process that begins when publications are created.

Preservation metadata, which allows the publication to be found, rendered and authenticated correctly, is a prerequisite for digital preservation. Some preservation metadata elements can or should be provided by the original creator of the publication. It is also important to keep preservation requirements in mind when preparing a publication, if it is known that it has to be preserved for a long time. Any feature in a file format can be either essential, useful, neutral, questionable, or even downright counterproductive from a long-term preservation point of view. However, publishers are likely to use the features that let them achieve their own goals, and preservation may not be among them.

There are archivable versions of some file formats. PDF/A (ISO 19005-1:2005) is probably the best known example. It specifies how to use the PDF for long-term preservation. An example of a counterproductive feature for preservation in PDF is font referencing; therefore in PDF/A all fonts shall be embedded in order to guarantee that the document can be rendered correctly.

PDF/A forbids also the use of encryption, because encryption is generally regarded as a risk for long-term preservation. But storing unencrypted documents is a risk as well, because if they are stolen, non-authorized usage is easy. Therefore, according to the Digital preservation handbook[25]:

Information security methods such as encryption add to the complexity of the preservation process and should be avoided if possible for archival copies. Other security approaches may therefore need to be more rigorously applied for sensitive unencrypted files; these might include restricting access to locked-down terminals in controlled locations (secure rooms), or strong user authentication requirements for remote access.

In order to guarantee the correct processing of PDF/A files, there are specific requirements for PDF/A reading systems, such as support for embedded fonts. There are three versions of the specification: PDF/A-1 is based on PDF 1.4, PDF/A-2 adds features from PDF 1.5, 1.6 and 1.7, and PDF/A-3 contains all the features of PDF/A-2 as well as allows the embedding of other file formats into PDF/A conforming documents[21].

The TI/A (Tagged Image for Archival) standard initiative intended to create an ISO recommendation to optimize the format specification for archival purposes. Unfortunately the project was disbanded in 2016, and the TI/A draft the initiative completed in September 2016 is only available in the project Intranet. However, the original TIFF/A (later TI/A) draft from February 2015 is a public document available on a PREFORMA project web site[17]. Although this TIFF/A specification is only a draft, it is probably a good idea to use in archival TIFF images features specified mandatory in the specification, and avoid the ones which are forbidden.

The motivation behind the TI/A initiative can be applied to other image formats as well, and there are also points the EPUB community might agree with Reference [22]:

17) http://www.preforma-project.eu/dpf-manager.html

© ISO/IEC 2020 – All rights reserved

The versatility of the TIFF format has made it very attractive for memory institutions for long-term archival of their digital images. However, since the TIFF format offers such a great flexibility, it is not guaranteed that in the future a standard TIFF reader will be able to read some TIFF images.

The limitations of the baseline TIFF are too severe for many applications in digital archiving. It is important that, besides crucial technical metadata such as ICC color profiles (in case of color images) also important descriptive metadata is stored within the image file. Having descriptive metadata available (such as content description, iconography, copyright and ownership information etc.) is crucial for every archive. Having this information in the same file as the image data guarantees that this information will always be associated with the image.

TIFF is not an EPUB core media type, but four other image types have been listed; GIF, JPEG, PNG, and SVG. It is significant from a digital preservation point of view how these formats and other core media types are used in the EPUB context. Image and audio files embedded in an EPUB publication may require migration before the EPUB publication itself has to be migrated into a more modern file format, if commonly available EPUB reading systems no longer support these file formats. This document does not provide guidelines for creating archivable files in EPUB 3 core media types, due to the magnitude of such task. But EPUB community should follow the archival file format lists of national archives or libraries (for example the Library of Congress file format list[18] and the U.S. National Archives list[19]) when the core media file format list is updated. Publishers should also consider the persistence of file formats used when creating EPUBs for which the need for long-term preservation is foreseen.

This document does not require any changes to be made to the EPUB versions in production now or to any future versions of it. However, with each new EPUB standard version it is necessary to check if the ISO 22424 (all parts) needs to be revised, since any new EPUB features can be either useful, counterproductive, or irrelevant from a long-term digital preservation point of view. A similar approach is already in place for PDF/A: ISO 19005-1 applies to PDF 1.4, and ISO 19005-2 covers the subsequent PDF versions up to 1.7.

0.4 OAIS and related standards

ISO 22424 (all parts) provides guidance on how to utilize the OAIS and current practices of OAIS archives in preservation of EPUB publications. The OAIS (ISO 14721) is equally relevant to both parts of the ISO 22424 series.

OAIS is a reference model for long-term data storage systems. It is used by memory institutions (libraries, archives, and museums) and many other organizations that need to preserve digital resources in the long-term. Although an ISO standard, the OAIS was originally developed by the Consultative Committee for Space Data Systems (CCSDS)[20], which still maintains the specification.

The model has five functional units (Ingest, Archival Storage, Access, Data management and Administration) as shown in Figure 1.

18) http://www.loc.gov/preservation/digital/formats/

19) https://www.archives.gov/records-mgmt/policy/transfer-guidance-tables.html

20) https://public.ccsds.org/default.aspx

 © ISO/IEC 2020 – All rights reserved




Figure 1 — OAIS model[20]

In the model, the *ingest function* is responsible for receiving information from producers and preparing it for storage and management within the OAIS archive. The ingest accepts information – in this case, EPUB publications – from producers in the form of SIPs, performs quality assurance checks on the SIP, and generates an archival information package (AIP) from one or more SIPs (or multiple AIPs from a single SIP). Finally, the ingest function transfers the new AIPs to Archival Storage and the associated descriptive information (metadata) to Data Management.

Modifying an EPUB publication so that it is suitable for digital archiving is from the OAIS point of view a part of pre-ingest and as such not a part of the OAIS model. The importance of the OAIS to ISO 22424 (all parts) is that the model provides a terminology, information package data model and an overall framework within which digital preservation can be performed.

Neither OAIS nor this document describe the interface between a repository system used by the archive and systems used by producers. The Producer-Archive Interface Methodology Abstract Standard, also known as PAIMAS (ISO 20652), covers the first stages of the ingest process defined by the OAIS. It provides a basis for detailed specifications on how production systems communicate with OAIS archives. One such specification is DEPIP, the Data Exchange Protocol for Interoperability and Preservation (ISO 20614). The DEPIP is intended for systems used by libraries, archives, and museums. Other domains are likely to create their own API specifications.

Of all the functional units of the OAIS model, this document covers only the ingest unit. In addition there are tasks that are part of non-OAIS unit Pre-ingest, or things a producer shall take care of when preparing a SIP. Other OAIS units are beyond the scope, and therefore archival or dissemination related functions such as migration or creation of dissemination information packages are discussed only in passing. It is assumed that ingest does not require any major changes, although if EPUB for some reason were no longer approved as preservation format, the archive would be obliged to migrate the EPUB publications into eligible file format. Even then the submission agreement might require the archive to disseminate the publication back to consumers in the original EPUB format.

OAIS submission agreements specify the principles of how documents should be prepared and submitted to the repository system. If the archive uses migration as the preservation method[21], submission agreements should specify file formats (and metadata formats) suitable for submission and/or archival, or refer to external documents listing these formats. File formats suitable for submission but not for archival are migrated during the ingest process, although the original files may be included in the AIP.

21) In this document, preservation method is assumed to be migration. In practice, emulation can also be applied if it is important to preserve the original look and feel of the publication. In an ideal world such migrations between the file formats would be lossless; in practice that is not the case. Migrated document could look different even if the content is the same, and in the worst case semantics changes as well. Therefore archives often preserve also the original version of the archived resource, alongside more modern versions.

© ISO/IEC 2020 – All rights reserved

Therefore archives often preserve also the original version of the archived resource, alongside more modern versions.

The submission agreements may also refer to SIP schema specifications, which provide more guidelines for document producers. Schemas may utilize long-term preservation standards such as METS (Metadata Encoding and Transmission Standard). Together the submission agreement and related documents should give a producer a clear idea on when and which publications should be sent to the repository system, which file formats and metadata specifications should be used, means of data transfer available etc. These requirements should cover both ingest and dissemination; that is, submission of documents to the repository system by the producer, and retrieval of the archived documents by customers.

This document outlines the general principles for the submission of EPUB publications from digital asset management systems to repository systems. The principles of archival storage or dissemination of archived documents are not covered here, because OAIS archives may apply various methods and processes to meet the requirements of submission agreements. Bit level preservation is also out of scope; the purpose of this document is to make it easier for producers and OAIS archives to preserve access to EPUB documents.

ISO/IEC TS 22424-2 provides a technical basis to meet the principles listed in this document by specifying metadata required for long-term preservation, and a method for packaging this metadata with the original EPUB container.

This document is applicable to EPUB versions 3 and 3.0.1 and as such it should be used cautiously with other (previous or later) versions of the standard. If there is a need to preserve documents that are in earlier EPUB versions, they do not need to be migrated, provided that a) submission agreement specifies those EPUB versions as archivable formats, and b) there are reading systems for these EPUB versions. Additional features in future EPUB versions should be analyzed from a long-term preservation point of view. If such an analysis reveals that they may constitute a risk, they should be avoided in submitted EPUB publications, or removed during ingest.

Annex A in this document provides a summary of issues and recommendations related to the EPUB standard and its usage from long-term preservation point of view.

© ISO/IEC 2020 – All rights reserved

Digital publishing — EPUB3 preservation —

Part 1: Principles

1 Scope

The ISO/IEC TS 22424 series supports long-term preservation of EPUB publications via a dual strategy. This document considers EPUB features from a long-term preservation point of view. Some EPUB features are forbidden and some others required, depending on how they relate to a long-term preservation. EPUB publications constructed according to these guidelines are suitable for preservation.

ISO/IEC TS 22424-2 makes EPUB compliant with Open Archival Information System (OAIS) and current practices of OAIS archives.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14721, *Space data and information transfer systems — Open archival information system (OAIS) — Reference model*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14721 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

NOTE Unless stated otherwise, the terms have been adopted from ISO 14721:2012.

3.1
administrative metadata
metadata (3.33) that provides *information* (3.28) to help manage a resource, such as when and how it was created, file type and other technical information, and access rights

Note 1 to entry: The definition is adapted from Reference [24].

3.2
archival information package
AIP
information package (3.29) consisting of *content information* (3.6) and associated *preservation description information (PDI)* (3.41), which is preserved within an *OAIS* (3.36)

3.3
archive
OAIS archive
organization that intends to preserve *information* (3.28) for access and use by a *designated community* (3.11)

© ISO/IEC 2020 – All rights reserved

3.4
authenticity
property that an entity is what it claims to be

Note 1 to entry: Authenticity is judged on the basis of evidence.

[SOURCE: ISO/IEC 27000:2018, 3.6, modified — Note 1 to entry has been added.]

3.5
consumer
role played by those persons or client systems, who interact with *OAIS* (3.36) services to find preserved *information* (3.28) of interest and to access that information in detail

Note 1 to entry: This can include other OAISs, as well as internal OAIS persons or systems.

3.6
content information
set of *information* (3.28) that is the original target of preservation or that includes part or all of that information

Note 1 to entry: It is an Information Object composed of its Content Data Object and its Representation Information.

3.7
context information
information (3.28) that documents the relationships of the *content information* (3.6) to its environment

Note 1 to entry: This includes reasons why the content information was created and how it relates to other content information objects.

3.8
core media type
set of *publication resource* (3.45) for which no *fallback* (3.23) is required

Note 1 to entry: The definition is adapted from Reference [18]. Core media types have been specified in chapter 5.1 of Reference [18].

EXAMPLE Core media types for still images are image/gif, image/jpg, image/png and image/svg+xml. Any other still image file format is foreign and requires a fallback, meaning the same resource expressed in another foreign format or core media type.

3.9
data, pl
reinterpretable representation of *information* (3.28) in a formalized manner suitable for communication, interpretation, or processing

Note 1 to entry: Data are often understood as taking the form of a set of values of qualitative or quantitative variables.

[SOURCE: ISO 5127:2017, 3.1.1.15]

3.10
descriptive metadata
descriptive information
metadata (3.33) about a resource for example for discovery and identification

Note 1 to entry: These can include elements such as title, abstract, author, and keywords.

Note 2 to entry: The definition is adapted from Reference [24].

© ISO/IEC 2020 – All rights reserved

3.11
designated community
identified group of potential *consumers* (3.5) who should be able to understand a particular set of *information* (3.28)

Note 1 to entry: A designated community may be composed of multiple user communities. The community is defined by an archive (3.3), though this definition may change later on.

3.12
digital preservation
series of managed activities necessary to ensure continued access to digital materials for as long as necessary

Note 1 to entry: Digital preservation refers to all of the actions required to maintain access to digital materials beyond the limits of media failure or technological and organizational change

Note 2 to entry: Those materials may be records created during the day-to-day business of an organization; "born-digital" materials created for a specific purpose (e.g. teaching resources); or the products of digitisation projects.

Note 3 to entry: The definition is adapted from Reference [25].

EXAMPLE 1 **Short-term preservation** - Access to digital materials either for a defined period of time while use is predicted but which does not extend beyond the foreseeable future and/or until it becomes inaccessible because of changes in technology.

EXAMPLE 2 **Medium-term preservation** - Access to digital materials beyond changes in technology for a defined period of time but not indefinitely.

EXAMPLE 3 ***Long-term preservation*** (3.31) - Access to digital materials, or at least to the *information* (3.28) contained in them, indefinitely.

3.13
digital rights management
DRM
packaging, distributing, controlling, and tracking content based on rights and licensing *information* (3.28)

3.14
digital signature
signature
data (3.9) appended to, or a cryptographic transformation of, a data unit that allows the recipient of the data unit to prove the source and integrity of the data unit and protect against forgery, e.g. by the recipient

[SOURCE: ISO/IEC 19784-1:2018, 4.34, modified — Note 1 to entry has been removed.]

3.15
dissemination information package
DIP
information package (3.29), derived from one or more *AIPs* (3.2), sent by an *archive* (3.3) to a *consumer* (3.5) in response to a request in the *OAIS* (3.36)

3.16
distributable object
component of an *EPUB publication* (3.21) that can be reused in other contexts

Note 1 to entry: A distributable object can be a complete *EPUB content document* (3.19) (e.g., a chapter of a book), a section of such a document (e.g., an exercise or a promotional excerpt), a media resource (e.g., a video or interactive feature), or a combination of such resources that are not necessarily contiguous within the parent EPUB publication but are intended to be able to be distributed as a unit.

Note 2 to entry: The definition is adapted from Reference [26].

© ISO/IEC 2020 – All rights reserved

3.17
e-book
electronic book
non-serial digital document, licensed or not, where searchable text is prevalent, and which can be seen in analogy to a print book

Note 1 to entry: The use of e-books is, in many cases, dependent on a dedicated device and/or a special reader or viewing software.

[SOURCE: ISO 2789:2013, 2.3.19, modified — "eBook" has been replaced by "e-book"; "(monograph)" at the end of the definition has been removed; Note 2, 3 and 4 to entry have been removed.]

3.18
EPUB container
ZIP based packaging and distribution format for *EPUB publications* (3.21)

Note 1 to entry: The definition is adapted from Reference [18].

3.19
EPUB content document
publication resource (3.45) that conforms to one of the EPUB content document definitions

Note 1 to entry: The definition is adapted from Reference [18].

3.20
EPUB navigation document
specialization of the *XHTML content document* (3.58), containing human- and machine-readable global navigation *information* (3.28)

Note 1 to entry: The definition is adapted from Reference [18].

3.21
EPUB publication
collection of one or more *renditions* (3.52) conforming to the EPUB specifications, packaged in an *EPUB container* (3.18)

Note 1 to entry: The definition is adapted from Reference [18].

3.22
EPUB reading system
reading system
system that processes *EPUB publications* (3.21) for presentation to a user in a manner compliant with EPUB specifications

Note 1 to entry: The definition is adapted from Reference [18].

3.23
fallback
mechanism with which versions of the same resource in different file formats can be linked to one another

Note 1 to entry: A *reading system* (3.22) that does not support the file format of a *foreign resource* (3.25) shall traverse the fallback chain until it finds a version it can render.

Note 2 to entry: The definition is adapted from Reference [18].

3.24
fixity information
information (3.28) that documents the authentication mechanisms and provides authentication keys to ensure that the *content information* (3.6) object has not been altered in an undocumented manner

[SOURCE: ISO 13527:2010, 1.4.2, modified — The example has been removed.]

© ISO/IEC 2020 – All rights reserved

3.25
foreign resource
publication resource (3.45) that is not a *core media type* (3.8)

Note 1 to entry: The definition is adapted from Reference [18].

3.26
identifier
data (3.9) string or pointer that establishes the identity of an item, institution, or person alone or in combination with other elements

Note 1 to entry: EPUB 3 specifies *unique identifiers* (3.57) and *release identifiers* (3.50); the latter is a combination of a unique identifier and the last modification data of the *rendition* (3.52) of the resource.

[SOURCE: ISO 8459:2009, 2.27, modified — Note 1 to entry has been added.]

3.27
independently understandable
characteristic of *information* (3.28) that is sufficiently complete to allow it to be interpreted, understood, and used by the *designated community* (3.11) without having to resort to special resources not widely available, including named individuals

3.28
information
any type of knowledge that can be exchanged

Note 1 to entry: In an exchange, this is represented by *data* (3.9).

EXAMPLE A string of bits (the data) accompanied by a description on how to interpret the string of bits as numbers representing temperature observations measured in degrees Celsius (the representation information).

3.29
information package
logical container composed of optional *content information* (3.6) and optional associated *preservation description information* (3.41)

3.30
long-term
period of time long enough to raise concerns about the impact of changing technologies, including support for new media and *data* (3.9) formats, and of a changing *designated community* (3.11), on the *information* (3.28) being held in an *OAIS* (3.36)

Note 1 to entry: This period extends into the indefinite future.

3.31
long-term preservation
act of maintaining *information* (3.28), *independently understandable* (3.27) by a *designated community* (3.11), with evidence supporting its *authenticity* (3.4) over the *long-term* (3.30)

3.32
manifest
EPUB manifest element that provides an exhaustive list of the *publication resources* (3.45) that constitute the given *rendition* (3.52), each represented by an item element

Note 1 to entry: The definition is adapted from Reference [18].

© ISO/IEC 2020 – All rights reserved

3.33
metadata
data (3.9) about other data, documents, or records that describe their content, context, structure, format, provenance, and/or rights

[SOURCE: ISO 5127:2017, 3.1.10.26.01, modified — Note 1 to entry has been removed; "describes" has been replaced by "describe"; "data format" has been replaced by "format"; the words "attached to them" at the end of the definition has been removed.]

3.34
METS
Metadata Encoding and Transmission Standard
standard for presenting *metadata* (3.33) using XML

Note 1 to entry: The definition is adapted from Reference [25].

3.35
migration
means of overcoming technological obsolescence by transferring digital resources from one hardware/software generation to the next

Note 1 to entry: The purpose of migration is to preserve the intellectual content of digital objects and to retain the ability for clients to retrieve, display, and otherwise use them in the face of constantly changing technology.

Note 2 to entry: Migration differs from the *refreshing* (3.49) of storage media in that it is not always possible to make an exact digital copy or replicate original features and appearance and still maintain the compatibility of the resource with the new generation of technology.

Note 3 to entry: The definition is adapted from Reference [25].

3.36
Open Archival Information System
OAIS
archive (3.3), consisting of an organization, which may be a part of a larger organization, of people and systems, that has accepted the responsibility to preserve *information* (3.28) and make it available to a *designated community* (3.11)

Note 1 to entry: It has a set of responsibilities, as defined in Clause 4, which allow an OAIS archive to be distinguished from other uses of the term 'archive'.

Note 2 to entry: The term 'Open' in OAIS is used to imply that this Recommendation and future related Recommendations and standards are developed in open forums, but it does not imply access to the archive is unrestricted.

Note 3 to entry: The OAIS abbreviation is also commonly used to refer to the Open Archival Information System *reference model* (3.47) standard which defined the term. The standard is a conceptual framework describing the environment, functional components, and information objects associated with a system responsible for *long-term preservation* (3.31).

3.37
package document
publication resource (3.45) that describes one *rendition* (3.52) of an *EPUB publication* (3.21)

Note 1 to entry: The package document carries meta *information* (3.28) about the rendition, provides a *manifest* (3.32) of resources and defines the default reading order.

Note 2 to entry: It specifies all tools required to render the document, provides an exhaustive list of resources belonging to the document, and defines their default reading order.

Note 3 to entry: The definition is adapted from Reference [18].

© ISO/IEC 2020 – All rights reserved

3.38
PDF
Portable Document Format
set of formats and open standards maintained by the International Organization for Standardization for producing and sharing electronic documents

Note 1 to entry: An open format was originally developed by Adobe Systems.

Note 2 to entry: The definition is adapted from Reference [25].

3.39
PDF/A
versions of the *PDF* (3.38) standard intended for archival use

Note 1 to entry: The definition is adapted from Reference [25].

3.40
pre-ingest
actions required before *data* (3.9) can be submitted into an *OAIS archive* (3.3), including negotiation of data acquisitions, checking rights and access criteria, licensing, and data submission

Note 1 to entry: This area also includes activities involving data *producer* (3.43) support and training.

Note 2 to entry: Pre-ingest is not a function in the standard *OAIS* (3.36) model, but activities in this area can form a significant part of a producer's responsibilities.

Note 3 to entry: The definition is adapted from Reference [27].

3.41
preservation description information
PDI
information (3.28) necessary for the adequate preservation of *content information* (3.6) that can be categorized as provenance, reference, fixity, context, and rights information

3.42
preservation metadata
metadata (3.33) containing *information* (3.28) needed to archive and preserve a resource

Note 1 to entry: The definition is adapted from Reference [24].

3.43
producer
role played by those persons or client systems that provide the *information* (3.28) to be preserved

Note 1 to entry: This can include other *OAISs* (3.36) or internal OAIS persons or systems. The producer does not need to be the publisher.

3.44
provenance information
information (3.28) that documents the history of the *content information* (3.6)

Note 1 to entry: This information states the origin or source of the content information, any changes that may have taken place since it was generated, and who has had custody of it.

Note 2 to entry: The *archive* (3.3) is responsible for creating and preserving provenance information from the point of ingest; however, earlier provenance information should be provided by the *producer* (3.43). Provenance information adds to the evidence to support *authenticity* (3.4).

© ISO/IEC 2020 – All rights reserved

3.45
publication resource
resource that has the content or instructions contributing to the logic and rendering of at least one *rendition* (3.52) of an *EPUB publication* (3.21)

Note 1 to entry: The definition is adapted from Reference [18].

EXAMPLE Examples of publication resources include a rendition's *package document* (3.37), *EPUB content document* (3.19), EPUB style sheets, audio, video, images, and embedded fonts and scripts.

3.46
reference information
information (3.28) that is used as an *identifier* (3.26) for the *content information* (3.6)

Note 1 to entry: This also includes identifiers that allow outside systems to refer unambiguously to a particular content information.

EXAMPLE An ISBN is a type of reference information.

3.47
reference model
framework for understanding significant relationships among entities in an environment and for the development of consistent standards or specifications supporting that environment

Note 1 to entry: A reference model is based on a small number of unifying concepts and may be used as a basis for education and explaining standards to a non-specialist.

3.48
reformatting
copying *information* (3.28) content from one storage medium to a different storage medium (media reformatting) or converting from one file format to a different file format (file reformatting)

Note 1 to entry: The definition is adapted from Reference [25].

3.49
refreshing
copying *information* (3.28) content from one storage media to the same storage media

Note 1 to entry: The definition is adapted from Reference [25].

3.50
release identifier
identifier (3.26) that allows any instance of an *EPUB publication* (3.21) to be compared against another to determine if they are identical, different versions, or unrelated

Note 1 to entry: Release identifiers consist of a *unique identifier* (3.57) and the last-modified date of the document.

Note 2 to entry: The definition is adapted from Reference [18].

3.51
remotely-hosted resource
objects hosted outside the *EPUB container* (3.18)

3.52
rendition
rendering of the content of an *EPUB publication* (3.21), as expressed by an EPUB package

Note 1 to entry: The definition is adapted from Reference [18].

3.53
repository system
long-term preservation (3.31) system used by an *archive* (3.3)

© ISO/IEC 2020 – All rights reserved

3.54
spine
EPUB element that defines the default reading order of the *EPUB publication* (3.21) content by defining an ordered list of *manifest* (3.32) item references

Note 1 to entry: The definition is adapted from Reference [18].

3.55
submission agreement
agreement reached between an *OAIS archive* (3.3) and a *producer* (3.43) that specifies a *data* (3.9) model and any other arrangements needed for the data submission session

Note 1 to entry: This data model identifies the format/content and the logical constructs used by the producer and how they are represented on each media delivery or in a telecommunication session.

3.56
submission information package
SIP
information package (3.29) that is delivered by a *producer* (3.43) to an *OAIS* (3.36) to be used to construct or update one or more *AIPs* (3.2) and/or the associated *descriptive information* (3.10)

3.57
unique identifier
primary *identifier* (3.26) of an *EPUB publication* (3.21), which may be shared by one or several *renditions* (3.52) of the same EPUB publication that conform to the EPUB standard and embody the same content

Note 1 to entry: The definition is adapted from Reference [18].

3.58
XHTML content document
EPUB content document (3.19) that conforms to the profile for HTML defined in XHTML content documents

Note 1 to entry: see EPUB Content Documents 3.0.1, chapter 2.

Note 2 to entry: The definition is adapted from Reference [18].

4 Abbreviated terms

AIP	archival information package
DIP	dissemination information package
DRM	digital rights management
OAIS	Open Archival Information System
PDI	preservation description information
SIP	submission information package

5 Packaging standards

An archiving process includes several distinct steps. A producer – which may be the publisher or other body acting on behalf of the publisher, such as the archive itself - creates a submission information package (SIP) and transfers it to a repository system in an OAIS archive. The archive performs a quality control process to the SIP and, if the package meets the criteria set in the submission agreement, accepts it, creates an archival information package (AIP) and transfers the package to archival storage. During ingest some of the files or metadata records within SIP may be migrated to new formats or additional metadata may be added.

© ISO/IEC 2020 – All rights reserved