RTCA, Inc.
1150 18th Street NW, Suite 910
Washington, DC 20036
USA

Minimum Operational Performance Standard for Aircraft Emergency Locator Transmitters 406 MHz

RTCA DO-204B Change 1
June 11, 2020

Prepared by: SC-229
© 2020 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-9339
Facsimile: 202-833-9434
Internet: www.rtca.org

Please visit the RTCA Online Store for document pricing and ordering information.

FOREWORD

This document was prepared by Special Committee 229 (SC-229) jointly with EUROCAE WG-98 and approved by the RTCA Program Management Committee (PMC) and the EUROCAE Council on June 11, 2020.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders and several advisory circulars.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

DISCLAIMER

This publication is based on material submitted by various participants during the SC approval process. Neither the SC nor RTCA has made any determination whether these materials could be subject to valid claims of patent, copyright or other proprietary rights by third parties, and no representation or warranty, expressed or implied is made in this regard. Any use of or reliance on this document shall constitute an acceptance thereof "as is" and be subject to this disclaimer.

This Page Intentionally Left Blank

TABLE OF CONTENTS

1 CHANGES IN CHAPTER 1 1

1.1 Section 1.3.1 Types of ELT 1

2 CHANGES IN CHAPTER 2 3

2.1 Section 2.9.5.1 ELT(DT) Functional SPECIFICATION 3

2.2 Section 2.9.5.2.1 (e) Required Interface function 3

3 CHANGES IN CHAPTER 3 5

3.1 Section 3.1.1 Controls and Monitoring System on ELT UNIT 5

3.2 Section 3.8.5 Effective Isotropic Radiated Power 5

4 CHANGES IN CHAPTER 4 7

4.1 Section 4.5.8.3 Post-ViBRATION COnfirmation of Automatic Activation Performance (AF, AP) 7

4.2 Section 4.5.9.2.1.2 The test procedure described in § 4.5.9.2.3 applies to the forward direction of the airframe only. Test procedures for other directions are described in § 4.5.9.2.7. 8

4.3 Section 4.5.9.2.4 (d) and (e) Velocity change determination 8

4.4 Section 4.5.9.2.7.1 The following procedure uses any pulse form (half-sine, trapezoidal, square, triangular, etc.) that contains the time duration and acceleration levels shown in TABLE 5 4. 9

5 CHANGES IN CHAPTER 5 11

5.1 Section 5.5.6.2 Radiated Power Test Conditions 11

5.2 Figure 5-2: Determination of Crash Sensor Threshold Acceleration Level Sensor Status 12

5.3 FIGURE 5-5: Airframe Forward Direction Crash Activation Sensor Response Curve for Helicopters 13

6 CHANGES IN CHAPTER 6 15

6.1 Section 6.2.5.2 Inadvertant Activation 15

6.2 Section 6.2.15.3.4 Remote Indicator(s) and Control 15

6.3 Section 6.3.1.3 Activation Due to loss of aicraft system(s) connections 15

7 CHANGES IN CHAPTER 7 17

8 WG-98/SC-229 MEMBERSHIP 19

APPENDIX A: CHANGES IN APPENDIX A A-1

List of Replacement Tables and Figures

New Table 4-3a: Post-Vibration Crash Sensor Performance Definitions – Forward Direction 7
New Table 4-3b: Post-Vibration Crash Sensor Performance Definitions – Vertical And Lateral..... 8
Replacement Figure 5-2: Determination Of Crash Sensor Threshold Acceleration Level Sensor Status .. 12
Replacement Figure 5-5: Airframe Forward Direction Crash Activation Sensor Response Curve For Helicopters 13