RTCA, Inc.
1140 Connecticut Avenue, NW, Suite 1020
Washington, DC 20036-4001 USA

Minimum Operational Performance Standards for Aircraft Context Management (CM) Equipment

RTCA DO-223
July 13, 1994

Prepared by: SC-169
© 1994 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-9339
Facsimile: 202-833-9434
Internet: www.rtca.org

Please visit the RTCA Online Store for document pricing and ordering information.

FOREWORD

This document was prepared by RTCA Special Committee 169 (SC-169). It was approved by the RTCA Technical Management Committee on July 13, 1994.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;

- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;

- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation, and

- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U. S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

TABLE OF CONTENTS

Page

FOREWORD i

TABLE OF CONTENTS iii

1.0 PURPOSE AND SCOPE 1
1.1 Introduction 1
1.2 Functional Description 1
1.2.1 Log-On Function 1
1.2.2 Update Function 2
1.2.3 Contact Function 2

2.0 PERFORMANCE REQUIREMENTS AND TEST PROCEDURES 7
2.1 General 7
2.1.1 Airworthiness 7
2.1.2 General Performance 7
2.1.3 Fire Resistance 7
2.1.4 Operation of Controls 7
2.1.5 Accessibility of Controls 7
2.1.6 Effects of Tests 7
2.2 Functions and Equipment Characteristics 7
2.2.1 ATN Interface 8
2.2.1.1 Physical Layer 8
2.2.1.2 Data Link Layer 8
2.2.1.3 Network Layer 8
2.2.1.4 Transport Layer 11
2.2.1.4.1 Timers and Associated Variables 11
2.2.1.4.2 CMComm Transport Layer Profile 11
2.2.1.4.3 CMComm Negotiations 14
2.2.1.5 Session Layer 14
2.2.1.6 Presentation Layer 14
2.2.1.7 Application Layer 14
2.2.2 Connection Management 14
2.2.2.1 Connection Initiation 15
2.2.2.2 Connection Termination 15
2.2.3 Message Set 16
2.2.3.1 Message Presentation 16
2.2.3.2 Message Structure and Content 16
2.2.3.3 Message Encoding/Decoding 18
2.2.4 Message Handling 18
2.2.4.1 CM-LOGON-REQUEST/RESPONSE 19
2.2.4.2 CM-CONTACT-REQUEST/RESPONSE 20
2.2.5 Indicators 21
2.2.6 Controls 21
2.3 Equipment Performance - Environmental Conditions 22
2.4 Equipment Test Procedures 22
2.4.1 Test Conditions 22

Page

2.4.2 Test Procedures 24
2.4.2.1 ATN Interface Tests 24
2.4.2.1.1 Internetwork Protocol Tests 24
2.4.2.1.2 Transport Protocol Test 25
2.4.2.1.3 Connection Negotiation Tests 26
2.4.2.1.4 Timer Tests 28
2.4.2.2 Connection Management Tests 30
2.4.2.2.1 Connection Initiation Tests 30
2.4.2.2.2 Connection Termination Tests 31
2.4.2.3 Message Set Tests 34
2.4.2.3.1 Prerequisites 34
2.4.2.3.2 Encoding Tests 34
2.4.2.3.3 Decoding Tests 38
2.4.2.4 Message Handling Test 43
2.4.2.4.1 Prerequisites 43
2.4.2.4.2 Test A 43
2.4.2.5 CM-CONTACT-REQUEST/RESPONSE Tests 43
2.4.2.5.1 Prerequisites 43
2.4.2.5.2 Test A 43
2.4.2.5.3 Test B 44
2.4.2.5.4 Test C 45
2.4.2.5.5 Test D 45
2.4.2.6 Indicators Tests 45
2.4.2.6.1 Prerequisites 45
2.4.2.6.2 Test A 46
2.4.2.6.3 Test B 46
2.4.2.7 Controls Test 46
2.4.2.7.1 Prerequisites 46
2.4.2.7.2 Test A 47

3.0 INSTALLED EQUIPMENT PERFORMANCE 49
3.1 Equipment Installation 49
3.1.1 Accessibility 49
3.1.2 Aircraft Environment 49
3.1.3 Dynamic Response 49
3.1.4 Failure Protection 49
3.1.5 Interference Effects 49
3.2 Installed Equipment Performance Requirements 50
3.2.1 Active Status 50
3.2.2 System Performance 50
3.2.3 Address Determination 50
3.3 Conditions of Test 51
3.3.1 Safety Precautions 51
3.3.2 Power Input 51
3.3.3 Associated Equipment or Systems 51
3.3.4 Environment 51
3.3.5 Adjustment of Equipment 51
3.3.6 Warm-Up Period 51

Page

3.4 Test Procedures for Installed Equipment Performance 51
3.4.1 Ground Test Procedures 53
3.4.1.1 Conformity Inspection 53
3.4.1.2 Equipment Function Test 53
3.4.1.3 Interference Effects Test 53
3.4.1.4 Power Supply Fluctuations Test 53
3.4.1.5 Equipment Accessibility Test 53
3.4.1.6 Functions and Equipment Characteristics Tests 53
3.4.1.7 Active Status Test 54
3.4.1.8 Address Determination Test 54
3.4.2 Flight Test Procedures 54
3.4.2.1 Interference Effects 54
3.4.2.2 System Interoperability Demonstration 54
3.4.2.3 Simulator Demonstration 55
3.4.2.4 Flight Demonstration 55

4.0 OPERATIONAL CHARACTERISTICS 57
4.1 Required Operational Characteristics 57
4.1.1 Power Input 57
4.1.2 System Operational Degradation 57
4.2 Test Procedures for Operational Characteristics 57
4.2.1 Power Input 57
4.2.2 System Operational Readiness 57

MEMBERSHIP 59

APPENDIX A 63

APPENDIX B 67

APPENDIX C 73

1.0 PURPOSE AND SCOPE

1.1 Introduction

This document contains Minimum Operational Performance Standards (MOPS) for aircraft equipment required for the Context Management (CM) process. The CM process supports addressing requirements for Air Traffic Services Communication (ATSC) such as Air Traffic Control (ATC) Two-Way Data Link Communications (TWDL), Automatic Dependent Surveillance (ADS), and Flight Information Services (FIS). The Aeronautical Telecommunication Network (ATN) provides the media and protocols to conduct data link communication for the CM process.

The term "CMComm" as used in this document includes all components and units, including software, necessary for the aircraft equipment to support the CM process and interface with the ATN. This document includes functional, performance, interface, and equipment standards for CMComm. Testing standards are also provided.

Compliance with these standards is recommended as one means of assuring that the equipment will perform its intended functions satisfactorily under all conditions normally encountered in routine aeronautical operations. Any regulatory application of this document is the sole responsibility of the appropriate governmental agencies.

Section 1 of this document provides a functional description of the CM process and related information needed to understand the rationale for equipment characteristics and requirements stated in the remaining sections.

Section 2 contains the minimum performance standards for CMComm. These standards specify the required performance under standard operating and environmental conditions. Also included are recommended bench test procedures necessary to demonstrate equipment compliance with the stated minimum requirements.

Section 3 describes the performance required of the installed equipment. Tests for the installed equipment are included when performance cannot be adequately determined through bench testing.

Section 4 describes the operational performance characteristics for equipment installations and defines conditions that will assure the equipment user that operations can be conducted safely and reliably in the expected operational environment.

1.2 Functional Description

The CM process described in this document provides for the exchange of relevant address information between an aircraft CMComm and a ground CM system peer. The CM process includes three functions: Log-On, Update, and Contact.

1.2.1 Log-On Function

The Log-On function defines a method for the aircraft to provide appropriate aircraft application addresses to the CM ground system peer and subsequently, for the CM ground

© RTCA, Inc. 1994