RTCA, Inc.
1828 L Street, NW, Suite 805
Washington, DC 20036-5133 USA

Operational Services and Environmental Definition (OSED) for Unmanned Aircraft Systems (UAS)

RTCA DO-320
June 10, 2010

Prepared by: SC-203
© 2010 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-9339
Facsimile: 202-833-9434
Internet: www.rtca.org

Please visit the RTCA Online Store for document pricing and ordering information.

FOREWORD

This document was prepared by "Special Committee 203 (SC-203) and approved by the RTCA Program Management Committee (PMC) on June 10, 2010.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus based recommendations on contemporary aviation issues. RTCA objectives include, but are not limited to:

- Coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- Analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- Developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of Minimum Operational Performance Standards (MOPS) for electronic systems and equipment that support aviation; and
- Assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization (ICAO) and the International Telecommunication Union (ITU) and other appropriate international organizations can be based.

The recommendations of RTCA are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders (TSO).

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the United States Government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This Page Intentionally Left Blank

Table of Contents

1 Introduction 1
1.1 Purpose 1
1.2 Scope 2
1.3 Relationship to Process 2
1.4 Document Organization 3
2 Overview of Unmanned Aircraft Systems and Types 4
2.1 UAS Definition 4
2.2 UAS Element 4
2.2.1 Aircraft Segment 4
2.2.2 Control Segment 5
2.2.3 Communications Segment 5
2.3 Support Element 5
2.4 System Architectures 5
2.5 UAS Types 5
3 Stakeholder Description 6
4 Operational Concepts 7
4.1 Interface Depictions 7
4.2 Primary Operational Functions 7
4.3 Surface Environment 8
4.3.1 ATC Participating Airport 8
4.3.2 Non-ATC Participating Airport 9
4.3.3 Non-ATC Participating Surface 10
4.4 Airborne Environment 11
4.4.1 ATC Participating Airborne 12
4.4.2 Non-ATC Participation Airborne: 13
4.5 Cross-Comparison of Operational Concept Views 13
5 Flight Profiles 15
5.1.1 Point-to-Point 15
5.1.2 Planned Aerial Work 15
5.1.3 Unplanned Aerial Work 16
6 UAS Market Assessment 17
6.1 Market Demand and Trends 17
6.2 General Assumptions 18

6.3 Basis of Estimates 18
6.4 UAS Categories 19
6.5 UAS Market Segments 20
6.5.1 Military UAS Market 21
6.5.1.1 Current and Future Military Applications 21
6.5.1.2 Military Market Drivers and Impediments 21
6.5.1.3 Estimated Quantities and Growth Rates for Military UA 22
6.5.2 Civil Government UAS Market 26
6.5.2.1 Current and Future Civil Government Applications 26
6.5.2.2 Civil Government Market Drivers and Impediments 26
6.5.2.3 Estimated Quantities and Growth Rates for Civil Government UA 27
6.5.3 Commercial UAS Market 31
6.5.3.1 Current and Future Commercial Applications 31
6.5.3.2 Commercial Market Drivers and Impediments 31
6.5.3.3 Estimated Quantities and Growth Rates for Commercial UA 32
6.5.4 Summary of Military, Civil Government and Commercial Markets 36
7 Operational Characterization 37
7.1 Defining Characteristics and Categories 37
7.1.1 Conversion of Manned Aircraft 38
7.1.2 Data Sources 38
7.1.3 Presentation of Data 38
7.1.4 Time References 40
7.2 Performance and Airspace Usage Descriptions 40
7.2.1 Category 1: Turbojet Fixed-Wing Aircraft 40
7.2.1.1 Representative Types 40
7.2.1.2 Applications and Flight Profile Breakdown 41
7.2.1.3 Estimated Numbers and Growth Rates 41
7.2.1.4 Representative Models and Airspace Usage 44
7.2.2 Category 2: Turboprop Fixed-wing Aircraft 46
7.2.2.1 Representative Types 46
7.2.2.2 Applications and Flight Profile Breakdown 46
7.2.2.3 Estimated Numbers and Growth Rates 46
7.2.2.4 Representative Models and Airspace Usage 48
7.2.3 Category 3: Reciprocating/Electric Fixed-wing Prop Aircraft 51

© 2010, RTCA, Inc.

7.2.3.1 Representative Types 51
7.2.3.2 Applications and Flight Profile Breakdown 51
7.2.3.3 Estimated Numbers and Growth Rates 51
7.2.3.4 Representative Models and Airspace Usage 54
7.2.4 Category 4: VTOL 56
7.2.4.1 Representative Types 56
7.2.4.2 Applications and Flight Profile Breakdown 56
7.2.4.3 Estimated Numbers and Growth Rates 56
7.2.4.4 Representative Models and Airspace Usage 59
7.2.5 Category 5: Airship 62
7.2.5.1 Representative Types 62
7.2.5.2 Estimated Numbers and Growth Rates 62
7.2.5.3 Applications and Flight Profile Breakdown 63
7.2.5.4 Representative Models and Airspace Usage 64
7.3 Unique Attributes Within All Categories 65
7.3.1 High Altitude Long Endurance (HALE) UAS 65
7.3.1.1 Applications and Airspace Usage 65
7.3.1.2 Estimated Numbers and Growth Rates 67
7.3.2 Low Visual Signature (LVS) UA 67
7.3.2.1 Representative Models and Airspace Usage 67
7.3.2.2 Estimated Numbers and Growth Rates 69
8 Operational Architecture Framework 70
8.1 Purpose and Scope 70
8.2 Methodology 71
8.3 Operational View Descriptions 71
9 Representative Scenarios 73
9.1 Selection Criteria 73
9.2 Scenario Assumptions 73
9.3 Scenario Structure 74
9.4 Scenario Use Cases and Attributes 74
9.4.1 Flight Planning 74
9.4.2 Start and Taxi Operations 75
9.4.3 Launch/Takeoff and Departure 75
9.4.4 En route 76

9.4.5 Aerial Work 76
9.4.6 Descent and Landing/Recovery 76
9.4.7 Post Landing 77
9.5 Representative Scenarios 77
9.5.1 Scenario 1 – Law Enforcement –Small, Electrically-Powered Fixed Wing (Raven) 77
9.5.1.1 Flight Overview 77
9.5.1.2 UAS Description 78
9.5.1.3 Phase of Flight Descriptions 78
9.5.2 Scenario 2 – Marine Monitoring – Small, Fixed-Wing Reciprocating (ScanEagle) 80
9.5.2.1 Flight Overview 80
9.5.2.2 UAS Description 81
9.5.2.3 Phase of Flight Descriptions 81
9.5.3 Scenario 3: Environmental Sensing – Medium, Fixed-Wing Reciprocating (Aerosonde) 83
9.5.3.1 Flight Overview 83
9.5.3.2 UAS Description 83
9.5.3.3 Phases of Flight 84
9.5.4 Scenario 4: Media and Traffic Reporting – Large, Turbine VTOL (Fire scout) 86
9.5.4.1 Flight Overview 86
9.5.4.2 UAS Description 86
9.5.4.3 Phase of Flight Descriptions 87
9.5.5 Scenario 5 – Cargo Delivery – Turboprop Conversion (Caravan) 89
9.5.5.1 Flight Overview 89
9.5.5.2 UAS Description 90
9.5.5.3 Phase of Flight Descriptions 90
9.5.6 Scenario 6 – Border Surveillance and Tracking – Turboprop (Predator B) 94
9.5.6.1 Flight Overview 94
9.5.6.2 UAS Description 94
9.5.6.3 Phase of Flight Descriptions 95
9.5.7 Scenario 7: Hurricane Research – Turbojet (Global Hawk) 97
9.5.7.1 Flight Overview 97
9.5.7.2 UAS Description 98
9.5.7.3 Phase of Flight Descriptions 98

© 2010, RTCA, Inc.

9.5.8 Scenario 8 – Mining Exploration – Conversion Airship (WDL 1B) 100
9.5.8.1 Flight Overview 100
9.5.8.2 UAS Description 102
9.5.8.3 Phase of Flight Descriptions 102
9.5.9 Scenario 9: Agricultural/environmental monitoring– High Altitude Long Endurance ((HALE) Global Observer UAS 103
9.5.9.1 Flight Overview 103
9.5.9.2 UAS Description 104
9.5.9.3 Phase of Flight Descriptions 105
10 Air Traffic Services Definition 108
10.1 AT Services 108
10.1.1 Flight Planning 108
10.1.1.1 Flight Plan Support 109
10.1.1.2 Flight Data Management 109
10.1.2 ATC-Separation Assurance 109
10.1.2.1 Aircraft to Aircraft Separation 110
10.1.2.2 Aircraft to Terrain/Obstacle Separation 110
10.1.2.3 Aircraft to Airspace Separation 110
10.1.2.4 Surface Separation 111
10.1.3 ATC Advisories 111
10.1.3.1 Weather Advisories 111
10.1.3.2 Traffic Advisories 111
10.1.3.3 NAS Status Advisories 111
10.1.4 Traffic Management Synchronization 111
10.1.4.1 Airborne Synchronization 111
10.1.4.2 Surface Synchronization 111
10.1.5 Strategic Flow Management 112
10.1.5.1 Long Term Planning 112
10.1.5.2 Flight Day Management 112
10.1.5.3 Performance Management 112
10.1.6 Emergency and Alerting 112
10.1.6.1 Emergency Assistance 112
10.1.6.2 Alerting Support 113
10.1.7 Navigation 113
10.1.7.1 Airborne Guidance 113

10.1.7.2 Surface Guidance 113
10.1.8 Airspace Management 113
10.1.8.1 Airspace Design 114
10.1.8.2 Airspace for Special Use 114
10.1.9 Infrastructure/Information Management 114
10.1.9.1 Monitoring and Maintenance 115
10.1.9.2 Spectrum Management 115
10.1.9.3 Government-Agency Support 115
10.1.9.4 Enabling Services Requirements 115
10.1.9.5 Automation 115
10.1.9.6 Communication 115
10.1.9.7 Security 116
10.1.10 Performance Requirements 116
10.1.11 Other Service Groups 116
10.2 AT Service Requirements 116
10.3 ATS Performance Expectations 116
10.4 ATC Operational and Equipage Requirements 116
10.4.1 Equipage by Class of Airspace 116
11 Operational Environment 118
11.1 Airspace Rules and Dimensions 118
11.1.1 Airspace Classes 119
11.1.2 Airspace Rules 120
11.1.2.1 Navigation Reference System (NRS) 122
11.1.3 Air Traffic Service (ATS) Routes 123
11.1.4 Required Navigation Performance (RNP) 123
11.1.5 Future Air Navigation System (FANS-1/A) 124
11.2 Air Traffic Service Units 124
11.2.1 Air Traffic System Command Center (ATCSCC) 124
11.2.2 Air Route Traffic Control Center 125
11.2.3 Terminal Radar Approach Control (TRACON) 125
11.2.4 Combined Center-Radar Approach Control (CERAP) 125
11.2.5 Control Tower 125
11.2.6 Flight Service Station 125
11.3 Air Traffic Systems 126

© 2010, RTCA, Inc.

11.3.1 Communications Systems 126
11.3.1.1 Telecommunications 126
11.3.1.2 Mobile Communications 126
11.3.1.3 Network Communications 127
11.3.1.4 Voice Communications 127
11.3.2 Navigation Systems 128
11.3.2.1 Global Navigation Domain 129
11.3.2.2 En Route and Terminal Domain 129
11.3.2.3 Precision Approach Domain 130
11.3.3 Surveillance Systems 132
11.3.3.1 Automatic Dependent Surveillance-Broadcast 133
11.3.3.2 En route Surveillance 133
11.3.4 Terminal Surveillance 134
11.3.4.1 Surface Surveillance 134
11.3.5 Automation Systems 135
11.3.5.1 ERAM 135
11.3.5.2 En Route Automation Modernization System Release 1 (ERAM R1) 136
11.3.5.3 En Route Automation Modernization System Release 2 (ERAM R2) 137
11.3.5.4 En Route Automation Modernization Release 3 (ERAM R3) 137
11.3.5.5 Traffic Flow Management System (TFMS) 138
11.3.5.6 Terminal Data Distribution System (TDDS) 138
11.3.5.7 Tower Flight Data Manager Phase 1 (TFDM1) 138
11.3.5.8 Dynamic Ocean Tracking System 139
11.3.5.9 Advanced Technologies and Oceanic Procedures 139
11.3.5.10 Aeronautical Information Management 139
11.3.5.11 Security Integrated Toolset 140
11.4 Active Aircraft and Aggregate Traffic Density 143
11.4.1 Baseline Aircraft Numbers, Activity, and Altitude Distribution Data 143
11.4.1.1 Baseline Data Table Description 145
11.4.2 Aggregate Air Traffic Density Calculations 146
12 NextGen Considerations 150
12.1 Overview of NextGen 150
12.1.1 Guiding Documents 150

12.1.2 Key NextGen Capabilities 151
12.1.3 Key NextGen Technologies 151
12.2 NextGen Timeline 152
12.3 UAS and NextGen Perspectives and Considerations 152
12.4 Opportunities 153
12.4.1 Greater Coordination and Improved Situational Awareness 153
12.4.1.1 Precision Navigation and Flight Predictability 154
12.4.1.2 Flexible Use of Airspace 154
12.4.2 Distributed Decision Making 154
12.4.2.1 Improved Communications 155
12.5 Managing Change in the Standards Development Process 155
Appendix A Definitions A-1
Appendix B Acronyms B-1
Appendix C Market Assessment Supplement C-1
C.1 Technology Adoption Model Description C-1
C.2 Input Assumptions C-2
C.3 Model Results C-2
C.4 Limitations in Forecasting C-3
Appendix D Stakeholders Descriptions D-1
D.1 Primary Stakeholders: Those Involved in the Approval Process D-1
D.1.1 Federal Aviation Administration (FAA) D-1
D.1.2 Service Provider - Air Traffic Organization D-1
D.1.3 Regulator - Associate Administrator for Aviation Safety (AVS) D-1
D.1.4 Other Key FAA Stakeholders D-2
D.1.5 Department of Defense (DoD) D-2
D.1.6 Other Federal Government Agencies D-2
D.1.7 Department of Justice D-3
D.1.8 Department of Agriculture D-3
D.1.9 NOAA/NASA D-3
D.1.10 State and Local Government Entities D-3
D.1.11 Civil Airworthiness Authorities of Other Countries D-3
D.2 Secondary Stakeholders: Those Impacted by UAS Operations D-3
D.2.1 Existing NAS Users D-3
D.2.2 General Aviation Community D-4

© 2010, RTCA, Inc.

D.2.3 Air Carrier Industry D-4
D.2.4 UAS Industry D-4
D.3 Ancillary Stakeholders: Those Needing to Be Informed D-5
D.3.1 Congress D-5
D.3.2 Public D-5
D.3.3 Media D-6
Appendix E Operational Characterization Data Sources E-1
E.1 RTCA DO-304 Mission Scenarios E-1
E.2 Additional Scenarios and Operating Concepts E-1
E.3 Subject Matter Expert Assessment E-1
E.4 Stakeholder Feedback E-2
Appendix F Physical Attributes and Performance Data F-1
F.1 Turbojet fixed-wing F-1
F.1.1 Global Hawk (RQ-4) F-1
F.1.2 N-UCAS (X-47B) F-2
F.1.3 Gulfstream 550 F-3
F.2 Turboprop fixed-wing F-4
F.2.1 Predator B F-4
F.2.2 King Air 200 F-5
F.2.3 Cessna Caravan F-6
F.3 Reciprocating fixed-wing Propeller F-7
F.3.1 Predator A F-7
F.3.2 Shadow 200 F-8
F.3.3 Cessna 182 F-9
F.3.4 Aerosonde Mk47 F-10
F.3.5 ScanEagle F-11
F.4 Vertical Takeoff and Landing (VTOL) F-12
F.4.1 Firescout F-12
F.4.2 Bell 206 F-13
F.4.3 Hummingbird A-160 F-14
F.4.4 RMAX TYPE II F-15
F.4.5 Honeywell RQ-16A T-Hawk F-16
F.5 Airships F-17
F.5.1 SA 60 LAA F-17

F.5.2 WLD 1B F-18
F.6 Unique Attributes UAS - HALE F-19
F.6.1 Global Observer F-19
F.7 Unique Attributes UA – Low Visual Signature (LVS) F-20
F.7.1 Raven F-20
Appendix G Scenario Operational, Environment and Services Matrix G-1
Appendix H Endnotes for Table 32 - Data on Aircraft Numbers, Utility, and Distribution by Altitude H-1

© 2010, RTCA, Inc.

List of Figures

Figure 1 DO-264 Process Flow 3
Figure 2 UAS Segments 4
Figure 3 ATC Participating Airport Operational, Environment and System Interfaces (OV-1A) 8
Figure 4 Non-ATC Participating Airport (OV-1B) 9
Figure 5 Non-ATC Participating Surface Operational, Environment and System Interfaces (OV-1C) 10
Figure 6 Airspace Classes 11
Figure 7 ATC Participating Airborne Operational, Environment and System Interfaces (OV-1D) 12
Figure 8 Non-ATC participating Airborne Operational, Environment and System Interfaces (OV-1E) 13
Figure 9 Point-to-Point 15
Figure 10 Planned Aerial Work 16
Figure 11 Unplanned Aerial Work Mission 16
Figure 12 Current and Potential UAS Military Applications 21
Figure 13 Estimated Military UA Growth Rates and Uncertainty Bounds to 2030 25
Figure 14 Current and potential Civil Government Applications 26
Figure 15 Estimated Civil Govt. Growth Rate and Uncertainty Bounds to 2035 30
Figure 16 Potential Commercial UA Applications 31
Figure 17 Estimated Commercial UA Growth Rate and Uncertainty Bounds to 2040 35
Figure 18 Forecast UAS Military Turbojet 42
Figure 19 Forecast UAS Civil Govt. Turbojet 42
Figure 20 Forecast UAS Commercial Turbojet 43
Figure 21 Forecast UAS Military Turboprop 47
Figure 22 Forecast UAS Civil Govt. Turboprop 47
Figure 23 Forecast UAS Commercial Turboprop 48
Figure 24 Forecast - UAS Military Reciprocating 52
Figure 25 Forecast - UAS Civil Govt. Reciprocating 52
Figure 26 Forecast - UAS Commercial Reciprocating 53
Figure 27 Forecast - UAS Military VTOL 57
Figure 28 Forecast - UAS Civil Govt. VTOL 57
Figure 29 Forecast - UAS Commercial VTOL 58
Figure 30 Forecast - UAS Military Airship 62
Figure 31 Forecast - UAS Civil Govt. Airship 63
Figure 32 Forecast - UAS Commercial Airship 63
Figure 33 Operational Architecture Process Development Flow 71
Figure 34 Raven - Route Flown 78
Figure 35: ScanEagle - Planned Route 80
Figure 36: Scan Eagle – Planned vs. Actual Route Flown 82

Figure 37 Aerosonde- Planned Route 84
Figure 38: Firescout- Planned Route 86
Figure 39 Firescout - Planned vs Actual Route Flown 88
Figure 40 Caravan - Planned Route 89
Figure 41 Caravan - Departure Area 92
Figure 42 Caravan - Arrival Area 93
Figure 43 Predator B - Planned Route 94
Figure 44 Predator B - Departure Area 96
Figure 45 Global Hawk - Planned Route 97
Figure 46: Scenario 8 – Global Hawk Departure Area 99
Figure 47 – Global Hawk – Aerial Work Area 100
Figure 48 – WDL 1B Airship - Planned Route 101
Figure 49 Global Observer Planned Route 104
Figure 50 Global Observer - Departure Area 106
Figure 51 Flight Planning Services 108
Figure 52 Separation Assurance Services 110
Figure 53 Airspace Management Services 114
Figure 54 Worldwide FIR Boundaries 118
Figure 55 U.S. Domestic and Oceanic Airspace 119
Figure 56 NAS Airspace Classes 119
Figure 57 Airspace Classifications for U.S. Managed Pacific & Arctic Airspace 120
Figure 58 Airspace Classifications for U.S. Managed Atlantic & Gulf of Mexico Airspace 120
Figure 59 Airspace Rules by Class (1) 121
Figure 60 Airspace Rules by Class (2) 122
Figure 61 NRS Naming Convention 122
Figure 62 NAS Architecture Communications Roadmap 128
Figure 63 NAS Architecture Navigation Roadmap 132
Figure 64 NAS Architecture Surveillance Roadmap 135
Figure 65 NAS Architecture Automation Systems - 1 141
Figure 66 NAS Architecture Automation Systems - 2 142
Figure 67 Conceptual Model C-2

© 2010, RTCA, Inc.

List of Tables

Table 1 Cross-comparison of Operational Concept Views to Primary Functions 14
Table 2 Estimated Military Market by UA Category 25
Table 3 Estimated Civil Government Market by UA Category 30
Table 4 Estimated Commercial Market by UA Category 35
Table 5 Summary of Quantitative Estimates by UAS Market Segment 36
Table 6 Turbojet fixed-wing aircraft – Flight profile types by percent 41
Table 7 Global Hawk (RQ-4) – Average Usage by Time in Airspace Classes 44
Table 8 N-UCAS (X-47B) – Average Usage by Time in Airspace Classes 44
Table 9 Gulfstream 550 – Average Usage by Time in Airspace Classes 45
Table 10 Turboprop Fixed-wing Aircraft – Flight Profile Types by Percent 46
Table 11 Predator B – Average Usage by Time in Airspace Classes 49
Table 12 King Air 200 (conversion) – Average Usage by Time in Airspace Classes 49
Table 13 Cessna Caravan (conversion) – Average Usage by Time in Airspace Classes 50
Table 14 Reciprocating Prop Aircraft – Flight Profile Types by Percent 51
Table 15 Predator A – Average Usage by Time in Airspace Classes 54
Table 16 Shadow 200 – Average Usage by Time in Airspace Classes 54
Table 17 Cessna 182 (conversion) – Average Usage by Time in Airspace Classes 55
Table 18 ScanEagle – Average Usage by Time in Airspace Classes 55
Table 19 VTOL UA – Mission Types by Percent 56
Table 20 Firescout – Average Usage by Time in Airspace Classes 59
Table 21 Bell 206 (conversion) – Average Usage by Time in Airspace Classes 59
Table 22 Hummingbird A 160 – Average Usage by Time in Airspace Classes 60
Table 23 RMAX Type II – Average Usage by Time in Airspace Classes 60
Table 24 RQ-16A T-Hawk – Average Usage by Time in Airspace Classes 61
Table 25 Airship UA – Mission Types by Percent 64
Table 26 SA 60 LAA – Average Usage by Time in Airspace Classes 64
Table 27 WLD-1B – Average Usage by Time in Airspace Classes 65
Table 28 HALE UA – Mission Types by Percent 66
Table 29 Global Observer – Average Usage by Time in Airspace Classes 67
Table 30 LVS UA – Mission Types by Percent 68
Table 31 Raven – Average Usage by Time in Airspace Classes 69
Table 32 Aircraft Numbers, Utilization and Distribution by Altitude 144
Table 33 Aggregate Air Traffic Density Estimate – 2009 148
Table 34 Aggregate Air Traffic Density Estimate - 2025 149
Table 35 Sampling Distributions C-2
Table 36 Global Hawk (RQ-4) – Physical Characteristics and Equipage F-1
Table 37 Global Hawk (RQ-4) – Flight Performance Characteristics F-1
Table 38 N-UCAS (X-47B) – Physical Characteristics and Equipage F-2
Table 39 N-UCAS (X-47B) – Flight Performance Characteristics F-2
Table 40 Gulfstream 550 – Physical Characteristics and Equipage F-3

Table 41 Gulfstream 550 – Flight Performance Characteristics F-3
Table 42 Predator B – Physical Characteristics and Equipage F-4
Table 43 Predator B – Flight Performance Characteristics F-4
Table 44 King Air 200 – Physical Characteristics and Equipage F-5
Table 45 King Air 200 – Flight Performance Characteristics F-5
Table 46 Cessna Caravan – Physical Characteristics and Equipage F-6
Table 47 Cessna Caravan – Flight Performance Characteristics F-6
Table 48 Predator A – Physical Characteristics and Equipage F-7
Table 49 Predator A – Flight Performance Characteristics F-7
Table 50 Shadow 200– Physical Characteristics and Equipage F-8
Table 51 Shadow 200 – Flight Performance Characteristics F-8
Table 52 Cessna 182 – Physical Characteristics and Equipage F-9
Table 53 Cessna 182 – Flight Performance Characteristics F-9
Table 54 Aerosonde – Physical Characteristics and Equipage F-10
Table 55 Aerosonde – Flight Performance Characteristics F-10
Table 56 ScanEagle – Physical Characteristics and Equipage F-11
Table 57 ScanEagle – Flight Performance Characteristics F-11
Table 58 Firescout – Physical Characteristics and Equipage F-12
Table 59 Firescout – Flight Performance Characteristics F-12
Table 60 Bell 206 – Physical Characteristics and Equipage F-13
Table 61 Bell 206 – Flight Performance Characteristics F-13
Table 62 Hummingbird A-160 – Physical Characteristics and Equipage F-14
Table 63 Hummingbird A-160 – Flight Performance Characteristics F-14
Table 64 RMAX TYPE II – Physical Characteristics and Equipage F-15
Table 65 RMAX TYPE II – Flight Performance Characteristics F-15
Table 66 Honeywell RQ-16A T-Hawk – Physical Characteristics and Equipage F-16
Table 67 GoldenEye 50 – Flight Performance Characteristics F-16
Table 68 SA 60 LAA – Physical Characteristics and Equipage F-17
Table 69 SA 60 LAA – Flight Performance Characteristics F-17
Table 70 WLD 1B – Physical Characteristics and Equipage F-18
Table 71 WLD 1B – Flight Performance Characteristics F-18
Table 72 Global Observer – Physical Characteristics and Equipage F-19
Table 73 Global Observer – Flight Performance Characteristics F-19
Table 74 Raven – Physical Characteristics and Equipage F-20
Table 75 Raven – Flight Performance Characteristics F-20

© 2010, RTCA, Inc.

1 Introduction

1.1 Purpose

The purpose of the Operational Services & Environment Definition (OSED) is to provide a basis for assessing and establishing operational, safety, performance, and interoperability requirements for UAS operations in the NAS. Its contents are based on guidance contained in RTCA DO-264, *Guidelines for Approval of the Provision and Use of Air Traffic Services Supported by Data Communications*. Though DO-264 is specific to data communications, it provides a generic framework and process being followed by SC-203 in accordance with their Terms of Reference. As stated in DO-264, the OSED results from the Operational Services Environmental Information Capture (OSEIC) process. Information from the OSEIC is used to provide a description of operational objectives, stakeholders, air traffic services, and operational environment.

Traditionally, OSEDs have been written for specific applications whose breadth of operational function and environmental interactions with the NAS are limited (e.g., ADS-B). Such applications have generally sought to *augment or replace* capabilities within the NAS. In contrast, UAS applications are intended to *integrate* into the NAS, not to modify fundamentals of its infrastructure or procedures. Further, unlike the well-defined and limited applications found in other OSED's, UAS vary widely in design, concept, use, and interact with virtually all services, infrastructure and users of the NAS. This document seeks to characterize those highly differentiated attributes of UAS and define their relationship to airspace users, air traffic services, and operating environments of the NAS. It is a baseline information source intended to support subsequent assessments leading to the development of Operational, Safety, Performance and Interoperability Requirements (OSPIR) which, in turn, will support development of UAS Minimum Aviation System Performance Standards (MASPS), and specific Sense & Avoid (SAA) MASPS, and Control & Communication (C2) MASPS.

Specific objectives of the OSED are to:

- Characterize UAS operations in the NAS, with emphasis on civil applications
- Identify where UAS share similar issues with manned aviation in the NAS
- Characterize the operational environment of UAS with respect to airspace classes, operating rules and conditions, and the nature of interactions with other airspace users
- Categorize UAS based on attributes of greatest interest to the NAS
- Provide a basis for identifying specific incompatibilities with the current NAS in terms of operations, systems, standards and procedures, or some combination thereof
- Articulate differences in UAS operations relative to NAS constraints and requirements
- Map UAS operational functions and interfaces relative to the NAS
- Identify where additional research or data may be required to effectively describe and characterize the nature of UAS/NAS incompatibilities
- Provide source data for assessing the scope of operations and environments to be considered for the initial set of MASPS development work

The OSED is an iterative document that is subject to change based on modifications to underlying data or descriptions (e.g., implementation of new air traffic procedures or technologies) or the need for additional information to support future assessments.

© 2010, RTCA, Inc.