

Snow Loads on Solar-Paneled Roofs

Michael O'Rourke, Ph.D., P.E.
Nicholas Isyumov, Ph.D., P.E.

ASCE
SEI ASCE STRUCTURAL ENGINEERING INSTITUTE

Snow Loads on Solar-Paneled Roofs

Michael O'Rourke, Ph.D., P.E.
Professor of Civil Engineering, Rensselaer Polytechnic Institute

Nicholas Isyumov, P.E.
Professor Emeritus, Western University

Sponsored by the
Technical Activities Division of the
Structural Engineering Institute of the
American Society of Civil Engineers





Published by the American Society of Civil Engineers

Published by American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, Virginia 20191-4382
www.asce.org/bookstore | ascelibrary.org

Any statements expressed in these materials are those of the individual authors and do not necessarily represent the views of ASCE, which takes no responsibility for any statement made herein. No reference made in this publication to any specific method, product, process, or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE. The materials are for general information only and do not represent a standard of ASCE, nor are they intended as a reference in purchase specifications, contracts, regulations, statutes, or any other legal document. ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefor. The information contained in these materials should not be used without first securing competent advice with respect to its suitability for any general or specific application. Anyone utilizing such information assumes all liability arising from such use, including but not limited to infringement of any patent or patents.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies and permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an e-mail to permissions@asce.org or by locating a title in the ASCE Library (http://ascelibrary.org) and using the "Permissions" link.

Copyright © 2016 by the American Society of Civil Engineers.
All Rights Reserved.

ISBN 978-0-7844-8024-3 (PDF)

Manufactured in the United States of America.

23 22 21 20 19 18 17 16 1 2 3 4 5

Contents

Acknowledgments iv

Introduction 1

1 Solar Panel Types 2

2 Balanced Snow Load Considerations 4
- 2.1 Thermal Factor C_t 4
- 2.2 Slope Factor C_s 5
- 2.3 Exposure Factor C_e 7

3 Sliding Loads 10
- 3.1 Sliding Snow Loads for Flush Panels 10
- 3.2 Sliding Snow Loads for Tilted Panels 12
- 3.3 Sliding Snow Loads for Elevated Panels 14
- 3.4 Sliding Loads from/onto Solar Paneled Roofs 15

4 Drift Loads 16
- 4.1 Snow Drift Loads for Flush Panels 16
- 4.2 Snow Drift for Tilted Panels 19
- 4.3 Snow Drift Loads for Elevated Panels 25
- 4.4 Solar Panels on Non–North-South Roof Bays 26
- 4.5 Drift Loads from/onto Solar Paneled Roofs 27

5 Example Problems 29
- 5.1 Example Problem #1: Flush Panels/Moderate Ground Snow Load 29
- 5.2 Example Problem #2: Flush Panels/Low Ground Snow Load 32
- 5.3 Example Problem #3: Flush Panels/Sliding Obstructed 36
- 5.4 Example Problem #4: Tilted-Closed Panels/Low Ground Snow Load 40
- 5.5 Example Problem #5: Drifts/Single Row of Panels 44
- 5.6 Example Problem #6: Drifts/Closely Spaced Multiple Rows 47
- 5.7 Example Problem #7: Drifts/Full Closely Spaced Panels 50
- 5.8 Example Problem #8: Drifts/Widely Spaced Multiple Rows 51
- 5.9 Example Problem #9: Drifts/East-West Edges 54

References 56

Acknowledgments

The authors would like to recognize the following organizations for project support in developing this report:

American Iron and Steel Institute

FM Global

Metal Building Manufacturers Association

INTRODUCTION

The load recommendations contained herein are for snow atop solar paneled roofs. The balanced loads, sliding loads and drift loads are all in terms of uniform or nonuniform downward acting pressures over all or portions of the roof. They are specifically intended for the structural design of roof beams, roof girders, and columns. They are not intended for the structural design of the solar panels themselves nor the above-the-roof-surface solar panel support components. The guide's use of north and south directions assumes a northern hemisphere site location.

Depending on the structural framing of the solar panel support system, the uniform loads recommended herein may resolve into concentrated "point" loads or "line" loads on the roof surface. These resultant, support system dependent, point and line loads should be used for the structural design of the roof deck and roof sheathing panels.

The snow loading recommendations contained herein are based on limited case history information (Corotis et al. 1979; O'Rourke 1979), laboratory studies (Irwin et al. 1984) design criteria (Cattaneo et al. 1981), and engineering judgment. The recommended sliding and drifting load cases in particular are intended to envelop actual distributions of snow loading. As such, refined approaches based on special studies may become available in the future and used to modify the snow load recommendation presented herein. Any such studies should be based on rational methods and an understanding of snow loading processes.

Finally, the recommendations contained herein are intended to cover snow load conditions that result from the presence of solar panels on a roof. The solar panel specific recommendations in this guideline are intended to be used with the snow load procedures in *Minimum Design Loads for Buildings and Other Structures,* Standard ASCE/SEI 7-10, including the load factors and load combinations. (Except for changes to figure and section numbering, this guide is also compatible with ASCE 7-16, *Minimum Design Loads and Associated Criteria for Buildings and Other Structures*.) The recommendations are not intended to replace the well-established snow load considerations in the ASCE 7-10 load standard. For example, Fig. 7-9 in ASCE 7-10 is to be used to determine the snow drift load at a roof step, even though the upper or lower level roof happens to have solar panels. In particular, it is recommended that the presence of solar panels on a higher level roof or an upwind roof should be conservatively neglected in the evaluation of sliding loads on a lower level roof, windward roof step drifts, leeward roof step drifts, parapet wall drifts, and gable roof drifts on a downwind roof. These issues are covered in more detail in Sections 3.4 and 4.5 wherein General Recommendations A and B are presented.