UL 127

STANDARD FOR SAFETY

Factory-Built Fireplaces

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER
REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

UL Standard for Safety for Factory-Built Fireplaces, UL 127

Tenth Edition, Dated November 21, 2024

Summary of Topics

This new Tenth Edition of ANSI/UL 127 dated November 21, 2024 incorporates editorial changes including renumbering and reformatting to align with current style.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated August 23, 2024.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of ULSE Inc. (ULSE).

ULSE provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will ULSE be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if ULSE or an authorized ULSE representative has been advised of the possibility of such damage. In no event shall ULSE's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold ULSE harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

No Text on This Page

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

UL 127

Standard for Factory-Built Fireplaces

First Edition – October, 1958
Second Edition – January, 1960
Third Edition – July, 1970
Fourth Edition – September, 1971
Fifth Edition – November, 1981
Sixth Edition – September, 1988
Seventh Edition – May, 1996
Eighth Edition – July, 2008
Ninth Edition – April, 2011

Tenth Edition

November 21, 2024

This ANSI/UL Standard for Safety consists of the Tenth Edition.

The most recent designation of ANSI/UL 127 as an American National Standard (ANSI) occurred on November 21, 2024. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to ULSE at any time. Proposals should be submitted via a Proposal Request in the Collaborative Standards Development System (CSDS) at https://csds.ul.com.

Our Standards for Safety are copyrighted by ULSE Inc. Neither a printed nor electronic copy of a Standard should be altered in any way. All of our Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of ULSE Inc.

© 2024 ULSE Inc. All rights reserved.

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

No Text on This Page

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

CONTENTS

INTRODUCTION

1 Scope 7
2 Glossary 7
3 Components 8
3.1 General 8
3.2 Attachment plugs, receptacles, connectors, and terminals 9
3.3 Boxes and raceways 10
3.4 Capacitors and filters 10
3.5 Controls 10
3.6 Cords, cables, and internal wiring 12
3.7 Overcurrent protection 12
3.8 Polymeric materials and enclosures 13
3.9 Power supplies 13
3.10 Printed wiring boards 13
3.11 Switches 13
3.12 Transformers 14
4 Units of Measurement 14
5 Referenced Publications 14
6 Terms 17

CONSTRUCTION

7 Materials 17
7.1 General 17
7.2 Air duct system 20
8 Assembly 21
8.1 General 21
8.2 Joints 21
8.3 Firestop spacers 22
8.4 Support assembly 22
8.5 Radiation shield 22
8.6 Flue damper 23
8.7 Chimney caps 23
8.8 Roof assemblies 23
8.9 Firescreens 24
8.10 Chimney elbows 24
8.11 Gas pipe provision 25
8.12 Air duct system 25
8.13 Handles 25
8.14 Integral grates 25
8.15 Openings in chimney walls 25

PERFORMANCE

9 General 25
10 Test Installations 26
11 Temperature Measurement 40
12 Preconditioning Tests 56
12.1 General 56
12.2 Thermal shock test 57
12.3 Temperature test – 1700 °F flue gases 59
12.4 Temperature test – 2100 °F (1149 °C) flue gases 60

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

13 Radiant Fire Test 61
14 Brand Fire Test 64
15 Flash Fire Test 68
16 Optional Unvented Decorative Log Temperature Test 69
17 Support Test 69
18 Fire Chamber Strength Test 70
19 Chimney Strength Test 75
19.1 General 75
19.2 Impact test 75
19.3 Longitudinal force test 77
19.4 Load test for chimney elbows 77
19.5 Chimney joint load test 78
19.6 Chimney joint torsion test 79
20 Wind Load Test 79
21 Rain Test 80
22 Crushing Test of Nonmetallic Flue-Gas Conduit or Insulation 83
23 Resistance to Action of Acids Test of Nonmetallic Flue-Gas Conduit 83
24 Freezing and Thawing Test of Water-Absorptive Nonmetallic Materials 84
25 Cemented Joint Test of Flue-Gas Conduit 84
26 Sulfuric Acid Extraction Test for Porcelain-Coated Steel Used for Flue-Gas Conduit 85
27 Glazing Test 86
27.1 General 86
27.2 Impact test 86
27.3 Water shock test 87

OUTDOOR FIREPLACES

28 General 87
29 Construction 87
30 Performance 88
30.1 General 88
30.2 Hot and cold conditioning test 88
30.3 Freezing and thawing tests for refractory materials 88
30.4 Wind test 89
31 Marking 89
32 Operating Instructions 90

FIREPLACES FOR USE IN MANUFACTURED HOMES

33 General 90
33.1 Installation 90
33.2 Chimney 90
33.3 Spark arrester 91
33.4 Combustion air inlet 91
33.5 Test structure 91
33.6 Test method 91
33.7 Drop test 92

BLOWER ASSEMBLY

GENERAL

34 General 93

CONSTRUCTION

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

35 Enclosure 93
35.1 General 93
35.2 Mechanical protection 96
35.3 Electrical protection 97
35.4 Doors and covers 100
36 Mounting of Electrical Components 100
37 Field-Installed Blower Assemblies 101
38 Field Supply Connections 102
39 Grounding 104
40 Internal Wiring 105
40.1 General 105
40.2 Methods 105
41 Separation of Circuits 107
42 Bonding for Grounding 108
43 Capacitors 110
44 Insulating Material 110
45 Motors and Motor Overcurrent (Overload) Protection 110
46 Switches and Controllers 113
47 Transformers 114
48 Spacings 114

PERFORMANCE

49 Test Voltages 116
50 Temperature Measurements 117
50.1 Thermocouple method 117
50.2 Change-in-resistance method 117
51 Input Test 117
52 Temperature Test – Electrical Components 118
53 Dielectric Voltage Withstand Test 118
54 Stalled Motor Test 118
55 Strain Relief Test 118
56 Push-Back Relief Test 119
57 Short-Circuit Test 119
58 Knockout Test 119

MANUFACTURING AND PRODUCTION TESTS

59 Production Line Dielectric Voltage-Withstand Test 119

MARKING

60 General 120

MARKING PERMANENCY

61 Marking Permanency Tests 125
61.1 General 125
61.2 Air oven-aging test 125
61.3 Humidity test 125
61.4 Unusual-condition exposure test 125

INSTALLATION INSTRUCTIONS

62 Installation and Operating Instructions 125

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

62.1 General 125
62.2 Installation instructions 126
62.3 Operating instructions 128

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

INTRODUCTION

1 Scope

1.1 These requirements cover factory-built fireplaces, including the fire chamber, chimney, roof assembly, and other related parts that are entirely factory-made and that are intended for unit assembly in the field.

1.2 These requirements cover factory-built fireplaces having a fire chamber intended to be operated either open to a room or, when equipped with doors, operated with the doors either open or closed.

1.3 These requirements cover factory-built fireplaces intended for use with either solid wood or coal fuels.

1.4 The factory-built fireplaces covered by these requirements are intended for installation in accordance with the National Fire Protection Association Standard for Chimneys, Fireplaces, Vents and Solid-Fuel Burning Appliances, NFPA 211, the International Mechanical Code, and the Uniform Mechanical Code.

1.5 As covered by these requirements, an air duct system portion of a circulating warm air type fireplace is intended for installation in accordance with the National Fire Protection Association Standard for Warm Air Heating and Air Conditioning Systems, NFPA 90B.

1.6 These requirements also cover fixed blowers, and other electrical accessories for factory-built fireplaces, rated at 600 volts or less, and intended to be employed in specified locations in accordance with the National Electrical Code, NFPA 70.

1.7 The chimneys for factory-built fireplaces covered by these requirements comply with either a 1700 °F (927 °C) flue-gas temperature test or a 2100 °F (1149 °C) flue-gas temperature test, at the manufacturer's option.

1.8 A product that contains features, characteristics, components, materials, or systems new or different from those covered by the requirements in this Standard, and that involves a risk of fire, electric shock, or injury to persons shall be evaluated using the appropriate additional component and end-product requirements to determine that the level of safety as originally anticipated by the intent of this Standard is maintained. A product whose features, characteristics, components, materials, or systems conflict with specific requirements or provisions of this Standard shall not be judged to comply with this Standard. Where appropriate, revision of requirements shall be proposed and adopted in conformance with the methods employed for development, revision, and implementation of this Standard.

2 Glossary

2.1 For the purpose of this standard, the following definitions apply.

2.2 CIRCULATING WARM AIR-DUCTED TYPE FIREPLACE – A fireplace having a convection type air duct system attached to the fire chamber so that heated air is directed to areas or locations other than directly in front of or above the fire chamber opening.

2.3 COMBUSTIBLE MATERIAL, NONCOMBUSTIBLE MATERIAL – As used in these requirements, these terms are defined in the Standard Glossary of Terms Relating to Chimneys, Vents, and Heat-Producing Appliances, NFPA 97M.

2.4 CONVECTION SYSTEM – An air heating system through which air is circulated by convection. It relies upon an integral fan or blower.

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.